MedAssist AI

Recommended Blood Tests

For: Hemolytic Anemia (D59.9)

⚠️ Educational use only. AI-generated recommendations — always consult a qualified doctor before ordering any tests.

1 Complete Blood Count

CBC

Essential

To check red blood cell count, hemoglobin, and signs of anemia such as low hematocrit and increased reticulocyte count.

Normal range: Hemoglobin: 12.0–15.5 g/dL; Hematocrit: 36%–48%; RBC count: 4.2–5.4 million cells/mcL

A routine blood draw; no fasting required.

2 Reticulocyte Count

Reticulocytes

Essential

Measures young red blood cells; high levels suggest the bone marrow is trying to replace destroyed red cells.

Normal range: 0.5%–2.5%

Done with a standard blood test; no special preparation needed.

3 Lactate Dehydrogenase

LDH

Essential

Elevated when red blood cells break down; helps confirm hemolysis.

Normal range: 140–280 U/L

Blood test; no fasting required, but avoid strenuous exercise before.

MedAssist AI

Haptoglobin

Binds free hemoglobin; low levels indicate red blood cell destruction.

Normal range: 30–200 mg/dL

Simple blood draw; no special preparation.

5

Direct Antiglobulin Test

DAT or Coombs Test

Recommended

Detects antibodies or complement on red blood cells; important to identify autoimmune causes.

Normal range: Negative

Blood test to check for immune-mediated hemolysis; no special prep.

6

Peripheral Blood Smear

PBS

Recommended

Allows direct examination of red blood cell shape and size to detect abnormal forms seen in hemolysis.

Normal range: Normal RBCs are round and uniform in size

A blood sample is smeared on a slide and examined under a microscope.

7

Indirect Bilirubin

Bilirubin, indirect

Recommended

Increases when red blood cells break down; helps explain jaundice in hemolytic anemia.

Normal range: 0.2–0.8 mg/dL

Part of liver function tests; fasting may be required if combined with other tests.

MedAssist AI

Folate and B12

To rule out deficiency anemias

Normal range: `Folate: 2.7-17 ng/mL, B12: 200-900 pg/mL`

A blood draw, fasting may be required