MedAssist AI

Recommended Blood Tests

For: Pancreatic Cancer (C25.9)

⚠️ Educational use only. AI-generated recommendations — always consult a qualified doctor before ordering any tests.

1 Complete Blood Count (CBC)

Essential

CBC

To assess overall health and detect any signs of infection or anemia, which can be associated with pancreatic cancer.

Normal range: Hemoglobin: 13.5-17.5 g/dL, Hematocrit: 40-54%, White Blood Cell Count: 4,500-11,000 cells/μL

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

2 Liver Function Tests (LFTs)

Essential

LFTs

To evaluate liver function and detect any abnormalities in liver enzymes, which can be affected by pancreatic cancer.

Normal range: Alanine Transaminase (ALT): 0-40 U/L, Aspartate Transaminase (AST): 0-40 U/L, Alkaline Phosphatase (ALP): 30-120 U/L

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

MedAssist AI

To detect elevated levels of this tumor marker, which is often associated with pancreatic cancer.

Normal range: 0-37 U/mL

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

4

Glucose

Glucose

Recommended

To check for diabetes or glucose metabolism issues, common in pancreatic cancer.

Normal range: Fasting: 70-99 mg/dL, Non-fasting: <140 mg/dL

A blood draw, fasting for 8–12 hours usually required.

5

Lipase

Lipase

Recommended

To assess pancreatic enzyme levels, which may be elevated in pancreatic cancer.

Normal range: 0-160 U/L

A blood draw, no special preparation needed.

6

Electrolyte Panel

ELECTROLYTES

Recommended

To evaluate electrolyte levels, which can be affected by pancreatic cancer and its treatment.

Normal range: Sodium: 135-145 mmol/L, Potassium: 3.5-5.0 mmol/L, Chloride: 96-106 mmol/L

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

MedAssist AI

To evaluate kidney function and detect any abnormalities in kidney enzymes, which can be affected by pancreatic cancer and its treatment.

Normal range: `Creatinine: 0.6-1.2 mg/dL, Urea: 6-24 mg/dL`

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

8

Carcinoembryonic Antigen

CEA

Essential

CEA levels can be elevated in pancreatic cancer, helping in diagnosis and monitoring.

Normal range: `< 3 ng/mL`

No special preparation needed.