This application is an educational CS 595 project and is NOT a substitute for professional medical advice.

Recommended Blood Tests

For: Chronic Liver Disease (K74)

⚠️ Educational use only. AI-generated recommendations — always consult a qualified doctor before ordering any tests.

1 Complete Blood Count

Essential

CBC

Detects anemia, infection, and low platelet count, which can occur due to liver disease and portal hypertension.

Normal range: Hemoglobin: 12–16 g/dL, Platelets: 150,000–450,000/µL, WBC: 4,500–11,000/µL

A routine blood draw; no special preparation needed.

2 Liver Function Test Panel

Essential

LFTs

Measures liver enzymes, proteins, and bilirubin to assess liver damage and function.

Normal range: ALT: 7–56 U/L, AST: 8–48 U/L, ALP: 44–147 U/L, Total Bilirubin: 0.1–1.2 mg/dL, Albumin: 3.5–5.0 g/dL

A small blood sample is taken; fasting is not always required but may be requested.

3 Prothrombin Time

Essential

PT/INR

Evaluates blood clotting ability, as the liver produces clotting factors; prolonged time indicates poor liver function.

Normal range: INR: 0.8–1.2

Blood test to check clotting; inform doctor of any medications affecting clotting.

4

Albumin

Albumin

Recommended

Measures a protein made by the liver; low levels suggest chronic liver dysfunction.

Normal range: 3.5–5.0 g/dL

Part of routine blood work; no fasting required.

5

Viral Hepatitis Panel

Hepatitis B and C tests

Essential

Identifies if viral hepatitis is the cause of chronic liver disease.

Normal range: Negative for HBsAg, Anti-HCV

Blood test to check for past or current viral infections; no preparation needed.

6

Fasting Blood Glucose

FBG

Recommended

Liver disease increases risk of insulin resistance and hepatic diabetes.

Normal range: 70–99 mg/dL

Requires 8 hours of fasting before the blood test.

7

Alpha-Fetoprotein

AFP

Recommended

Screening marker for liver cancer, which is more common in chronic liver disease.

Normal range: 0–7 ng/mL

Blood test used with imaging to monitor for liver cancer.

8

Ferritin

Ferritin

Recommended

To check for iron deficiency and anemia

Normal range: 15-200 ng/mL

No special preparation is required.