

Recommended Blood Tests

For: [Iron Deficiency Anemia](#) (D50.9)

⚠ Educational use only. AI-generated recommendations — always consult a qualified doctor before ordering any tests.

1

Complete Blood Count (CBC)

CBC

Essential

To confirm anemia and assess the severity of low red blood cell count.

Normal range: Hemoglobin (Hb): 13.5-17.5 g/dL, Hematocrit (Hct): 40-54% for males

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

2

Ferritin Blood Test

Ferritin

Essential

To measure the level of stored iron in the body.

Normal range: 13-150 ng/mL

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

3

Iron Blood Test

Iron

Essential

To measure the level of iron in the blood.

Normal range: 60-170 mcg/dL

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

4 **Total Iron-Binding Capacity (TIBC)**

TIBC

Recommended

To measure the proteins that carry iron in the blood.

Normal range: 240-450 mcg/dL

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

5 **Transferrin Saturation (TSAT)**

TSAT

Recommended

To measure the percentage of iron being carried by transferrin.

Normal range: 20-50%

A blood sample will be taken from a vein in your arm. You may feel a slight pinch.

6 **Serum Iron**

SI

Essential

To measure the level of iron in the blood

Normal range: 50-170 mcg/dL

Fasting may be required, check with doctor

7 **Ferritin**

FERR

Recommended

To assess iron stores in the body

Normal range: 30-400 ng/mL

No fasting required, standard blood draw

8

Reticulocyte Count
RET

Recommended

To evaluate the production of new red blood cells

Normal range: 0.5-2.5%

No fasting required, standard blood draw