

Recommended Blood Tests

For: [Hypothyroidism](#) (E03.9)

⚠ Educational use only. AI-generated recommendations — always consult a qualified doctor before ordering any tests.

1

Thyroid Stimulating Hormone

Essential

TSH

Primary test for diagnosing hypothyroidism; high levels indicate the thyroid is underactive

Normal range: 0.4 - 4.0 mIU/L

No fasting needed; usually the first test ordered when thyroid issues are suspected

2

Free Thyroxine

Essential

Free T4

Measures the amount of active thyroid hormone available in the blood; low levels confirm hypothyroidism

Normal range: 0.8 - 1.8 ng/dL

Often done with TSH; no special preparation required



3

Thyroid Peroxidase Antibodies

Recommended

TPOAb

Detects autoimmune attack on the thyroid, common cause of hypothyroidism like Hashimoto's thyroiditis

Normal range: Less than 9 IU/mL

Helps determine if the condition is autoimmune; no fasting required

4 Complete Blood Count

Recommended

CBC

Hypothyroidism can cause anemia; CBC checks red blood cell levels and overall blood health

Normal range: Varies by component; e.g., hemoglobin: 13.8 - 17.2 g/dL

Routine blood test; may require brief fasting depending on clinic policy

5 Lipid Panel

Recommended

Cholesterol Test

Underactive thyroid can raise cholesterol levels, increasing heart disease risk

Normal range: Total cholesterol: less than 200 mg/dL

Fasting for 9-12 hours may be required for accurate results

6 Free Triiodothyronine

Essential

FT3

To measure the level of FT3, another hormone produced by the thyroid gland

Normal range: 2.3-4.2 pg/mL

A blood test to check your FT3 levels, usually taken in the morning after an overnight fast

7 Erythrocyte Sedimentation Rate

Optional

ESR

To monitor inflammation, which can be associated with hypothyroidism and arthritis

Normal range: 0-20 mm/h

A blood test to check for inflammation in your body, usually taken in the morning



8

Total Triiodothyronine

Total T3

Recommended

Helps assess thyroid function, especially if symptoms persist despite normal T4 levels

Normal range: 80 - 200 ng/dL

Not always needed for diagnosis but may be used in complex cases

