



---

# Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering

Experiment No. 2
Use of Sqoop tool
Date of Performance:31/7/2023
Date of Submission:7/8/2023



AIM: To install SQOOP and execute basic commands of Hadoop ecosystem component Sqoop.

THEORY:

Installation and configuration of SQOOP

1) Download SQOOP from <https://sqoop.apache.org>

2) Unzip and Install SQOOP

After Downloading the SQOOP, we need to Unzip the sqoop-1.4.7.bin\_hadoop-2.6.0.tar.gz file.

3) Create a folder and move the final extracted file in it.

4) Set up the environment variables

a. Set SQOOP\_HOME

b. Set up path variable

5) Configure SQOOP

Basic SQOOP commands:

1. List Table This command lists the particular table of the database in MYSQL server.

```
sqoop list - tables --connect jdbc:mysql://localhost/payment --username gatner
```

2. Target directory

This command import table in a specific directory in HDFS. -m denotes mapper argument. They have an integer value.

```
$ sqoop import --connect jdbc:mysql://localhost/inventory --username jony -table inventory --m 1 --target-dir/inv
```

3. sqoop-eval This command runs quickly SQL queries of the respective database.



```
$ sqoop eval --connect --query "SQLQuery"
```

4. sqoop – version This command displays version of the sqoop.

```
$ sqoop version      sqoop {revnumber}
```

5. sqoop-job

This command allows us to create a job, the parameters that are created can be invoked at any time. They take options like (–create,–delete,–show,–exit).

```
$ sqoop job --create --import --connect --table
```

6. code gen

This Sqoop command creates java class files which encapsulate the imported records. All the java files are recreated, and new versions of a class are generated. They generate code to

```
$ sqoop codegen --connect -table
```


interact with database records. Retrieves a list of all the columns and their datatypes.





7. List Database This Sqoop command lists have all the available database in the RDBMS server.


```
>$ sqoop list - database -- connect
```



### OUTPUT:















```
Command Prompt
Microsoft Windows [Version 10.0.22000.2295]
(c) Microsoft Corporation. All rights reserved.

C:\Users\admin>echo %SQOOP_HOME%
C:\sqoop-1.4.7

C:\Users\admin>sqoop list-databases --connect jdbc:mysql://localhost/ --username sqoop -P
Warning: HBASE_HOME and HBASE_VERSION not set.
Warning: HCAT_HOME not set
Warning: HCATALOG_HOME does not exist HCatalog imports will fail.
Please set HCATALOG_HOME to the root of your HCatalog installation.
Warning: ACCUMULO_HOME not set.
Warning: ZOOKEEPER_HOME not set.
Warning: HBASE_HOME does not exist HBase imports will fail.
Please set HBASE_HOME to the root of your HBase installation.
Warning: ACCUMULO_HOME does not exist Accumulo imports will fail.
Please set ACCUMULO_HOME to the root of your Accumulo installation.
Warning: ZOOKEEPER_HOME does not exist Accumulo imports will fail.
Please set ZOOKEEPER_HOME to the root of your Zookeeper installation.
2023-09-13 04:22:22,757 INFO sqoop.Sqoop: Running Sqoop version: 1.4.7
Enter password:
2023-09-13 04:22:26,809 INFO manager.MySQLManager: Preparing to use a MySQL streaming resultset.
Loading class `com.mysql.jdbc.Driver'. This is deprecated. The new driver class is `com.mysql.cj.jdbc.Driver'. The drive
r is automatically registered via the SPI and manual loading of the driver class is generally unnecessary.
mysql
information_schema
performance_schema
sys
C:\Users\admin>
```



```
Command Prompt
No such sqoop tool: list. See 'sqoop help'.

C:\Users\admin>sqoop list-tables --connect jdbc:mysql://localhost/ --username sqoop -P
Warning: HBASE_HOME and HBASE_VERSION not set.
Warning: HCAT_HOME not set
Warning: HCATALOG_HOME does not exist HCatalog imports will fail.
Please set HCATALOG_HOME to the root of your HCatalog installation.
Warning: ACCUMULO_HOME not set.
Warning: ZOOKEEPER_HOME not set.
Warning: HBASE_HOME does not exist HBase imports will fail.
Please set HBASE_HOME to the root of your HBase installation.
Warning: ACCUMULO_HOME does not exist Accumulo imports will fail.
Please set ACCUMULO_HOME to the root of your Accumulo installation.
Warning: ZOOKEEPER_HOME does not exist Accumulo imports will fail.
Please set ZOOKEEPER_HOME to the root of your Zookeeper installation.
2023-09-13 04:25:49,023 INFO sqoop.Sqoop: Running Sqoop version: 1.4.7
Enter password:
2023-09-13 04:25:53,985 INFO manager.MySQLManager: Preparing to use a MySQL streaming resultset.
Loading class 'com.mysql.jdbc.Driver'. This is deprecated. The new driver class is 'com.mysql.cj.jdbc.Driver'. The drive
r is automatically registered via the SPI and manual loading of the driver class is generally unnecessary.

C:\Users\admin>
```

### CONCLUSION:

The experiment focused on the installation and utilization of Sqoop tool, a pivotal component within the Hadoop ecosystem. It successfully demonstrated Sqoop's capabilities, including connecting to various databases, importing and exporting data between Hadoop and relational databases, and performing data transformations during the process. It seamlessly integrates with Hadoop components like HDFS, Hive, HBase, and Pig, making it an essential tool in the Hadoop ecosystem. Sqoop's parallel data transfer and seamless integration with Hadoop components were showcased. This experiment emphasized Sqoop's role in bridging the gap between Hadoop's distributed storage and relational databases, making it an indispensable tool for organizations managing diverse data sources. It offers efficiency, automation, and seamless integration, making it a valuable tool for users dealing with big data in the Hadoop ecosystem.