# **Smart Cart Collisions Exploration**

### Siddharth Nema

SPH4U0

Ms. Ally

May 18, 2022

#### 1 Collision Observations

#### The Five Collision Scenarios:

- 1. Collision 1: Both carts equal mass | Bounce of magnets | Cart 2 (Blue) at rest
- 2. Collision 2: Both carts equal mass | Bounce of magnets | Roll towards each other
- 3. Collision 3:  $m_2 = 2m_1$  | Bounce of magnets | Cart 2 (Blue) at rest
- 4. Collision 4:  $m_2 = 2m_1$  | Bounce of magnets | Roll towards each other
- 5. Collision 5: Both carts equal mass | Stick together after | Cart 2 (Blue) at rest

Table 1: Observed Data for Cart 1 (Red) in all Five Collision Scenarios

Collision Number	Cart 1 Mass (kg)	$rac{ ext{Cart 1 } ec{v}_i}{ ext{(m/s)}}$	$rac{ ext{Cart 1 } ec{v}_f}{ ext{(m/s)}}$	$\begin{array}{c} \text{Cart 1 } \vec{p_i} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$\begin{array}{c} \text{Cart 1 } \vec{p}_f \\ \text{(kg} \cdot \text{m/s)} \end{array}$
Collision 1	0.270	0.911	0.000	0.246	0.000
Collision 2	0.270	0.455	-0.396	0.123	-0.107
Collision 3	0.270	0.580	0.000	0.157	0.000
Collision 4	0.270	0.631	-0.520	0.170	-0.140
Collision 5	0.270	0.692	0.341	0.187	0.092

Table 2: Observed Data for Cart 2 (Blue) in all Five Collision Scenarios

Collision Number	Cart 2 Mass (kg)	$rac{ ext{Cart 2 } ec{v}_i}{ ext{(m/s)}}$	$rac{ ext{Cart 2 } ec{v}_f}{ ext{(m/s)}}$	$\begin{array}{c} \text{Cart 2 } \vec{p_i} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$egin{array}{c}  ext{Cart 2 } ec{p}_f \  ext{(kg $\cdot$ m/s)} \end{array}$
Collision 1	0.270	0.000	0.885	0.000	0.239
Collision 2	0.270	-0.476	0.386	-0.129	0.104
Collision 3	0.532	0.000	0.321	0.000	0.171
Collision 4	0.532	-0.616	0.000	0.328	0.000
Collision 5	0.270	0.000	0.343	0.000	0.093

Table 3: Total Momentum and Kinetic Energy in all Five Collision Scenarios

Collision Number	$egin{aligned}  ext{Total } ec{p}  ext{ Before} \  ext{(kg} \cdot  ext{m/s)} \end{aligned}$	$\begin{array}{c} \text{Total } \vec{p} \text{ After} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$\begin{array}{c} \text{Total } E_k \\ \text{Before (J)} \end{array}$	$\begin{array}{c} \text{Total } E_k \\ \text{After (J)} \end{array}$
Collision 1	0.246	0.239	0.112	0.106
Collision 2	-0.006	-0.003	0.059	0.041
Collision 3	0.157	0.171	0.045	0.027
Collision 4	-0.157	-0.140	0.155	0.037
Collision 5	0.187	0.185	0.065	0.032

### 2 Explosion Observations

#### The Two Explosion Scenarios:

- 1. Explosion 1: Two carts of equal mass "explode" away from each other
- 2. Explosion 2: Two carts of unequal mass "explode" away from each other

Table 4: Observed Data for Cart 1 (Red) in Both Explosion Scenarios

Explosion Number	Cart 1 Mass (kg)	$rac{ ext{Cart 1 } ec{v}_i}{ ext{(m/s)}}$	$rac{ ext{Cart 1 } ec{v}_f}{ ext{(m/s)}}$	$\begin{array}{c} \text{Cart 1 } \vec{p_i} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$\begin{array}{c} \text{Cart 1 } \vec{p}_f \\ \text{(kg} \cdot \text{m/s)} \end{array}$
Explosion 1	0.270	0.000	0.796	0.000	0.215
Explosion 2	0.270	0.000	0.945	0.000	0.255

Table 5: Observed Data for Cart 2 (Blue) in Both Explosion Scenarios

Collision Number	Cart 2 Mass (kg)	$rac{ ext{Cart 2 } ec{v}_i}{ ext{(m/s)}}$	$rac{ ext{Cart 2 } ec{v}_f}{ ext{(m/s)}}$	$\begin{array}{c} \text{Cart 2 } \vec{p_i} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$egin{array}{c}  ext{Cart 2 } ec{p}_f \  ext{(kg} \cdot  ext{m/s)} \end{array}$
Explosion 1	0.270	0.000	-0.848	0.000	-0.229
Explosion 2	0.532	0.000	-0.506	0.000	-0.269

Table 6: Total Momentum and Kinetic Energy in Both Explosion Scenarios

Collision Number	$\begin{array}{c} \text{Total } \vec{p} \text{ Before} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$\begin{array}{c} \text{Total } \vec{p} \text{ After} \\ \text{(kg} \cdot \text{m/s)} \end{array}$	$egin{array}{l}  ext{Total } E_k \  ext{Before } ( ext{J}) \end{array}$	$egin{array}{l}  ext{Total } E_k \  ext{After } ( ext{J}) \end{array}$
Explosion 1	0.000	-0.014	0.000	0.183
Explosion 2	0.000	-0.014	0.000	0.189

## 3 Collision Analysis

### 4 Explosion Analysis