

From Devices to Intelligence: The Inspironics Platform Strategy

CK · CD · CE · CX — Engineering-Grade IoT Ecosystem & GTM Architecture

1

Open Sensor Ecosystem

30+ certified partners, zero hardware lock-in

2

MQTT-First Data World

Universal nervous system for enterprise IoT

3

Agentic AI

Autonomous decisions from sensor to board

4

ESG Intelligence

Sensor-grade GRI · CSRD · CDP · SEBI BRSR

Audience

Engineering Team · Board · Investors · Buyers · Strategic Partners · AWS / Azure / Google Ecosystem Teams

This Document

A complete architecture, GTM, and competitive blueprint covering the full CK/CD/CE/CX platform stack — from edge sensors to autonomous AI agents to enterprise revenue architecture.

The \$109B Opportunity: Why Now

\$109B

India Smart Building by 2033

Up from \$12.5B in 2024 — 24.2% CAGR, the fastest-growing built-environment market globally

\$134M

India IoT Platform by 2035

From \$17.5M in 2024 at 20.3% CAGR; enterprise IoT and smart agriculture are the fastest verticals

30%

Energy Cut via AI Buildings

AI-enabled solutions cut commercial building power consumption by 20–30%; smart automation improves overall efficiency by 40% (IGBC)

Regulatory Tailwinds

CSRD, GRI, SEBI BRSR, Smart Cities Mission, and NABARD digital agriculture mandates all demand real-time sensor-grade ESG data — the exact data Inspironics is architected to deliver. Compliance is no longer optional; it is a procurement requirement.

Incumbent Gap — The Strategic Opening

Johnson Controls, Honeywell, and Siemens lead building automation today — but their architectures are **closed, proprietary, and hardware-locked**. No open sensor ecosystem. No MQTT-native data fabric. No agentic AI layer. This gap is Inspironics' beachhead.

The Enterprise-of-Enterprises Architecture

Four independently deployable, commercially licensable platform layers — enabling modular land-and-expand GTM across every built-environment vertical.

CK — Connected Knowledge Platform

Core IoT data fabric. MQTT-native ingestion, time-series storage, ML pipeline, API gateway. The intelligence engine of the stack.

CD — Digital Commerce & Smart Spaces


Monetization engine. Revenue optimization, tenant billing, digital twin commerce — turning sensor data into P&L impact.

CE — ESG & Cognitive Enterprise

GRI/SASB/CDP/CSRD-aligned reporting. Carbon accounting, compliance automation, board-ready ESG dashboards at sensor granularity.

CX — Experience Intelligence

Guest, patient, tenant, student experience layer. Real-time personalization, comfort scoring, and satisfaction KPI tracking.



One platform, multiple industries, infinite data possibilities: **Hospitality · Healthcare · Commercial Real Estate · Agriculture · Manufacturing**. Each layer is independently deployable and commercially licensable, enabling a clean land-and-expand motion from single-building pilots to enterprise-of-enterprises rollouts.

India-Ready Open Sensor Ecosystem

30+ certified sensor partners across 5 categories — all normalized into a unified CK data fabric with no vendor lock-in. Selection criteria: MQTT support · API availability · SDK depth · Indian supply chain · margin potential · global availability.

Category	Key Vendors	Protocol	Openness	India Availability
Energy	ABB, Schneider, Siemens	Modbus/MQTT	High	Yes
Air Quality	Prana Air, Honeywell, Bosch	Zigbee/MQTT	High	Yes
Water	Endress+Hauser, Hach, IFITech	RS485/MQTT	Medium	Partial
Occupancy	Milesight, VergeSense, Irisys	LoRa/MQTT	High	Yes
Environmental	Vaisala, Davis, Decentlab	LoRaWAN/MQTT	High	Partial



Energy Monitoring

Sub-metering to grid-level monitoring. ABB, Schneider Electric, Siemens, Titan, Zenatix, Secure Meters — full spectrum of energy intelligence.



Air Quality

PM2.5, CO₂, VOC, TVOC, temperature, humidity. Prana Air, Honeywell, SONOFF, Aqara, Bosch — indoor environment intelligence.



Water & Occupancy

Flow, quality, pH, turbidity, consumption plus people counting, desk utilization, and zone heatmaps across all facility types.

Universal Connectivity Architecture

CK normalizes every protocol into a unified data fabric — one schema, one API, one truth. From legacy industrial PLCs to cloud-native APIs, CK acts as the universal translator and enrichment layer.

Field Layer — RS485 / Modbus RTU / BACnet MSTP

Legacy industrial sensors, meters, PLCs — CK translates via protocol bridges. Preserves decades of existing infrastructure investment while unlocking data that was previously trapped.

Building Layer — BACnet IP / KNX / Zigbee / Matter

Smart building automation, lighting, HVAC, access control. The building automation layer standardized for intelligent interconnection across systems and vendors.

Enterprise Layer — MQTT / REST / GraphQL / OPC-UA

CK's native tongue. Publish-subscribe event-driven architecture eliminates point-to-point brittleness — decoupled, asynchronous, scalable to millions of concurrent device connections.

Cloud Layer — AWS IoT Core / Azure IoT Hub / Google IoT

Multi-cloud egress with CK acting as the normalization and enrichment layer before data reaches hyperscaler infrastructure. Prevents hyperscaler lock-in by abstracting cloud-specific APIs.

i MQTT as the Universal Nervous System: Lightweight, pub-sub, QoS-guaranteed, TLS-secured — ideal for millions of concurrent device connections at enterprise scale. Replacing point-to-point connections with a central MQTT broker enables agents and applications to communicate asynchronously, eliminating the brittleness of direct request-response architectures.

WiFi, Cellular & Edge Gateway Architecture

Gateways perform four critical functions: protocol translation (Modbus → MQTT), local edge compute, store-and-forward buffering for connectivity resilience, and OTA firmware management. Selecting the right gateway for the deployment context is a critical architectural decision. Data flow: **Sensors → Gateway (edge processing) → MQTT Broker → CK Platform → CE/CD/CX layers.**

Gateway	Latency	Cost Tier	Industrial Grade	SDK Richness	India Support
Teltonika	<50ms	Medium	Yes	Rich	Yes
WittelB	<100ms	Low	Partial	Basic	Yes
Milesight	<80ms	Medium	Yes	Good	Yes
Advantech	<30ms	High	Yes	Rich	Partial
Moxa	<30ms	High	Yes	Rich	Partial

Primary Recommendation: Teltonika

Industrial-grade, LTE/5G capable, SDK-rich, and widely deployed across India. Best balance of capability, availability, and margin for field deployments. Score: **87/100** on the Inspironics OEM scorecard.

Deployment Context Guide

- Agriculture / Campus:** Milesight — LoRaWAN + cellular hybrid
- SME / Budget:** WittelB — cost-optimized with local support
- Healthcare / Manufacturing:** Advantech or Moxa — IEC-certified enterprise-grade

Smart Hospitality Stack (CX)

Guest Room Intelligence

Energy (occupancy-linked HVAC/lighting), Air Quality (CO₂, PM2.5), Smart Lock (check-in/out automation), Occupancy (real-time housekeeping dispatch). Pre-arrival room conditioning and personalized temperature profiles.

PMS Integration

Opera PMS via HTNG/FIAS — guest preferences, room state, and energy data unified in one event stream. Bidirectional sync enables closed-loop automation from booking to check-out.

Agentic Layer

Revenue Agent optimizes upsell triggers based on real-time occupancy and guest behavior. Facilities Agent dispatches maintenance before guest complaints are logged.

25%

Energy Cost Reduction

15–25% reduction per occupied room via occupancy-linked HVAC and lighting automation

+12 NPS

Guest Satisfaction Uplift

8–12 NPS point improvement from pre-arrival conditioning, IAQ alerts, and personalized comfort profiles (industry benchmark)

GRI 302/303

Automated ESG Reporting

Carbon intensity per room-night for CDP disclosure; automated GRI 302 (energy) and GRI 303 (water) — audit-ready from sensor data

✓ Dynamic pricing triggers based on real-time occupancy data create a direct link between sensor intelligence and revenue management — CX layer delivers measurable P&L impact, not just operational efficiency.

Commercial Building Intelligence (CD)

Sensor Mesh — What Gets Measured

- **HVAC:** Zone-level temperature, pressure, energy consumption
- **Lighting:** Daylight harvesting, occupancy-linked dimming
- **IAQ:** CO₂, PM2.5, TVOC per floor per zone
- **Occupancy:** Desk-level and zone-level utilization
- **Water:** Sub-metering per floor and per tenant

Revenue Model

SaaS per floor/per building + ESG reporting subscription + analytics premium tier.
Tenant billing automation recovers utility costs with granular, metered accuracy.

Quantified Outcomes

20–30% energy reduction (IGBC benchmark for AI-enabled buildings)

40% improvement in overall building efficiency via smart automation

Digital Twin: 3D building model updated in real-time from sensor data — enables scenario modeling for HVAC optimization and space planning

ESG: Automated CSRD, GRI, and SEBI BRSR dashboards; carbon reduction roadmaps per building, per tenant, per floor — satisfying third-party assurance requirements that spreadsheet-based ESG cannot meet

Tenant Experience App

Mobile comfort control, real-time air quality scores, meeting room booking linked to actual occupancy data — not calendar data

ESG Compliance Layer

CSRD mandatory from 2025 for EU-linked tenants; SEBI BRSR mandatory for top 1,000 listed Indian companies — CD delivers the data infrastructure compliance requires

Space Optimization

Digital twin scenario modeling for HVAC right-sizing, space consolidation, and lease renewal decisions backed by 12 months of actual occupancy data

Connected Agriculture Intelligence (CK)

Sensor Mesh

- **Soil Moisture:** Multi-depth probes for precision irrigation decisions
- **Water Quality:** pH, EC, turbidity for source and runoff monitoring
- **Weather:** Hyperlocal microclimate stations (Vaisala, Davis)
- **Irrigation:** Flow + valve control for closed-loop automation
- **Energy Pumps:** Consumption + fault detection for OpEx control

Connectivity Strategy

LoRaWAN + cellular backhaul via Milesight gateways — architected for low-connectivity rural India where GSM coverage is inconsistent and power is unreliable.

AI Outputs

1 Yield Prediction

Crop-specific ML models combining soil, weather, and irrigation history

2 Water Optimization

30–40% irrigation reduction via precision scheduling and real-time soil data

3 Fertilizer Recommendation

Soil-data-driven precision dosing — reduced chemical runoff and input costs

Grant Ecosystem

Karnataka Elevate (startup funding) · IIT Palakkad IMPACT (deep-tech R&D) · NABARD (rural digital infrastructure) · USDA (international agri-tech partnerships)

ESG Angle

Water stewardship (GRI 303) · Reduced chemical runoff · Carbon sequestration tracking for regenerative agriculture credits — agri-ESG is an emerging premium market

Market Entry

Partner with FPOs (Farmer Producer Organizations) and state agri-departments for rapid scale. Target: **10,000 acres in Year 1**

Hospital ESG & Experience Intelligence

Infection Control — The Clinical Imperative

Real-time IAQ alerts trigger HVAC adjustments in ICUs, OTs, and isolation wards — directly reducing Hospital-Acquired Infection (HAI) risk. WHO recommends ACH ≥ 12 for high-risk zones. CK monitors, alerts, and auto-adjusts continuously across 200+ parameters simultaneously.

Energy Optimization — The Financial Case

Hospitals consume 2.5–3x more energy per sq ft than commercial buildings. CK-driven HVAC optimization targets 20–25% energy reduction — translating to crores in annual savings for large hospital networks. ROI is measurable within 12–18 months of deployment.

Compliance Automation

NABH accreditation, NABL lab environment standards, and CSRD Scope 1/2 emissions reporting — all automated via the CE platform. Eliminates manual data collection that currently consumes 40–60 hours per audit cycle.

Sensor Suite


- IAQ: CO₂, PM2.5, pathogen proxies per ward
- Temperature/Humidity: Sterile zone compliance
- Occupancy: Patient flow, bed utilization
- Water: Consumption + quality for infection control

Agentic AI in Healthcare

The Facilities Agent monitors 200+ parameters simultaneously — escalating anomalies to biomedical engineering before equipment failure occurs. Patient experience scoring per ward, noise and light monitoring, and real-time staff response time tracking create a closed loop from sensor to care quality.

The CK Data Journey: Sensor to Business Action

Eight stages of data transformation — from raw telemetry to autonomous business outcomes. Every stage is engineered for enterprise reliability, not PoC-grade performance.



01

Sensor → Gateway

Raw telemetry at 1–60 second intervals; edge filtering removes noise before transmission — reducing bandwidth costs by 60–80% vs. raw uplink

03

Data Lake → ML Pipeline

Snowflake/Databricks for cross-asset analytics; unified namespace across all industries. Forecasting, anomaly detection, classification, and RL models retrained continuously on new sensor data

02

MQTT → Time Series DB

TLS-secured pub-sub; QoS Level 1/2 guarantees no data loss; TimescaleDB/InfluxDB for high-frequency ingestion; automatic downsampling for long-term retention with 90–95% storage compression

04

Agentic AI → Business Action

ML outputs consumed by autonomous agents that trigger work orders, energy curtailment, ESG report generation, and revenue optimization — closed-loop automation without human intervention

Multi-Dimensional Data Framework

Every data point ingested by CK is tagged across **8 core dimensions** at ingestion — enabling any agent or application to subscribe to exactly the data slice it needs, from board-level aggregates to sub-second sensor events.

8 Core Dimensions

Level	Dimension	Example
1	Region	South India
2	Industry	Hospitality
3	Customer	Taj Hotels
4	Facility	Taj MG Road
5	Asset	HVAC Unit 3B
6	Sensor	CO2-Floor2-Zone4
7	Event	Threshold Breach
8	Transaction	Work Order #4421

Enterprise Data Mesh Architecture

Domain-oriented data ownership — each industry vertical (hospitality, healthcare, agriculture) owns its data product while sharing the CK infrastructure. No data siloing; no platform fragmentation.

Unified Namespace (UNS)

MQTT topic hierarchy mirrors the dimensional model — enabling subscription at any level of the hierarchy. `inspironics/south-india/hospitality/taj/mgroad/hvac-3b/co2`

Scale Benchmark

Architecture supports **500,000+ data points per facility**; tested at global enterprise scale across multiple buildings and continents.

Time-Series Queries

Trend analysis, baseline modeling, anomaly windows

Spatial Queries

Facility heatmaps, zone comparisons, floor-level aggregation

Event-Driven Queries

Anomaly triggers, threshold alerts, compliance breach detection

Transactional Queries

Billing, compliance audit, carbon accounting, work orders

Historical Intelligence Platform: Enterprise Data Lake

The CK data lake is a purpose-built stack — not a generic cloud data warehouse. Each component is selected for its specific role in the IoT-to-intelligence pipeline, with enterprise-grade governance built in from Day 1.



TimescaleDB

PostgreSQL-native time-series. Sub-second sensor data with SQL familiarity. Auto-compression reduces storage **90–95%**. ACID-compliant — mission-critical reliability.



InfluxDB

Purpose-built IoT telemetry. Handles **1M+ writes/second**. Flux query language for complex time-series analytics. Ideal for high-frequency sensor streams.



Snowflake

Cross-cloud ESG reporting and executive dashboards. Zero-copy data sharing with auditors and regulators. Multi-cloud — no hyperscaler lock-in.



Databricks

Unified ML training, feature engineering, and real-time streaming. Delta Lake + Spark Structured Streaming for continuous model retraining on new sensor data.

Use Cases Unlocked: ESG baseline and trajectory modeling · Predictive maintenance (MTBF analysis) · Energy optimization (regression + RL) · Digital Twin simulation · Tenant benchmarking · Carbon credit verification. Data governance: Role-based access, immutable audit logs, GDPR/DPDP-compliant data residency — enterprise-ready from Day 1.

Machine Learning Pipeline: From Patterns to Predictions

Production-grade ML — not PoC-grade. An MLOps pipeline with automated retraining, A/B model testing, drift detection, and model versioning ensures models remain accurate as building systems and occupancy patterns evolve.

Model Type	Primary Output	Accuracy Target	Industry
LSTM Forecasting	Energy Prediction	90%	All
Isolation Forest	Equipment Failure Alert	88%	Commercial / Healthcare
Gradient Boosting	Occupancy Forecast	85%	Hospitality / Office
Reinforcement Learning	HVAC Optimization	Continuous	All
Classification CNN	Fault Diagnosis	92%	Industrial / Healthcare

Forecasting Models

Energy consumption prediction (LSTM + Prophet); occupancy forecasting (gradient boosting); water demand prediction. **85–92% accuracy** benchmarks across deployed model classes.

Anomaly Detection

Isolation Forest + LSTM autoencoders. Detects equipment degradation **72–96 hours before failure**. Reduces unplanned downtime by **35–45%** — direct OpEx impact.

Reinforcement Learning

HVAC setpoint optimization, irrigation scheduling, energy demand response — agents that learn from real-world feedback loops, not pre-programmed rule sets.

MLOps Pipeline

Automated retraining, A/B model testing, drift detection, model versioning. Every model in production monitored continuously — no stale models serving bad predictions.

Agentic AI: From Data to Autonomous Decisions

Five purpose-built autonomous agents operate on the MQTT backbone — decoupled, event-driven, and scalable without brittle point-to-point wiring. Predictions become triggers. Triggers become actions. Actions become business outcomes.

ESG Agent / Carbon Advisor

Monitors Scope 1/2/3 in real-time. Triggers curtailment actions. Auto-generates CDP/CSRD reports. Alerts board when carbon trajectory deviates from committed targets.

Facilities Agent / Maintenance Planner

Consumes anomaly detection outputs. Creates and prioritizes work orders. Dispatches technicians. Tracks MTTR. Learns from resolution patterns to improve future dispatching.

Revenue Agent / Upsell Optimizer

Analyzes occupancy + guest behavior + energy data. Triggers dynamic pricing, upsell offers, and loyalty interventions in real-time — not batch overnight.

Sustainability Agent / Energy Coach

Benchmarks energy intensity against industry peers. Recommends operational changes. Tracks savings against committed targets with weekly variance reporting.

Executive Agent / Board Insights

Synthesizes all agent outputs into board-ready narratives. Answers natural language queries via LLM interface: *"What is our carbon intensity vs. last quarter?"*

❏ **Architecture principle:** MQTT as the agent communication backbone — decoupled, event-driven, scalable. Replacing point-to-point agent wiring with a central MQTT broker enables scalable, resilient, and truly autonomous multi-agent collaboration. This is the architectural moat that competitors cannot replicate with retrofitted point-solutions.

CE ESG Intelligence Framework

Standards Supported

	GRI Universal Standards + Topic Standards
	SASB Sector-specific industry metrics
	CDP Climate disclosure — Scope 1/2/3
	CSRD EU mandatory from 2025
	SEBI BRSR Mandatory for top 1,000 Indian listed companies

Three Metric Pillars

Environmental: Energy (Scope 1/2/3, intensity per sq ft / room-night / patient-day) · Water (consumption, recycling rate, quality) · Waste (generation, diversion, hazardous)

Social: Wellness (IAQ scores, thermal comfort, noise) · Occupancy (space utilization, density) · Safety (incident rates, emergency response times)

Governance: Compliance (audit trails, regulatory filings) · Data governance (access logs, breach detection) · Board reporting (automated narrative generation)

✔ **The Competitive Advantage:** Most ESG platforms aggregate from spreadsheets and ERP exports. CE ingests directly from sensors — delivering granular, verifiable, audit-ready data that satisfies third-party assurance requirements. Using detailed, equipment-level data provides a fundamentally more robust and verifiable basis for carbon footprint analysis. This is the difference between compliance and credibility.

Cloud Partner Alignment: AWS · Azure · Google

CK acts as the cloud-agnostic normalization layer — enriching and standardizing data before cloud egress, enabling a true multi-cloud strategy, and preventing hyperscaler lock-in. Each cloud partner unlocks a distinct enterprise segment and co-sell motion.

Platform Layer	AWS	Azure	Google Cloud
IoT Ingestion (CK)	IoT Core	IoT Hub	Pub/Sub
ML/AI (CK)	SageMaker	Azure ML	Vertex AI
Agentic AI (CX)	Bedrock	Copilot Studio	Gemini
Analytics (CE)	Redshift	Synapse	BigQuery
Digital Twin (CD)	IoT TwinMaker	Digital Twins	N/A



AWS — Enterprise & Government

IoT Core + SageMaker + Bedrock. CK maps natively to AWS IoT reference architecture. Preferred for enterprise and government deployments. AWS ISV Accelerate program unlocks co-sell.



Azure — Microsoft Stack & BFSI

IoT Hub + Digital Twins + Copilot Studio. Preferred for Microsoft-stack enterprises and BFSI. Azure Marketplace listing unlocks enterprise procurement channels.




Google Cloud — Analytics & Agri-Tech

Vertex AI + BigQuery + Gemini. Preferred for data-intensive analytics and agri-tech. Google Cloud Partner Advantage program for co-sell and marketplace presence.

Competitive Positioning: The Open vs. Closed Divide

Inspironics occupies the top-right quadrant — **Open + AI-Native + ESG-Native + Multi-Industry** — a combination no competitor simultaneously offers.

● AI-Native Score



Incumbents — Closed & Legacy

Honeywell / Siemens / Johnson Controls / Schneider: Closed ecosystems, proprietary protocols, hardware-dependent revenue streams. ESG is an add-on module bolted to legacy architecture. No open sensor marketplace. No MQTT-native data fabric. No agentic AI.

Point Solutions — Narrow & Shallow

Verdigris / Zenatix / 75F: Energy analytics only. No multi-industry platform. No ESG framework. No agentic AI. Limited India presence and supply chain. Cannot serve hospitality + healthcare + agriculture from a single platform.




India-First Advantage: Local sensor partnerships, Indian regulatory compliance (SEBI BRSR, BEE, NABARD), and **sub-\$500 deployment cost per sensor point** vs. \$2,000+ for incumbent solutions — a 4x cost advantage at the point-of-sale.

OEM Partner Qualification: 100-Point Scorecard

A rigorous, weighted 100-point qualification framework ensures every OEM partner meets Inspironics' technical, commercial, and strategic thresholds before joint GTM investment is made.

Technical (50) Commercial (30) Strategic (20)

Partner



Scoring Criteria Breakdown

Technical (50 pts): MQTT native support (15) · REST/GraphQL API (10) · SDK depth & docs (10) · OTA firmware (8) · Edge compute (7)

Commercial (30 pts): Hardware margin 15–30% (10) · Supply chain stability (8) · India distribution (7) · Global availability (5)

Strategic (20 pts): MQTT/Matter/LoRaWAN roadmap alignment (8) · Co-marketing willingness (7) · Reference customers (5)

Scoring Tiers & Outcomes

80–100 → Preferred Partner: Joint GTM, co-branding, joint marketing investment. Teltonika (87), Milesight (84), Prana Air (82).


60–79 → Qualified Partner: Standard integration, channel listing. Endress+Hauser (79), Bosch (76).

Below 60 → Conditional: Roadmap commitment required before integration investment proceeds.

Enterprise Monetization: The Revenue Architecture

■ Year 1 Mix % ■ Year 3 Mix %

Revenue Stream



Hardware Margin (15–30%) Sensor kits, gateway bundles, installation. One-time revenue. Drives platform adoption. Target: ₹2–5L per facility deployment. Declines from 45% → 20% of mix by Year 3.	SaaS Platform (70% margin) Per-facility recurring subscription; tiered by sensor count and feature set. Target: ₹50K–5L/month per enterprise customer. Core ARR engine.
ESG Subscription (75% margin) GRI/CSRD/CDP automated reporting + third-party assurance data package. ₹30K–2L/month. High-margin, high-retention — regulatory obligation creates structural stickiness.	Agentic AI (85% margin) Per-agent, per-action consumption pricing. Scales with customer value realization. Target: 20–30% of total ARR at maturity. The highest-margin, most defensible revenue layer.

<12mo

CAC Payback

Driven by hardware margin at deployment + immediate SaaS ARR commencement

120%+

Net Revenue Retention

Expansion via additional facilities, agent modules, and ESG subscription upsells

65–75%

Gross Margin Target

On SaaS layers at scale — comparable to leading enterprise SaaS benchmarks

The Inspironics Strategic Moat: Autonomous Intelligence Ecosystems

✓ Open Sensor Ecosystem

30+ certified partners across 5 categories. No hardware lock-in. India-first supply chain. Sub-\$500 deployment cost per sensor point vs. \$2,000+ incumbents.

✓ Protocol Agnostic + MQTT-Native

RS485 to GraphQL — every protocol normalized into one unified data fabric. One schema, one API, one truth across all industries and facilities.

✓ ESG-Native Architecture

Sensor-grade GRI/CSRD/CDP data — not spreadsheet aggregation. Third-party assurance ready. Satisfies SEBI BRSR mandatory requirements for listed companies.

✓ Agentic AI-Native

5 autonomous agents on MQTT backbone. Scalable multi-agent collaboration. LLM-powered board interfaces. Predictions to actions without human intervention.

✓ Multi-Industry Platform

Hospitality · Healthcare · Commercial Real Estate · Agriculture · Manufacturing. One platform, five verticals, infinite data possibilities. No competitor matches this breadth.

✓ Enterprise-of-Enterprises Architecture

CK/CD/CE/CX independently deployable. Modular land-and-expand GTM. Board-to-sensor visibility. Digital Twin ready — Azure Digital Twins + AWS IoT TwinMaker integration.

"While competitors sell devices and dashboards, Inspironics creates autonomous intelligence ecosystems that Protect, Enhance and Save resources across the world's built environment."

\$12.5B

India Smart Building Today

2024 market size — the starting line

\$109B

India Smart Building by 2033

24.2% CAGR — the addressable opportunity

Built.

The Platform Is Ready

The market is ready. The moat is defensible. The window is now.