# jQuery Assignment(By: Siddharth Gupta)

1. **Console "Hello Word" in document.ready function**

Ans.

2. **Select a ID name "#test" and add class "load" when DOM is loaded**

Ans.

3. Change the color of element which class name end with "-new"

Ans.

**4. Disable submit button using jquery attr method**

Ans.

5. Change the font size of ".target" which has parent element with id name "#main"

Ans.

6. After page load change the HTML of div element with "p" element

Ans.

7. Bind a click function to an "click" element and append next "click" next to it.

Ans.

8. Click event not working on element which added dynamicly or via script, make it work using .on method

Ans.

**9. Get dropdown selected value on onchanage event and append in div container**

Ans.

**10.Create a dropdown menu using hover method in jquery**

Ans.

11. On clicking on "google" tag. It is taking us to google home page. Stop it from happening.

Ans.

12. We have bind a click funtion to parent div but we want stop it from performing when user clicks on its child li

Ans.

13.Get the max height of elements using jquery each method

Ans.

14.Chagne color of every cell which has numberl larger than 10.

Ans.

15.Retrive the data from server using ajax get call

Ans.

16.Add cross button on row and bind click function which make a delete request to server, after success event remove the row from dom

Ans.

17.Create a image array and in div create a slide show to animate images of delay of 500ms.

Ans.

| 2 | Post 2 | ❌ |
| 3 | Post 3 | ❌ |

Start Slideshow

```
  0    <br>                                              jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
 17                                                      jQuery_File.html:142
       <a href="https://www.google.com" id="google">Google Search</a>
 36   ▶<ol id="parent">…</ol>                            jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
140   ▶<table id="cellcolor">…</table>                   jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
 15    <button id="callAjax">Call AJAX</button>          jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
  0    <div id="ajaxCall"></div>                         jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
 20   ▶<table id="ajaxTable">…</table>                   jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
 15    <button id="start">Start Slideshow</button>       jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
  0    <br>                                              jQuery_File.html:142
300                                                      jQuery_File.html:142
      ▶<div id="imageArray" style="height: 300px;width: 300px">…</div>
396   ▶<script style>…</script>                          jQuery_File.html:142
133                                                      jQuery_File.html:167
     ▶ (3) [{…}, {…}, {…}]                               jQuery_File.html:174
>
```