

FileEditSelectionViewGoRunTerminalHelp

SQLTOOLS

CONNECTIONS

shop database
hospital database
student database
office database
customer database
Tables
customer
package
sector
Views

BOOKMARKS

QUERY HISTORY

1

Run on active connection

market Road,Kudal",887656458,1031), (10,"Ramya","Hatnagar","2021-5-1","Market Road,Kudal",876565458,1032)

FirstMysqlConnection: 10 records on 'customer' table

Customer_Id	FName	LName	Join_date	Address	Mobile	Pack_id
1	Ranjan	Dive	2021-05-01	Revtale,Malvan	876565458	1024
2	Asmita	Chavan	2021-06-01	Bharad,Malvan	876345568	1025
3	Vinay	Patil	2021-05-01	Natal,Kankavli	976565458	1027
4	Karishma	Ajgekar	2021-04-01	Revtale,Malvan	887665458	1025
5	Rama	Mali	2021-06-01	Jadhav Chowk,Kankavli	982875458	1028
6	Akash	Hase	2021-06-01	Near ST stand,Kudal	887665458	1030
7	Mithila	Palkar	2021-02-01	Revtale,Malvan	934656458	1026
8	Yash	Nagar	2021-05-01	Kolamb ,Malvan	923767458	1025
9	Asmi	Dive	2021-04-01	Market Road,Kudal	887656458	1031
10	Ramya	Hatnagar	2021-05-01	Market Road,Kudal	876565458	1032

CONSOLERE-RUN QUERYEXPORTOPEN

1-10 of 10

PROBLEMSOUTPUTDEBUG CONSOLETERMINALSQL CONSOLE: MESSAGES

Not focused to results view

master*FirstMysqlConnectionLn 1, Col 1Spaces: 4UTF-8CRLFSQLMSSQLSpellDisconnectedPrettier

22:1517-01-2022

SQLTOOLS

CONNECTIONS

shop database

hospital database

student database

office database

customer database

Tables

customer

package

Pack_id INT

Speed INT

BOOKMARKS

QUERY HISTORY

1

Run on active connection

021-5-1,"Market Road,Kudal",876565458,1032)

FirstMysqlConnection: 10 records on 'customer' table

FirstMysqlConnection: 9 records on 'package' table

Pack_id	Speed	Monthly_payment	Sector_id
1024	40	1500	101
1025	45	2000	101
1026	35	1200	101
1027	40	1800	102
1028	45	2200	102
1029	35	1500	102
1030	40	1900	103
1031	45	2500	103
1032	35	1400	103

CONSOLE

RE-RUN QUERY

EXPORT

OPEN

1-9 of 9

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL CONSOLE: MESSAGES

master*

0 0

FirstMysqlConnection

Ln 1, Col 1

Spaces: 4

UTF-8

CRLF

SQL

MSSQL

Spell

Disconnected

Prettier

22:15

17-01-2022

FileEditSelectionViewGoRunTerminalHelp

Untitled-2 - Visual Studio Code

SQLTOOLS

CONNECTIONS

shop database

hospital database

student database

office database

customer database

Tables

customer

package

sector

sector_id INT

BOOKMARKS

QUERY HISTORY

1

Run on active connection

FirstMysqlConnection: 10 records on 'customer' table

FirstMysqlConnection: 9 records on 'package' table

FirstMysqlConnection: 3 records on 'sector' table

Sector_id	Sector_name
101	Malvan
102	Kankavli
103	Kudal

CONSOLERE-RUN QUERYEXPORTOPEN

PROBLEMSOUTPUTDEBUG CONSOLETERMINALSQL CONSOLE: MESSAGES

master*0 0 0FirstMysqlConnectionLn 1, Col 1Spaces: 4UTF-8CRLFSQLMSSQLSpellDisconnectedPrettier

22:1517-01-2022

SQLTOOLS

CONNECTIONS

Join_date DATE

Address VARCHARA...

Mobile INT

Pack_id INT

package

Pack_id INT

Speed INT

Monthly_paymen...

Sector_id INT

sector

BOOKMARKS

QUERY HISTORY

select

Run on active connection | Select block

1 select

2 a.FName,a.LName,a.pack_id,b.speed

3 from

4 customer.customer a inner join customer.package b

5 on a.pack_id = b.pack_id;

6

FirstMySQLConnection: select a.FName,a.LName,a.pack_id,b.speed from cust

FName	LName	pack_id	speed
Filter...	Filter...	Filter...	Filter...
Ranjan	Dive	1024	40
Asmita	Chavan	1025	45
Karishma	Ajgekar	1025	45
Yash	Nagar	1025	45
Mithila	Palkar	1026	35
Vinay	Patil	1027	40
Rama	Mali	1028	45
Akash	Hase	1030	40
Asmi	Dive	1031	45
Ramya	Hatnagar	1032	35

1-10 of 10

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL CONSOLE: MESSAGES

master*

0 0

FirstMySQLConnection

Ln 6, Col 1

Spaces: 4

UTF-8

CRLF

SQL

MSSQL

Spell

Disconnected

Prettier

22:24

17-01-2022

SQLTOOLS

CONNECTIONS

Customer_Id INT

FName VARCHAR(...

LName VARCHAR(...

Join_date DATE

Address VARCHA...

Mobile INT

Pack_id INT

package

sector

Views

BOOKMARKS

QUERY HISTORY

select a.FName,a.LName,a.pack_id,b.speed

1 select a.FName,a.LName,a.pack_id,b.speed

2 from

3 customer.customer a inner join customer.package b

4 on a.pack_id = b.pack_id

5 where a.pack_id in(1026, 1030);

FirstMySQLConnection: select a.FName,a.LName,a.pack_id,b.speed from customer.cust...

FName	LName	pack_id	speed
Filter...	Filter...	Filter...	Filter...
Mithila	Palkar	1026	35
Akash	Hase	1030	40

CONSOLERE-RUN QUERYEXPORTOPEN

PROBLEMSOUTPUTDEBUG CONSOLETERMINALSQL CONSOLE: MESSAGES

master*0 0 0FirstMySQLConnectionLn 5, Col 32Spaces: 4UTF-8CRLFSQLMSSQLSpellDisconnectedPrettier

22:2717-01-2022

SQLTOOLS

CONNECTIONS

BOOKMARKS

QUERY HISTORY

Run on active connection | Select block

1

2

3

4

5

6

select

a.pack_id,a.speed,a.Monthly_payment,b.sector_name

from

customer.package a inner join customer.sector b

on a.sector_id = b.sector_id;

FirstMySQLConnection: select

a.pack_id,a.speed,a.Monthly_payment,b.sector_name from

pack_id	speed	Monthly_payment	sector_name
1024	40	1500	Malvan
1025	45	2000	Malvan
1026	35	1200	Malvan
1027	40	1800	Kankavli
1028	45	2200	Kankavli
1029	35	1500	Kankavli
1030	40	1900	Kudal
1031	45	2500	Kudal
1032	35	1400	Kudal

CONSOLE

RE-RUN QUERY

EXPORT

OPEN

1-9 of 9

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL CONSOLE: MESSAGES

master*

0 0 0

FirstMySQLConnection

Ln 5, Col 26

Spaces: 4

UTF-8

CRLF

SQL

MSSQL

Spell

Disconnected

Prettier

22:31

17-01-2022

SQLTOOLS

CONNECTIONS

Join_date DATE

Address VARCHAR...

Mobile INT

Pack_id INT

package

Pack_id INT

Speed INT

Monthly_paymen...

Sector_id INT

sector

BOOKMARKS

QUERY HISTORY

select

Run on active connection | Select block

1 select

2 a.FName,a.LName,b.Pack_id,b.speed,

3 b.Monthly_payment,c.sector_name

4 from

5 customer.customer a

6 inner join customer.package b

7 on a.pack_id = b.pack_id

8 inner join customer.sector c

9 on b.sector_id =c.sector_id

10

11

FirstMySQLConnection: select

a.FName,a.LName,b.Pack_id,b.speed, b.Monthly_payment,c.sector_name from

customer.cus

CONSOLE

RE-RUN QUERY

EXPORT

OPEN

1-10 of 10

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL CONSOLE: MESSAGES

Ln 6, Col 1

Spaces: 4

UTF-8

CRLF

SQL

MSSQL

Spell

Disconnected

Prettier

22:36

17-01-2022

SQLTOOLS

CONNECTIONS

Join_date DATE

Address VARCHAR...

Mobile INT

Pack_id INT

package

Pack_id INT

Speed INT

Monthly_paymen...

Sector_id INT

sector

BOOKMARKS

QUERY HISTORY

select

1 select

2 a.FName,a.LName,b.Pack_id,b.speed,

3 b.Monthly_payment,c.sector_name

4 from

5 customer.customer a

6 inner join customer.package b

7 on a.pack_id = b.pack_id

8 inner join customer.sector c

9 on b.sector_id =c.sector_id

10 WHERE

11 c.sector_name="Malvan"

12

13

FirstMySQLConnection: select

a.FName,a.LName,b.Pack_id,b.speed, b.Monthly_payment,c.sector_name from

customer.cus

CONSOLE

RE-RUN QUERY

EXPORT

OPEN

1-5 of 5

FName	LName	Pack_id	speed	Monthly_payment	sector_name
a Filter...	a Filter...	a Filter...	a Filter...	a Filter...	a Filter...
Ranjan	Dive	1024	40	1500	Malvan
Asmita	Chavan	1025	45	2000	Malvan
Karishma	Ajgekar	1025	45	2000	Malvan
Yash	Nagar	1025	45	2000	Malvan
Mithila	Palkar	1026	35	1200	Malvan

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL CONSOLE: MESSAGES

master* 0 0 0 FirstMySQLConnection Ln 11, Col 22 Spaces: 4 UTF-8 CRLF SQL MSSQL Spell Disconnected Prettier

22:40 17-01-2022

FileEditSelectionViewGoRunTerminalHelp

SQLTOOLS

CONNECTIONS

shop database
hospital database
student database
office database
customer database
Tables
customer
package
sector
Views
BOOKMARKS

selectUntitled-2

```
1 select
2 a.FName,a.LName,a.join_date,b.Pack_
3 b.Monthly_payment,c.sector_name
4 from
5 customer.customer a
6 inner join customer.package b
7 on a.pack_id = b.pack_id
8 inner join customer.sector c
9 on b.sector_id =c.sector_id
10 WHERE
11 c.sector_name="Malvan" and
12 extract (year from join_date)=2021
13
14
```

FirstMySQLConnection: select

a.FName,a.LName,a.join_date,b.Pack_id,b.speed, b.Monthly_payment,c.sector_name from cus

FName	LName	join_date	Pack_id	speed	Monthly_payment
Ranjan	Dive	2021-05-01	1024	40	1500
Asmita	Chavan	2021-06-01	1025	45	2000
Karishma	Ajgekar	2021-04-01	1025	45	2000
Yash	Nagar	2021-05-01	1025	45	2000
Mithila	Palkar	2021-02-01	1026	35	1200

CONSOLE

RE-RUN QUERY

EXPORT

OPEN

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL CONSOLE: MESSAGES

SQLToolsService

at Microsoft.SqlTools.ServiceLayer.LanguageServices.Completion.ScriptDocumentInfo.GetPeekDefinitionTokens(ScriptParseInfo scriptParseInfo, Int32 startLine, Int32 endLine, Int32 startColumn, Int32 endColumn)
at Microsoft.SqlTools.ServiceLayer.LanguageServices.LanguageService.GetDefinition(TextDocumentPosition textDocumentPosition, ScriptFile scriptFile, ConnectionInfo connectionInfo)
at Microsoft.SqlTools.ServiceLayer.LanguageServices.LanguageService.HandleDefinitionRequest(TextDocumentPosition textDocumentPosition, RequestContext`1 requestContext)

QUERY HISTORY

master*

FirstMySQLConnection

Ln 2, Col 29

Spaces: 4

UTF-8

CRLF

SQL

MSSQL

Spell

Getting definition ...

Disconnected

Prettier

22:44

17-01-2022

SQLTOOLS

CONNECTIONS

shop database

hospital database

student database

office database

customer database

Tables

customer

package

sector

Views

BOOKMARKS

select

1 select

2 a.FName,a.LName,a.join_date,b.Pack_

3 b.Monthly_payment,c.sector_name

4 from

5 customer.customer a

6 inner join customer.package b

7 on a.pack_id = b.pack_id

8 inner join customer.sector c

9 on b.sector_id =c.sector_id

10 WHERE

11 c.sector_name="Malvan" and

12 extract (year from join_date)=2021

13

14

FirstMySQLConnection: select

a.FName,a.LName,a.join_date,b.Pack_id,b.speed, b.Monthly_payment,c.sector_name from

cus

FName	LName	join_date	Pack_id	speed	Monthly_payment
a Filter...	a Filter...	a Filter...	a Filter...	a Filter...	a Filter...
Ranjan	Dive	2021-05-01	1024	40	1500
Asmita	Chavan	2021-06-01	1025	45	2000
Karishma	Ajgekar	2021-04-01	1025	45	2000
Yash	Nagar	2021-05-01	1025	45	2000
Mithila	Palkar	2021-02-01	1026	35	1200

CONSOLE RE-RUN QUERY EXPORT OPEN

1-5 of 5

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL CONSOLE: MESSAGES

at Microsoft.SqlTools.ServiceLayer.LanguageServices.Completion.ScriptDocumentInfo.GetPeekDefinitionTokens(ScriptParseInfo scriptParseInfo, Int32 startLine, Int32 endLine)
at Microsoft.SqlTools.ServiceLayer.LanguageServices.LanguageService.GetDefinition(TextDocumentPosition textDocumentPosition, ScriptFile scriptFile, ConnectionInfo connectionInfo)
at Microsoft.SqlTools.ServiceLayer.LanguageServices.LanguageService.HandleDefinitionRequest(TextDocumentPosition textDocumentPosition, RequestContext requestContext)
Code: 0

QUERY HISTORY

master* 0 0 FirstMySQLConnection

Ln 14, Col 1 Spaces: 4 UTF-8 CRLF SQL MSSQL Spell Getting definition ... Disconnected Prettier

22:44 17-01-2022