

NAME: Siddhi Bambal

ROLL NO: 803

PRN: 202201040127

BATCH: H1

ASSIGNMENT 3

```
import numpy as np
dl= np.genfromtxt("/content/sample_data/testmarks1.csv",delimiter=',')
print(dl)
```

OUTPUT:

```
[[ nan nan nan nan nan]
 [801. 43.05 27.79 28.7 27.79]
 [802. 43.47 28.52 28.98 27.89]
 [803. 42.24 28.16 28.16 25.63]
 [804. 39.24 26.16 26.16 26.16]
 [805. 40.9 26.03 27.27 25.65]
 [806. 39.47 26.31 26.31 25.21]
 [807. 41.68 25.63 27.79 25.46]
 [808. 42.19 27.61 28.13 26.21]
 [809. 44.75 28.35 29.83 28.21]
 [810. 46.95 28.88 31.3 28.53]]
```

```
EDS=dl[1:,1]
print(EDS)
print(type(EDS))
print(max(EDS))
```

OUTPUT:

```
[43.05 43.47 42.24 39.24 40.9 39.47 41.68 42.19 44.75 46.95]
<class 'numpy.ndarray'>
46.95
```

```
import numpy as np
d2= np.genfromtxt("/content/sample_data/testmarks2.csv",delimiter=',')
print(d2)
```

OUTPUT:

```
[[ nan nan nan nan nan]
```

```
[801. 28.48 34.18 30.56 22.23]
[802. 28.1 33.72 30.68 22.82]
[803. 26.16 31.39 28.2 22.53]
[804. 26.16 31.39 28.78 20.93]
[805. 26.1 31.32 28.22 20.82]
[806. 25.45 30.54 27.73 21.05]
[807. 26.16 31.39 28.01 20.51]
[808. 27.44 32.93 28.83 22.08]
[809. 28.63 34.35 31.03 22.68]
[810. 30.35 36.42 31.38 23.1 ]]
```

```
[ ]
print
print
resul      -d2
print      Using Operator:\n",resultarray)
resul      .subtract(d1,d2)
print      Using Numpy Function:\n",result)
```

OUTPUT:

```
[ [ nan nan nan nan nan]
[801. 43.05 27.79 28.7 27.79]
[802. 43.47 28.52 28.98 27.89]
[803. 42.24 28.16 28.16 25.63]
[804. 39.24 26.16 26.16 26.16]
[805. 40.9 26.03 27.27 25.65]
[806. 39.47 26.31 26.31 25.21]
[807. 41.68 25.63 27.79 25.46]
[808. 42.19 27.61 28.13 26.21]
[809. 44.75 28.35 29.83 28.21]
[810. 46.95 28.88 31.3 28.53] ]
[ [ nan nan nan nan nan]
[801. 28.48 34.18 30.56 22.23]
[802. 28.1 33.72 30.68 22.82]
[803. 26.16 31.39 28.2 22.53]
[804. 26.16 31.39 28.78 20.93]
[805. 26.1 31.32 28.22 20.82]
[806. 25.45 30.54 27.73 21.05]
[807. 26.16 31.39 28.01 20.51]
[808. 27.44 32.93 28.83 22.08]
[809. 28.63 34.35 31.03 22.68]
[810. 30.35 36.42 31.38 23.1 ] ]
```

Using Operator:

```
[[nan nan nan nan nan]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
```

```
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]
[ 0.  0.  0.  0.  0.]]
```

Using Numpy Function:

```
[[ nan nan nan nan nan]
 [ 0. 14.57 -6.39 -1.86 5.56]
 [ 0. 15.37 -5.2 -1.7 5.07]
 [ 0. 16.08 -3.23 -0.04 3.1 ]
 [ 0. 13.08 -5.23 -2.62 5.23]
 [ 0. 14.8 -5.29 -0.95 4.83]
 [ 0. 14.02 -4.23 -1.42 4.16]
 [ 0. 15.52 -5.76 -0.22 4.95]
 [ 0. 14.75 -5.32 -0.7 4.13]
 [ 0. 16.12 -6. -1.2 5.53]
 [ 0. 16.6 -7.54 -0.08 5.43]]
```

```
resultarray=d1+d2
print("\nUsing Numpy Function:\n",resultarray)
resultarray=np.add(d1,d2)
print("\nUsing Operator:\n",resultarray)
```

OUTPUT:

Using Numpy Function:

```
[[ nan nan nan nan nan]
 [1602. 71.53 61.97 59.26 50.02]
 [1604. 71.57 62.24 59.66 50.71]
 [1606. 68.4 59.55 56.36 48.16]
 [1608. 65.4 57.55 54.94 47.09]
 [1610. 67. 57.35 55.49 46.47]
 [1612. 64.92 56.85 54.04 46.26]
 [1614. 67.84 57.02 55.8 45.97]
 [1616. 69.63 60.54 56.96 48.29]
 [1618. 73.38 62.7 60.86 50.89]
 [1620. 77.3 65.3 62.68 51.63]]
```

Using Operator:

```
[[ nan nan nan nan nan]
 [1602. 71.53 61.97 59.26 50.02]
 [1604. 71.57 62.24 59.66 50.71]
 [1606. 68.4 59.55 56.36 48.16]
 [1608. 65.4 57.55 54.94 47.09]
 [1610. 67. 57.35 55.49 46.47]
 [1612. 64.92 56.85 54.04 46.26]
 [1614. 67.84 57.02 55.8 45.97]
 [1616. 69.63 60.54 56.96 48.29]
 [1618. 73.38 62.7 60.86 50.89]
```

```
[1620.      77.3      65.3      62.68     51.63]]
```

```
resultarray=dl%d2
print("\nUsing Operator:\n",resultarray)
resultarray=np.mod(dl,d2)
print("\nUsing Numpy Function:\n",resultarray)
```

OUTPUT:

Using Operator:

```
[[ nan   nan   nan   nan   nan]
 [ 0.    14.57 27.79 28.7   5.56]
 [ 0.    15.37 28.52 28.98  5.07]
 [ 0.    16.08 28.16 28.16  3.1 ]
 [ 0.    13.08 26.16 26.16  5.23]
 [ 0.    14.8   26.03 27.27  4.83]
 [ 0.    14.02 26.31 26.31  4.16]
 [ 0.    15.52 25.63 27.79  4.95]
 [ 0.    14.75 27.61 28.13  4.13]
 [ 0.    16.12 28.35 29.83  5.53]
 [ 0.    16.6   28.88 31.3   5.43]]
```

Using Numpy Function:

```
[[ nan   nan   nan   nan   nan]
 [ 0.    14.57 27.79 28.7   5.56]
 [ 0.    15.37 28.52 28.98  5.07]
 [ 0.    16.08 28.16 28.16  3.1 ]
 [ 0.    13.08 26.16 26.16  5.23]
 [ 0.    14.8   26.03 27.27  4.83]
 [ 0.    14.02 26.31 26.31  4.16]
 [ 0.    15.52 25.63 27.79  4.95]
 [ 0.    14.75 27.61 28.13  4.13]
 [ 0.    16.12 28.35 29.83  5.53]
 [ 0.    16.6   28.88 31.3   5.43]]
```

```
resultarray=dl*d2
print("\nUsing Operator:\n",resultarray)
resultarray=np.multiply(dl,d2)
print("\nUsing Numpy Function:\n",resultarray)
```

OUTPUT:

Using Operator:

```
[[ nan   nan   nan   nan   nan]
 [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]]
```

```
[6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
[6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]
```

Using Numpy Function:

```
[[ nan nan nan nan nan]
 [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
 [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
 [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]
```

```
resultarray=dl/d2
print("\nUsing Operator:\n",resultarray)
resultarray=np.divide(dl,d2)
print("\nUsing Numpy Function:\n",resultarray)
```

OUTPUT:

Using Operator:

```
[[ nan nan nan nan nan]
 [1. 1.51158708 0.81304857 0.93913613 1.25011246]
 [1. 1.54697509 0.84578885 0.94458931 1.22217353]
 [1. 1.6146789 0.89710099 0.99858156 1.13759432]
 [1. 1.5 0.83338643 0.90896456 1.24988055]
 [1. 1.56704981 0.83109834 0.96633593 1.23198847]
 [1. 1.55088409 0.86149312 0.94879192 1.1976247 ]
 [1. 1.59327217 0.81650207 0.99214566 1.24134569]
 [1. 1.53753644 0.83844519 0.97571974 1.1870471 ]
 [1. 1.56304576 0.82532751 0.96132775 1.24382716]
 [1. 1.54695222 0.7929709 0.99745061 1.23506494]]
```

Using Numpy Function:

```
[[ nan nan nan nan nan]
 [1. 1.51158708 0.81304857 0.93913613 1.25011246]
 [1. 1.54697509 0.84578885 0.94458931 1.22217353]
 [1. 1.6146789 0.89710099 0.99858156 1.13759432]
 [1. 1.5 0.83338643 0.90896456 1.24988055]
 [1. 1.56704981 0.83109834 0.96633593 1.23198847]
 [1. 1.55088409 0.86149312 0.94879192 1.1976247 ]
 [1. 1.59327217 0.81650207 0.99214566 1.24134569]
 [1. 1.53753644 0.83844519 0.97571974 1.1870471 ]
 [1. 1.56304576 0.82532751 0.96132775 1.24382716]
 [1. 1.54695222 0.7929709 0.99745061 1.23506494]]
```

HORIZONTAL STACKING

```
resultarray=np.hstack((dl,d2))
resultarray
```

OUTPUT:

```
array([[ nan, nan, nan, nan, nan, nan, nan, nan, nan, nan], [801. , 43.05,
27.79, 28.7 , 27.79, 801. , 28.48, 34.18, 30.56, 22.23], [802. , 43.47,
28.52, 28.98, 27.89, 802. , 28.1 , 33.72, 30.68, 22.82], [803. , 42.24,
28.16, 28.16, 25.63, 803. , 26.16, 31.39, 28.2 , 22.53], [804. , 39.24,
26.16, 26.16, 26.16, 804. , 26.16, 31.39, 28.78, 20.93], [805. , 40.9 ,
26.03, 27.27, 25.65, 805. , 26.1 , 31.32, 28.22, 20.82], [806. , 39.47,
26.31, 26.31, 25.21, 806. , 25.45, 30.54, 27.73, 21.05], [807. , 41.68,
25.63, 27.79, 25.46, 807. , 26.16, 31.39, 28.01, 20.51], [808. , 42.19,
27.61, 28.13, 26.21, 808. , 27.44, 32.93, 28.83, 22.08], [809. , 44.75,
28.35, 29.83, 28.21, 809. , 28.63, 34.35, 31.03, 22.68], [810. , 46.95,
28.88, 31.3 , 28.53, 810. , 30.35, 36.42, 31.38, 23.1 ]])
```

VERTICAL STACKING

```
resultarray=np.vstack((d1,d2))
resultarray
```

OUTPUT:

```
array([[ nan, nan, nan, nan, nan], [801. , 43.05, 27.79, 28.7 , 27.79],
[802. , 43.47, 28.52, 28.98, 27.89], [803. , 42.24, 28.16, 28.16, 25.63],
[804. , 39.24, 26.16, 26.16, 26.16], [805. , 40.9 , 26.03, 27.27, 25.65],
[806. , 39.47, 26.31, 26.31, 25.21], [807. , 41.68, 25.63, 27.79, 25.46],
[808. , 42.19, 27.61, 28.13, 26.21], [809. , 44.75, 28.35, 29.83, 28.21],
[810. , 46.95, 28.88, 31.3 , 28.53], [ nan, nan, nan, nan, nan], [801. ,
28.48, 34.18, 30.56, 22.23], [802. , 28.1 , 33.72, 30.68, 22.82], [803. ,
26.16, 31.39, 28.2 , 22.53], [804. , 26.16, 31.39, 28.78, 20.93], [805. ,
26.1 , 31.32, 28.22, 20.82], [806. , 25.45, 30.54, 27.73, 21.05], [807. ,
26.16, 31.39, 28.01, 20.51], [808. , 27.44, 32.93, 28.83, 22.08], [809. ,
28.63, 34.35, 31.03, 22.68], [810. , 30.35, 36.42, 31.38, 23.1 ]])
```

CUSTOM SEQUENCE GENERATION

RANGE

```
[]
arr1=np.arange(800,810,1)
print(arr1)
```

OUTPUT:

```
[800 801 802 803 804 805 806 807 808 809]
```

EMPTY LIKE SOME OTHER ARRAY

```
[ ]  
nparray=np.empty_like(dl)  
nparray
```

OUTPUT:

```
array([[ nan,  nan,  nan,  nan,  nan], [1. , 1.51158708, 0.81304857,  
0.93913613, 1.25011246], [1. , 1.54697509, 0.84578885, 0.94458931,  
1.22217353], [1. , 1.6146789 , 0.89710099, 0.99858156, 1.13759432], [1. ,  
1.5 , 0.83338643, 0.90896456, 1.24988055], [1. , 1.56704981, 0.83109834,  
0.96633593, 1.23198847], [1. , 1.55088409, 0.86149312, 0.94879192,  
1.1976247 ], [1. , 1.59327217, 0.81650207, 0.99214566, 1.24134569], [1. ,  
1.53753644, 0.83844519, 0.97571974, 1.1870471 ], [1. , 1.56304576,  
0.82532751, 0.96132775, 1.24382716], [1. , 1.54695222, 0.7929709 ,  
0.99745061, 1.23506494]])
```

ARITHMETIC OPERATIONS

```
# Addition  
print(np.add(dl,d2))  
# Subtraction  
print(np.subtract(dl,d2))  
# Multiplication  
print(np.multiply(dl,d2))  
# Division  
print(np.divide(dl,d2))
```

OUTPUT:

```
[ [      nan      nan      nan      nan      nan]  
[1602.      71.53     61.97     59.26     50.02]  
[1604.      71.57     62.24     59.66     50.71]  
[1606.      68.4      59.55     56.36     48.16]  
[1608.      65.4      57.55     54.94     47.09]  
[1610.      67.       57.35     55.49     46.47]  
[1612.      64.92     56.85     54.04     46.26]  
[1614.      67.84     57.02     55.8      45.97]  
[1616.      69.63     60.54     56.96     48.29]  
[1618.      73.38     62.7      60.86     50.89]  
[1620.      77.3      65.3      62.68     51.63]]
```

```

[[ nan    nan    nan    nan    nan]
 [ 0.    14.57 -6.39 -1.86  5.56]
 [ 0.    15.37 -5.2  -1.7   5.07]
 [ 0.    16.08 -3.23 -0.04  3.1  ]
 [ 0.    13.08 -5.23 -2.62  5.23]
 [ 0.    14.8  -5.29 -0.95  4.83]
 [ 0.    14.02 -4.23 -1.42  4.16]
 [ 0.    15.52 -5.76 -0.22  4.95]
 [ 0.    14.75 -5.32 -0.7   4.13]
 [ 0.    16.12 -6.    -1.2   5.53]
 [ 0.    16.6  -7.54 -0.08  5.43]]

[[ nan    nan    nan    nan    nan]
 [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
 [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
 [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]

[[ nan    nan    nan    nan    nan]
 [1.    1.51158708 0.81304857 0.93913613 1.25011246]
 [1.    1.54697509 0.84578885 0.94458931 1.22217353]
 [1.    1.6146789  0.89710099 0.99858156 1.13759432]
 [1.    1.5        0.83338643 0.90896456 1.24988055]
 [1.    1.56704981 0.83109834 0.96633593 1.23198847]
 [1.    1.55088409 0.86149312 0.94879192 1.1976247  ]
 [1.    1.59327217 0.81650207 0.99214566 1.24134569]
 [1.    1.53753644 0.83844519 0.97571974 1.1870471  ]
 [1.    1.56304576 0.82532751 0.96132775 1.24382716]
 [1.    1.54695222 0.7929709  0.99745061 1.23506494]]

```

STATISTICAL OPERATIONS

```

# Standard Deviation
print(np.std(dl))
#Minimum
print(np.min(dl))
#Summation
print(np.sum(dl))
#Median
print(np.median(dl))
#Mean
print(np.mean(dl))
#Mode
from scipy import stats
print("Most Frequent element=",stats.mode(dl)[0])
print("Number of Occarances=",stats.mode(dl)[1])
# Variance

```



```
print(np.var(dl))
```

OUTPUT:

```
nan
```

```
nan
```

```
nan
```

```
nan
```

```
nan
```

```
Most Frequent element= [[801.  39.24 25.63 26.16 25.21]]
```

```
Number of Occarances= [[1 1 1 1 1]]
```

```
nan
```

<ipython-input-56-da9861487e77>:13: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`), the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change: the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated, and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning.

```
print("Most Frequent element=",stats.mode(dl)[0])
```

<ipython-input-56-da9861487e77>:14: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`), the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change: the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated, and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning.

```
print("Number of Occarances=",stats.mode(dl)[1])
```

