NPC – Unit 3 Assignment: DNS and Web Server in Cisco Packet Tracer

Name - Siddhi Babasaheb Date


Prn - 2125UCSF1091

A DNS server resolves www.npc.local to the web server at 192.168.1.3, and PC0 reaches the site by name.

1. Topology and IP addressing


Two PCs (PC0, PC1), a DNS server (Server0) and a web server (Server1) connect to one 2960-24TT switch (Switch0) in the 192.168.1.0/24 network.

Device	Role	IP address
Server0	DNS server	192.168.1.x
Server1	Web server	192.168.1.3
PC0, PC1	Clients (DNS = Server0)	192.168.1.x




2. Web server (Server1)

Services > HTTP: HTTP and HTTPS set to On; default index.html is served.



3. DNS server (Server0)

Services > DNS: DNS Service On; A record www.npc.local → 192.168.1.3 added.




4. PC configuration


On each PC, Config > FastEthernet0: static IP in 192.168.1.0/24, DNS Server set to Server0's IP.

5. Testing

Ping to 192.168.1.3 and to www.npc.local both return 4/4 replies, 0% loss, so the name resolves correctly.



Browsing to http://www.npc.local on PC0 opens the Cisco Packet Tracer page.



6. Conclusion

The DNS server resolved www.npc.local to the web server and the PC opened the site by domain name, confirming both services work.