

```
import java.util.Scanner;
```

```
class Items {
```

```
    int productId;
```

```
    String productName;
```

```
    double price;
```

```
    int quantity;
```

```
    Items() {
```

```
        productId = 0;
```

```
        productName = "Unknown";
```

```
        price = 0;
```

```
        quantity = 0;
```

```
    }
```

```
    Items(int productId, String productName, double price) {
```

```
        this.productId = productId;
```

```
        this.productName = productName;
```

```
        this.price = price;
```

```
        this.quantity = 1;
```

```
    }
```

```
    Items(int productId, String productName, double price, int quantity) {
```

```
        this.productId = productId;
```

```
        this.productName = productName;
```

```
        this.price = price;
```

```
        this.quantity = quantity;
```

```
    }
```

```
    double getTotal() {
```

```
        return price * quantity;
```

```
    }
```

```
    public void display() {
```

```
        System.out.println(
```

```
        productId + "\t" + productName + "\t\t" + price + "\t" + quantity + "\t" + getTotal() );
    }
}
```

```
public class Main {
```

```
    public static void main(String[] args) {
```

```
        double total = 0;
```

```
        int discountPercentage;
```

```
        double discount;
```

```
        double finalAmount;
```

```
        Items t1 = new Items();
```

```
        Items t2 = new Items(101, "Smart Redmi TV", 25000);
```

```
        Items t3 = new Items(102, "LG Washing Machine", 56000, 2);
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.print("Enter Product Id : ");
```

```
        int pId = sc.nextInt();
```

```
        sc.nextLine();
```

```
        System.out.print("Enter Product Name : ");
```

```
        String pName = sc.nextLine();
```

```
        System.out.print("Enter Product Price : ");
```

```
        double pPrice = sc.nextDouble();
```

```
        System.out.print("Enter Product Quantity : ");
```

```
        int pQuantity = sc.nextInt();
```

```
        Items t4 = new Items(pId, pName, pPrice, pQuantity);
```

```
        total += t1.getTotal();
```

```
        total += t2.getTotal();
```

```
        total += t3.getTotal();
```

```
        total += t4.getTotal();
```

```

if (total > 100000) {
    discountPercentage = 20;
}
else if (total > 50000) {
    discountPercentage = 10;
}
else if (total > 20000) {
    discountPercentage = 5;
}
else {
    discountPercentage = 0;
}

discount = (total * discountPercentage) / 100;
finalAmount = total - discount;

System.out.println("\n===== INVOICE E-COMMERCE =====");

System.out.println("ID\tName\t\t\tPrice\tQty\tTotal");
t1.display();
t2.display();
t3.display();
t4.display();
System.out.println("-----");
System.out.println("Total Amount    : " + total);
System.out.println("Discount Applied : " + discountPercentage + "%");
System.out.println("Discount Amount  : " + discount);
System.out.println("Final Amount     : " + finalAmount);

System.out.println("=====");
sc.close();
}
}

```