This is not mandatory reading, but here's the code we'll run in the "Tables" videos. It may come in handy when you're doing the associated hands-on assignment.

```
---> create a table – note that each column has a name and a data type
CREATE TABLE TEST_TABLE (
 TEST_NUMBER NUMBER,
 TEST_VARCHAR VARCHAR,
 TEST_BOOLEAN BOOLEAN,
 TEST_DATE DATE,
 TEST_VARIANT VARIANT,
 TEST_GEOGRAPHY GEOGRAPHY
);

SELECT * FROM TEST_DATABASE.TEST_SCHEMA.TEST_TABLE;

---> insert a row into the table we just created
INSERT INTO TEST_DATABASE.TEST_SCHEMA.TEST_TABLE
 VALUES
 (28, 'ha!', True, '2024-01-01', NULL, NULL);

SELECT * FROM TEST_DATABASE.TEST_SCHEMA.TEST_TABLE;

---> drop the test table
DROP TABLE TEST_DATABASE.TEST_SCHEMA.TEST_TABLE;

---> see all tables in a particular schema
SHOW TABLES IN TEST_DATABASE.TEST_SCHEMA;

---> undrop the test table
UNDROP TABLE TEST_DATABASE.TEST_SCHEMA.TEST_TABLE;

SHOW TABLES IN TEST_DATABASE.TEST_SCHEMA;

SHOW TABLES;

---> see table storage metadata from the Snowflake database
SELECT * FROM SNOWFLAKE.ACCOUNT_USAGE.TABLE_STORAGE_METRICS;
```

```sql
SHOW TABLES;

---> here’s an example of table we created previously
CREATE TABLE tasty_bytes.raw_pos.order_detail
(
   order_detail_id NUMBER(38,0),
   order_id NUMBER(38,0),
   menu_item_id NUMBER(38,0),
   discount_id VARCHAR(16777216),
   line_number NUMBER(38,0),
   quantity NUMBER(5,0),
   unit_price NUMBER(38,4),
   price NUMBER(38,4),
   order_item_discount_amount VARCHAR(16777216)
);
```