



This is not mandatory reading, but here's the code we'll run in the "Virtual Warehouses" videos. It may come in handy when you're doing the associated hands-on assignment.

```
--> what menu items does the Freezing Point brand sell?
```

```
SELECT
    menu_item_name
FROM tasty_bytes_sample_data.raw_pos.menu
WHERE truck_brand_name = 'Freezing Point';
```

```
--> what is the profit on Mango Sticky Rice?
```

```
SELECT
    menu_item_name,
    (sale_price_usd - cost_of_goods_usd) AS profit_usd
FROM tasty_bytes_sample_data.raw_pos.menu
WHERE 1=1
AND truck_brand_name = 'Freezing Point'
AND menu_item_name = 'Mango Sticky Rice';
```

```
CREATE WAREHOUSE warehouse_dash;
CREATE WAREHOUSE warehouse_gilberto;
```

```
SHOW WAREHOUSES;
```

```
USE WAREHOUSE warehouse_gilberto;
```

```
--> set warehouse size to medium
```

```
ALTER WAREHOUSE warehouse_dash SET warehouse_size=MEDIUM;
```

```
USE WAREHOUSE warehouse_dash;
```

```
SELECT
    menu_item_name,
    (sale_price_usd - cost_of_goods_usd) AS profit_usd
FROM tasty_bytes_sample_data.raw_pos.menu
ORDER BY 2 DESC;
```

```
--> set warehouse size to xsmall
```

```
ALTER WAREHOUSE warehouse_dash SET warehouse_size=XSMALL;
```

---> drop warehouse

```
DROP WAREHOUSE warehouse_vino;
```

```
SHOW WAREHOUSES;
```

---> create a multi-cluster warehouse (max clusters = 3)

```
CREATE WAREHOUSE warehouse_vino MAX_CLUSTER_COUNT = 3;
```

```
SHOW WAREHOUSES;
```

---> set the auto_suspend and auto_resume parameters

```
ALTER WAREHOUSE warehouse_dash SET AUTO_SUSPEND = 180 AUTO_RESUME = FALSE;
```

```
SHOW WAREHOUSES;
```