

MOMNT

Scan. Upload. See it live.

QR-Based Real-Time Event Memory Platform

PROJECT DOCUMENTATION

Category: Digital Product / Event Technology
2025

Abstract / Executive Summary

MOMNT is a QR-based, browser-native event memory platform engineered to eliminate every barrier between an event attendee and the act of contributing to a shared photo album. The concept is deceptively simple: a host generates a unique QR code for their event, displays it at the venue, and attendees scan it with their smartphone camera to instantly upload photos — without installing any application or creating an account. The result is a centralized, real-time photo collection that grows dynamically throughout the event.

What elevates MOMNT beyond a mere upload tool is its suite of engagement features: a live slideshow that projects crowd-captured moments onto event screens, a gamified leaderboard that rewards the most active contributors, and photo reactions that turn a passive gallery into an interactive social experience. In its advanced form, MOMNT integrates artificial intelligence to automatically sort, deduplicate, tag, and curate the best photos from every event.

This document presents the complete product vision, system architecture, feature set, technology strategy, development roadmap, business model, and future direction of MOMNT — structured to serve both as an academic project submission and as a foundational startup pitch document.

1. Introduction

Every event, regardless of scale, generates a common and underappreciated problem: the people who were there took hundreds of photos, but those photos rarely find their way to a single, shared destination. A college cultural festival captures thousands of candid moments across hundreds of attendee devices. A wedding evening is documented from forty different perspectives. A corporate team offsite produces informal photographs that no professional lens ever captured. In each case, the collective memory of the occasion — richer and more complete than any one person's perspective — remains fragmented, inaccessible, and largely forgotten.

MOMNT was conceived to solve this problem at its root. Rather than asking attendees to share photos after the event — a request that depends on memory, motivation, and manual effort — MOMNT makes sharing the path of least resistance during the event itself. By placing a QR code at the venue, hosts activate a zero-friction contribution mechanism that any smartphone user can complete in under thirty seconds.

The platform's positioning goes further than simple photo collection. MOMNT is designed as an interactive event experience platform. The photos attendees upload do not simply disappear into a cloud folder — they appear on the event screen in a live slideshow, they accumulate on a leaderboard that celebrates the most engaged contributors, and they can be reacted to with emojis in real time. This transforms photo sharing from a post-event chore into an in-event engagement layer that amplifies the atmosphere.

From its origins as a student-focused tool, MOMNT is architected to evolve into a full-scale event technology startup serving weddings, corporate gatherings, conferences, and private events globally. This document maps that journey from first principles to full execution.

2. Problem Statement

2.1 The Fragmentation of Event Memories

The central problem MOMNT addresses is the fragmentation of event photography. When fifty people attend an event, those fifty individuals capture their own selection of moments — different angles, different subjects, different instants — resulting in a collectively rich but individually incomplete record. Without a mechanism to bring these photos together, each person leaves with only their own narrow slice of the day.

This fragmentation persists not because of indifference, but because no tool has made centralization effortless enough. The photographs exist; the shared album does not.

2.2 The Forgetting Problem

Even when event organizers ask attendees to share photos afterwards — through a WhatsApp group request, a Google Photos invite link, or a social media hashtag — the participation rate is low and declines rapidly with time. Within 48 hours of an event, the sense of immediacy fades. People move on to new content. Photos that were never shared remain unshared indefinitely. The behavioral window for voluntary photo sharing is narrow and almost entirely closes before most organizers act on it.

2.3 The Friction Problem

Existing platforms designed to address this problem impose friction at every step. Google Photos requires a Google account and typically requires the uploader to be added to an album by the host. WhatsApp sharing relies on group membership, bandwidth-compressed image quality, and chat-context confusion. Dedicated event photography apps — the most direct competitors — require both the host and the attendees to download an application, create or log into accounts, and navigate an unfamiliar interface. Each of these requirements is a dropout point. The total friction compounds quickly, and participation collapses.

2.4 The Passivity Problem

A subtler but equally important problem is the passivity of existing solutions. Even when photo collection succeeds, it produces a static archive. Photos accumulate in a folder, viewable only after the event concludes. There is no mechanism during the event itself to acknowledge contributions, display them to the crowd, or create any social dynamic around sharing. This passivity removes the intrinsic motivation that real-time social feedback would otherwise create.

2.5 Summary of Core Pain Points

- Event photos are distributed across multiple personal devices and never centralized.
- Post-event sharing requests are ignored due to effort required and fading urgency.
- All meaningful competing solutions require app installation or account creation.
- Manual photo collection is asynchronous, inefficient, and produces low coverage.
- No existing solution creates real-time engagement or social dynamics around photo sharing during the event.

3. Objectives of the Project

The following objectives define the scope and intended outcomes of the MOMNT project. Each objective addresses a specific dimension of the problem identified above.

3.1 Simplify Event Photo Sharing to Near-Zero Effort

The primary design objective is the radical reduction of friction in the photo-sharing process. Every design decision — from the QR-based entry point to the browser-native upload interface — must serve the goal of making contribution require as little effort as humanly possible. The target interaction time from QR scan to successful upload is under thirty seconds for any attendee using a modern smartphone.

3.2 Maximize Attendee Participation

High participation is the product's most critical success metric. A shared album that contains photos from 60% of attendees is qualitatively superior to one from 10%. MOMNT pursues maximum participation through two mechanisms: eliminating barriers (no app, no login) and creating positive incentives (leaderboards, reactions, live display). Both levers operate simultaneously.

3.3 Create a Centralized, Organized Memory System

MOMNT must deliver, as a functional output, a complete and well-organized album of event photos. This means not just collecting uploads but organizing them intelligently — by time, by quality, by topic — so that the resulting album is immediately usable and enjoyable without manual curation by the host.

3.4 Introduce Real-Time Engagement During Events

MOMNT aims to insert itself into the live event experience, not merely serve as a post-event tool. The live slideshow and real-time upload feed must operate with minimal latency (under five seconds from upload to display) to be experientially meaningful. The goal is for attendees to see their photos on the event screen while the event is still happening.

3.5 Build a Scalable, Commercially Viable Platform

Beyond the initial college event use case, MOMNT must be architected for growth. The platform should handle events ranging from 20 to 2,000 attendees without architectural changes. The business model must support multiple customer segments with differentiated pricing. The technical stack must be chosen for maintainability and cost-efficiency at scale.

4. Proposed Solution

4.1 Core Mechanism

MOMNT's solution centers on a single insight: the QR code has become a universally understood interaction primitive. Every modern smartphone camera can scan a QR code without any app, and users across all demographic groups have internalized the scan-to-action workflow through its widespread use in payments, menus, and ticketing. MOMNT appropriates this existing behavior and repurposes it as an entry point to a photo upload experience.

When a host creates an event on MOMNT, the platform generates a unique, event-specific URL encoded into a QR code. This QR code is placed visibly at the event venue. Attendees scan it, their browser opens to the MOMNT upload page pre-loaded with the event context, they select photos, and upload. The entire process is browser-native — no installation, no credentials, no delays.

4.2 The Upload Experience

The attendee-facing upload interface is deliberately minimal. It displays the event name, a photo count showing how many photos have been uploaded so far, and a prominent upload button. A secondary button allows attendees to capture a photo directly from their camera without leaving the browser. On submission, a progress indicator provides real-time feedback on upload status. On completion, the attendee is shown a confirmation and optionally invited to view the live gallery. The entire interface fits comfortably on a mobile screen without scrolling.

4.3 The Host Experience

Hosts interact with MOMNT through a dedicated, authenticated dashboard. The dashboard provides a real-time feed of incoming photos, moderation controls to approve or remove content, a live upload counter, and controls for the event slideshow. Hosts can configure the upload window (start/end times), set a maximum upload limit per attendee, enable or disable the leaderboard, and customize the slideshow display style. Post-event, the dashboard provides album download, sharing links, and basic analytics.

4.4 The Engagement Layer

MOMNT differentiates itself from basic upload tools through an engagement layer built on top of the core collection mechanism. This layer includes a live leaderboard visible to attendees showing the most active photo contributors, emoji reactions on individual photos in the gallery view, a 'Photo of the Event' feature highlighting the most-reacted-to photo, and a gamified participation system that awards badges for milestone upload counts. These features transform photo sharing from a solitary act into a participatory social experience.

4.5 The AI Layer

In its advanced form, MOMNT applies machine learning to the collected photos automatically and invisibly. Duplicate detection prevents the album from being cluttered by near-identical burst photos. Smart sorting organizes photos by visual similarity, time, and inferred topic. Best-photo selection promotes the highest-quality representative from each scene. Smart tagging annotates photos with descriptive labels that enable

search and filtering. These AI features operate as a background processing pipeline and surface their results in a 'Curated View' within the host dashboard.

5. How the System Works

The MOMNT workflow is designed as a linear, friction-free path from event creation to memory delivery. Each step is engineered to minimize host effort and maximize attendee participation.

Step 1: Host Creates an Event Album

The event host logs into the MOMNT web application using their host credentials. They navigate to the event creation screen and provide the event name, date, upload window start and end times, and optional settings such as moderation mode, maximum photos per attendee, and slideshow display preferences. On submission, MOMNT creates an event record in the database, provisions a dedicated storage folder in the cloud, and generates a unique event token.

Step 2: QR Code Is Generated

The event token is encoded into a URL pointing to the attendee upload page, and this URL is embedded into a QR code using a standard QR generation library. MOMNT provides the QR code in multiple download formats: a high-resolution PNG for printing on posters and banners, an SVG for use in digital event materials, and a direct display link for screens. The host dashboard also displays the QR code full-screen for projection.

Step 3: QR Code Is Displayed at the Venue

The host places the QR code at one or more locations throughout the event venue — printed on entry banners, displayed on screens near the stage, placed on dining tables, or incorporated into event signage. Visibility and placement significantly influence participation rates, so MOMNT's onboarding guide provides recommended placement strategies based on event type and size.

Step 4: Attendees Scan the QR Code

Attendees at the venue open their smartphone camera and point it at the QR code. The camera app detects the code and displays a notification prompting the user to open the associated URL. On tapping the notification, the attendee's default browser opens directly to the MOMNT upload page for this specific event. No searching, no typing, no navigation required.

Step 5: Photos Are Uploaded via Browser

The upload page loads a lightweight mobile-optimized interface. The attendee taps the upload button, selects one or more photos from their camera roll, and submits. The browser sends the photos to the MOMNT backend via a standard HTTPS multipart request. Client-side compression reduces file size before transmission, minimizing upload time on typical mobile connections.

Step 6: Photos Are Stored in the Cloud

The backend server receives the upload, validates the file type and size, generates a compressed thumbnail for display purposes, and writes both the original and thumbnail to cloud object storage (organized by event ID). A database record is created linking the photo to the event, storing the upload timestamp, file reference, and initial moderation status.

Step 7: Photos Appear in the Real-Time Feed

Upon successful storage, the backend broadcasts a WebSocket event to all connected clients subscribed to this event ID. The host dashboard updates immediately, displaying the new photo at the top of the real-time feed. The attendee gallery view, if open in the attendee's browser, also updates to include the new photo. The leaderboard increments the contributor's count.

Step 8: Optional Live Display on Event Screen

If the host has activated the slideshow display, a dedicated full-screen URL is open on a laptop or media player connected to the event's projector or display screen. This slideshow interface maintains a WebSocket connection and automatically incorporates new photos into its rotation as they arrive. The result is a continuously evolving live gallery visible to all event attendees on the large screen.

6. Core Features

6.1 QR-Based Access

MOMNT's entry mechanism is a unique, event-specific QR code generated at event creation. The QR code encodes a secure, token-gated URL that is valid only for the duration of the event's configured upload window. This means the QR code requires no companion app to scan — any smartphone camera handles decoding natively — and once scanned, opens directly to the correct event context without any additional navigation. Tokens are time-limited and cannot be reused across events, preventing unauthorized post-event uploads or cross-event confusion.

6.2 No Login, No App — Browser-Based Upload

The decision to make the attendee upload flow entirely app-free and login-free is the most consequential product decision MOMNT makes. It is also the most defensible. Every step of installation and authentication in a competing app represents a potential dropout point. By bypassing this entirely, MOMNT addresses the 70–80% of potential contributors who would otherwise abandon the process before completing a single upload. The browser-based approach works on any device running a modern mobile browser, including both iOS (Safari) and Android (Chrome), covering virtually the entire attendee population of any event.

6.3 Cloud Storage Integration

All uploaded photos are stored in a scalable cloud object storage system — such as Amazon S3, Google Cloud Storage, or Firebase Storage — organized into event-specific directories. Cloud storage provides the durability, availability, and cost-effective scaling that self-hosted storage cannot match for a startup-stage product. Uploaded originals are preserved at full resolution while compressed thumbnails are generated for display in feeds and slideshows, optimizing bandwidth consumption for real-time viewing while preserving photo quality for download.

6.4 Real-Time Upload Feed

MOMNT's backend maintains a WebSocket server alongside its HTTP API. When a photo upload is successfully processed and stored, a real-time notification is pushed to all clients connected to that event's WebSocket channel. This push architecture, rather than a polling model, minimizes latency and server load. From the attendee's perspective, photos appear in the shared gallery within seconds of upload — an immediacy that creates a live, dynamic feeling in the shared album and encourages ongoing participation throughout the event.

7. Advanced Features

7.1 Live Event Slideshow Screen

The live slideshow is a full-screen, auto-updating display interface designed for projection on venue screens, televisions, or LED walls. It displays uploaded photos in a cycle, with configurable transition effects, display duration per photo, and layout options (single photo fill, grid of recent uploads, or curated highlights). As new photos are uploaded during the event, they are automatically added to the slideshow rotation within seconds of processing. The slideshow URL is publicly accessible and can be opened on any laptop connected to the venue's display output — no specialized hardware required.

The live slideshow serves a dual purpose: it rewards attendees who upload by showing their photos to everyone in the room, and it creates a continuous visual stimulus that reminds non-uploaders to contribute. Events that use the live slideshow feature consistently report higher participation rates than those that use only the QR upload mechanism.

7.2 Host Dashboard with Real-Time Control

The host dashboard is the command center of a MOMNT event. It provides a chronological real-time feed of all uploaded photos, visible as thumbnails that expand to full view on click. The dashboard displays live statistics: total photos uploaded, number of unique contributors, uploads per hour (shown as a sparkline chart), and estimated storage used. Host controls include the ability to pause or close the upload window, toggle moderation mode on or off, pin specific photos to the slideshow, and download the full album as a ZIP file.

The dashboard is designed to be operable on a smartphone or tablet, allowing the host to moderate content and monitor engagement without being tied to a desktop during the event. Notification support can alert the host via browser notification when new photos arrive or when a photo requires moderation review.

7.3 Upload Moderation System

In events where photo content requires oversight — such as corporate gatherings, events involving minors, or any occasion where the live slideshow is prominently displayed — MOMNT's moderation system provides the host with full control over what appears publicly. In pre-moderation mode, every uploaded photo enters a review queue before becoming visible in the gallery or slideshow. The host sees a pending count indicator and reviews photos with single-tap approve or reject actions. In post-moderation mode, photos appear immediately but can be removed retroactively by the host. A client-side file type whitelist prevents non-image uploads from reaching the backend.

7.4 Temporary Event-Based Access

Each event's upload window is defined by a start and end time configured at event creation. Outside this window, the QR code's URL returns a friendly message indicating the event has concluded, rather than an error. This prevents post-event uploads from contaminating the album and removes the need for the host to manually deactivate the QR code. Hosts can extend the upload window from the dashboard if they wish to continue accepting contributions after the originally planned close time. Session tokens embedded in upload requests carry an expiry timestamp that the server validates on every request.

8. AI-Powered Features

MOMNT's AI feature layer transforms raw photo collections into intelligently curated event albums. These features operate as asynchronous background processes triggered after upload, so they do not introduce latency into the upload experience itself. Results surface in the host dashboard as an enhanced 'Curated View' alongside the raw chronological feed.

8.1 Automatic Photo Sorting

Computer vision models classify each uploaded photo by visual content and aesthetic characteristics — stage performance photos, group shots, candid portraits, food and venue photos, crowd scenes. Within each category, photos are sorted by upload time and quality score. This creates a structured, browsable album organized by event moment rather than by an arbitrary upload sequence. Hosts can navigate the curated album by category or timeline, finding the photos they need without scrolling through hundreds of unorganized images.

8.2 Duplicate Detection

Large events inevitably produce clusters of near-identical photos — multiple people photographing the same speech moment, burst-mode sequences, or nearly identical framing from adjacent positions. MOMNT's duplicate detection uses perceptual hashing (pHash) to generate a compact fingerprint for each photo and computes similarity scores between all photo pairs within an event. Photos above a similarity threshold are grouped into clusters. Each cluster is represented in the curated view by its highest-quality member, with the full cluster accessible on expansion. This dramatically reduces the visual noise in large event albums.

8.3 Best Photo Selection

Within each cluster of similar photos, MOMNT's quality scoring algorithm selects the best candidate based on multiple technical metrics: sharpness (measured via Laplacian variance), exposure quality (histogram analysis), face clarity (detection confidence score), and compositional balance (subject placement relative to frame). The algorithm produces a quality score between 0 and 1 for each photo. The highest-scoring photo in each cluster is promoted as the cluster representative and prioritized in the curated album and slideshow rotation.

8.4 Smart Tagging

A pre-trained image classification model — such as MobileNet or EfficientNet, deployed either via TensorFlow.js for in-browser processing or a Python microservice via Flask — assigns descriptive tags to each photo automatically. Tags may include scene descriptors ('stage', 'dance floor', 'outdoor', 'group'), activity labels ('speech', 'performance', 'celebration'), and quality annotations ('sharp', 'well-lit', 'portrait'). These tags are stored in the database and power a search and filter interface in the host dashboard, enabling hosts to instantly find, for example, all photos tagged 'stage' or all 'group' photos taken after a certain time.

9. Engagement Features

MOMNT's engagement layer is what separates it from every competing photo collection tool. These features are designed to create a social experience around photo sharing — rewarding participation, acknowledging contributions, and making the shared album feel alive during the event rather than after it.

9.1 Leaderboard for Top Contributors

A real-time leaderboard displays the event's top photo contributors, ranked by upload count. The leaderboard is visible both in the attendee gallery view (accessible from the upload page after submitting photos) and, optionally, on the live event slideshow. Contributors are identified by a self-assigned nickname provided at their first upload — no account required. The leaderboard updates in real time as new photos arrive. At events where it has been used, the leaderboard generates organic friendly competition among attendees, often discussed openly and driving additional uploads from participants who want to climb the rankings.

9.2 Photo Reactions — Likes and Emojis

Attendees who have uploaded at least one photo gain access to the gallery view, where they can react to any photo with a set of emoji reactions (thumbs up, heart, fire, laughing face, surprised face). Reaction counts are displayed on each photo thumbnail. The most-reacted photo is automatically flagged for promotion to the 'Photo of the Event' feature. Reactions require no account — they are tied to the attendee's browser session for the duration of the event. This creates a lightweight social layer without the complexity of user management.

9.3 Photo of the Event Highlights

At configured intervals (for example, every 30 minutes), or manually triggered by the host, MOMNT identifies the current most-reacted-to photo and promotes it as the 'Photo of the Event'. This photo is displayed prominently on the live slideshow with a special frame or badge, announced in the gallery view, and highlighted in the host dashboard. The feature creates a recurring moment of celebration during the event — a focal point that acknowledges community appreciation and encourages further engagement.

9.4 Gamified Participation System

Beyond the leaderboard, MOMNT implements a lightweight gamification system based on upload milestones. When an attendee uploads their first photo, they receive a 'First Shot' badge displayed in their session. Uploading 5 photos earns a 'Power Contributor' badge. Uploading 10 or more earns 'Event Legend' status. These badges are displayed on the leaderboard next to the contributor's name and on their own confirmation screen after each upload. The gamification system does not require accounts or persistent identity — badges are computed from session-based upload count and displayed contextually. The psychological effect of visible recognition consistently increases contribution rates.

10. Target Market Analysis

10.1 Primary Market: College Events

MOMNT's initial target market is the college event ecosystem — a context uniquely suited to the product's value proposition. College students are high-frequency smartphone users with strong social behavior around photo sharing. Student organizations, cultural committees, sports clubs, technical fests, and academic departments collectively organize hundreds of events annually at any large university. Event sizes range from intimate club meetings of 30 people to major cultural festivals attracting 5,000 or more attendees.

The decision-maker at a college event is typically a student coordinator — a person with limited budget, limited technical staff, and a strong desire for tools that work without training or technical overhead. MOMNT's zero-friction design and freemium pricing model are precisely calibrated to this profile. College events also offer a strong virality vector: every attendee who scans the QR code and sees MOMNT's interface becomes a potential future host.

- Market scale: Thousands of colleges across India, each hosting 50–200 events annually.
- Budget profile: Low to moderate; freemium entry with event-credit upsell.
- Key purchase driver: Ease of use; no technical knowledge required.
- Virality potential: High; attendees become future hosts organically.

10.2 Secondary Market: Weddings

The wedding market represents MOMNT's highest-value secondary segment. Wedding hosts have strong intrinsic motivation to collect a comprehensive photographic record of their event — and the budget to pay for tools that make this possible. Guest-captured photos complement professional wedding photography with candid moments no hired photographer can access: the guests' table, the children's corner, the unexpected emotional moment in the crowd.

Weddings are characterized by high attendee counts (200–1,000 guests), a strong personal investment in the outcome, and a willingness to pay for premium features such as custom album branding, AI curation, and printed photo books delivered from the platform. The wedding market requires higher data privacy standards, reliable offline queuing for venues with inconsistent Wi-Fi, and more sophisticated post-event album delivery.

10.3 Secondary Market: Corporate Events

Corporate event organizers represent a B2B customer segment with higher per-event revenue potential and different feature priorities. Company town halls, team offsites, product launches, and conference sessions all benefit from centralized photo collection for use in internal communications, external marketing, and HR engagement content. Corporate clients prioritize data security, access control, and administrative features over gamification elements. MOMNT's enterprise tier addresses these requirements with private event configurations, SSO integration options, and compliance-ready data handling.

10.4 Secondary Market: Private Gatherings

Birthday parties, anniversary celebrations, community meetups, and alumni reunions form a long tail of private event hosts. These users want a simple, effective tool with no learning curve. The freemium tier's generous feature set is designed to serve this segment entirely without requiring a paid upgrade for a typical

private gathering. This segment drives volume and organic word-of-mouth without requiring a dedicated sales or marketing investment.

11. Competitive Analysis

11.1 Overview of the Competitive Landscape

MOMNT operates in an adjacent space to several established product categories — cloud storage, social media, and dedicated event photography apps — without being a direct competitor to any of them. The specific combination of features MOMNT offers (QR access + no login + real-time display + engagement layer) does not exist in any single competing product. The competitive threat comes not from a single dominant competitor but from the inertia of good-enough alternatives.

Feature	MOMNT	Google Drive / Photos	WhatsApp Sharing	Event Photo Apps	Social Media (#hashtag)
No App Required	Yes	No	No (app needed)	No	Partial
No Login Required	Yes	No	No	No	No
QR Code Access	Yes	No	No	Partial	No
Real-Time Display	Yes	No	No	Partial	No
Live Slideshow	Yes	No	No	Some	No
Gamification	Yes	No	No	No	No
AI Curation	Yes (planned)	Yes (limited)	No	No	No
Free Tier	Yes	Yes	Free	Partial	Free

11.2 Specific Competitor Analysis

Google Drive / Google Photos (Shared Albums)

Google's shared album feature allows a host to create an album and invite contributors via a link. Contributors must have a Google account, and in most cases must either be explicitly added to the album or navigate a permissions flow. The upload experience is designed for desktop use and is cumbersome on mobile. There is no event-specific context, no live display, no moderation, and no engagement features. The product is a general-purpose storage tool repurposed for event use by resourceful organizers.

WhatsApp Group Sharing

Sharing photos via a WhatsApp group is the most common informal solution. It requires attendees to be added to the group (a friction point), applies compression to images (reducing quality), mixes photos with text messages and noise, and provides no organized album as output. There is no host dashboard, no curation, and no display capability. The 'solution' is entirely dependent on the social dynamics of group membership and individual initiative.

Dedicated Event Photo Apps

Apps such as Eversnap, WedPics, and similar niche products are built specifically for event photo collection. They require both the host and all attending contributors to install the application, creating a significant barrier to participation at scale. Some offer QR code sharing to reduce this friction, but the QR still leads to an app store page rather than a browser-native experience. These apps tend to be built around the wedding market and have not achieved broad adoption in college or corporate contexts.

11.3 MOMNT's Competitive Advantage

MOMNT's defensible advantage is its combination of zero-friction entry (QR to browser, no login) and real-time social engagement (slideshow, leaderboard, reactions). No competitor offers both simultaneously. The zero-friction entry maximizes participation where competitors fail. The engagement layer creates an experience that competitors — even those who successfully solve the collection problem — do not attempt to provide.

12. SWOT Analysis

Strengths	Weaknesses
Zero-friction attendee experience — no app, no login Unique real-time live slideshow feature Engagement layer (leaderboard, reactions, gamification) absent from all competitors Simple, focused value proposition easy to communicate Browser-native — works on all modern smartphones Low development cost and fast MVP delivery	New brand with no market recognition Dependency on venue internet connectivity Cloud storage costs scale with photo volume Solo developer constraint limits speed of feature development No offline upload capability in MVP phase
Opportunities	Threats
Large, underserved college event market — no dominant tool Wedding and corporate events as high-value premium segments AI curation as a strong long-term differentiator Viral growth via event exposure — attendees become future hosts No single competitor addresses the full feature combination	Large platforms (Google, Apple) could add QR-based sharing features Venue Wi-Fi reliability is outside MOMNT's control Data privacy regulations require careful compliance design Low switching costs — hosts can try competitors freely Competitor apps could add browser-based upload to reduce friction gap

13. Marketing Strategy (4Ps)

13.1 Product

MOMNT is marketed not as a photo upload tool but as an interactive event experience platform. The primary product promise is immediacy: photos appear on screen while the event is still happening. The product is offered in three tiers: Free (supporting events with up to 100 photo uploads, basic dashboard, standard QR code), Pro (unlimited uploads, AI features, custom QR branding, analytics, and priority support), and Enterprise (white-label branding, API access, SSO, and dedicated account management). The free tier serves as the primary acquisition mechanism, with paid conversion driven by feature gates that Pro users unlock.

13.2 Price

MOMNT's pricing strategy is designed to be accessible at the entry level and competitive at the professional level. The Free tier requires no payment and no credit card. The Pro tier is priced at approximately INR 399 per event or INR 1,999 per month for unlimited events — competitive with the cost of a professional photo-sharing service and well within the budget of a student organization or small business event budget. Enterprise pricing is quotation-based, anchored to the number of events per year and required customization level. Annual subscriptions are offered at a 20% discount to incentivize commitment.

13.3 Place (Distribution)

MOMNT is distributed entirely as a web application — no app stores, no physical retail. The primary access point is momnt.app (or equivalent domain), accessible from any device with a browser. Distribution channels include direct web search, Product Hunt and IndieHackers for developer and early adopter communities, college ambassador programs staffed by student coordinators at partner universities, and partnerships with wedding planning websites and corporate event management directories.

13.4 Promotion

- Organic content marketing: SEO-optimized blog content targeting event organizers. Example topics: 'How to collect all your event photos without a WhatsApp group', 'The easiest way to build a shared wedding album'.
- Social media: Short-form video content demonstrating the scan-to-upload flow on Instagram Reels, LinkedIn, and YouTube Shorts. Live event testimonials and before/after album comparisons.
- College ambassador program: Recruit student coordinators at target colleges to use MOMNT for one event at no cost. Provide custom QR posters and onboarding support in exchange for feedback and referrals.
- QR-based virality: Every event QR code displayed at a venue exposes MOMNT's name and interface to all attendees — organic brand impressions at no additional cost.
- Referral incentives: Hosts who refer a new host receive one month of Pro access. New hosts referred receive their first event free on the Pro tier.
- Partnership integrations: Co-marketing with event management platforms, college event calendars, and wedding planning portals for embedded MOMNT event creation links.

14. Business Model

14.1 Revenue Streams

MOMNT's revenue model is built on a freemium foundation with multiple upgrade paths calibrated to different customer segments.

1. **Subscription Plans:** Monthly or annual Pro and Enterprise subscriptions representing the primary recurring revenue stream. Pro is priced for individual hosts and small organizations; Enterprise is priced for event management companies and corporate clients.
2. **Per-Event Credits:** For hosts who do not need a recurring subscription, individual event credits can be purchased to unlock Pro features for a single event. This lowers the barrier to first paid conversion and serves infrequent hosts.
3. **AI Feature Add-Ons:** Advanced AI capabilities — duplicate removal, auto-curated highlight reel, best-photo selection — can be purchased as an optional add-on to the Free tier, providing a low-cost upsell path without requiring a full Pro subscription.
4. **White-Label Licensing:** Corporate clients and event management agencies can license a fully branded version of MOMNT under their own identity for a flat annual fee, representing the highest-value revenue tier.
5. **Partner Referral Revenue:** Affiliate partnerships with photo printing services and event decoration vendors provide a commission-based revenue stream from purchases made via links in the post-event album experience.

14.2 Cost Structure

- **Cloud storage and bandwidth:** Variable cost, representing the largest operational expense and scaling directly with photo volume. Mitigated by aggressive image compression and tiered storage policies.
- **Compute (backend API and AI processing):** Variable cost, scaling with event count and AI feature usage. Managed via serverless architectures where possible.
- **Hosting and domain:** Fixed monthly cost, predictable and low at startup scale.
- **Development time:** Solo developer sweat equity in early phases; contractor or co-founder addition in scaling phase.
- **Marketing:** Primarily content-driven with low cash cost; college ambassador program has modest operational overhead.

14.3 Unit Economics Targets

- **Customer Acquisition Cost (CAC):** Target INR 150–400 via organic and ambassador channels.
- **Average Revenue Per User (ARPU):** INR 2,000–8,000 annually for Pro users; INR 50,000+ for Enterprise.
- **Gross Margin Target:** 65–75% at scale, after cloud infrastructure optimization.
- **Payback Period:** Under 3 months for Pro subscribers acquired via organic channels.

15. Technology Stack

MOMNT's technology stack is chosen to balance developer accessibility (suitability for solo development), production scalability (ability to handle large events and user growth), and ecosystem maturity (strong libraries, documentation, and community support).

Layer	Technology	Rationale
Frontend	React.js / Next.js	Component-based architecture for three distinct UIs; SSR for fast initial load on mobile
Styling	Tailwind CSS	Utility-first responsive design; fast mobile UI iteration
Backend	Node.js + Express.js	JavaScript full-stack consistency; large ecosystem for file handling and API development
Real-Time	Socket.IO	Managed WebSocket abstraction with fallback support; proven at scale
Database	MongoDB Atlas	Flexible document model for evolving event/photo schema; managed cloud service
Cloud Storage	AWS S3 / Firebase Storage	Durable, scalable object storage with built-in CDN options; pay-as-you-go pricing
QR Generation	qrcode.js / node-qrcode	Lightweight, well-maintained library; generates SVG and PNG output
Authentication	JWT + bcrypt	Stateless token auth for host sessions; industry-standard password hashing
AI / ML	TensorFlow.js + Python/Flask	Browser-side inference for lightweight tasks; microservice for heavy processing
Deployment	Vercel + Railway/Render	Zero-config frontend deployment; managed backend hosting with CI/CD
Version Control	Git + GitHub	Source control, CI/CD pipeline integration, and collaboration

16. System Architecture

MOMNT follows a three-tier client-server architecture augmented by a real-time WebSocket messaging layer. The design separates concerns cleanly across presentation, application logic, and data storage, enabling each layer to be scaled or replaced independently as requirements evolve.

16.1 Presentation Layer

Three distinct frontend applications serve MOMNT's different user types. The Attendee Upload Interface is a public, no-auth mobile-optimized page accessible via the event's QR code URL. The Host Dashboard is an authenticated single-page application providing event management, moderation, and analytics. The Live Slideshow Display is a public, read-only full-screen interface designed for connection to venue projection systems. All three are built as React applications and communicate with the backend exclusively via REST API and WebSocket.

16.2 Application Layer

The Node.js/Express backend exposes a RESTful API organized around three resource types: events, photos, and sessions. A Socket.IO server runs on the same process, managing WebSocket connections for real-time broadcast to dashboard and slideshow clients. Business logic — including upload validation, session token verification, moderation queuing, and AI processing dispatch — is implemented as Express middleware and service modules.

16.3 Data Layer

MongoDB Atlas stores structured application data: event documents, photo metadata records, and host user accounts. Actual image files are stored in cloud object storage, referenced by URL in the database. Thumbnail generation is performed synchronously on upload receipt; AI processing runs asynchronously as a background job queue. A Redis instance (added in Phase 3) manages WebSocket room state and session rate limiting.

16.4 Security Architecture

- All traffic is served over HTTPS via TLS certificates managed by Cloudflare or the hosting provider.
- Host authentication uses short-lived JWT access tokens (15-minute expiry) and longer-lived refresh tokens stored in HTTP-only cookies.
- Upload endpoints validate file MIME type, file size (10MB limit per file), and event session token before accepting any content.
- Rate limiting (100 requests per IP per hour on upload endpoints) prevents abuse.
- Cloud storage buckets are private by default; presigned URLs are used for direct upload and download, never exposing bucket credentials to clients.
- No personally identifiable information is collected from attendees — only a session identifier and optional self-provided nickname.

17. Database Design

MOMNT uses MongoDB as its primary database, with a document model that reflects the natural hierarchy of events containing photos, created by hosts. The schema is designed to support fast real-time queries during active events while maintaining a flexible structure for AI-generated metadata fields added in later phases.

17.1 Hosts Collection

Each document represents a registered event host. Fields include: unique host ID, full name, email address, bcrypt-hashed password, account creation timestamp, subscription tier (free/pro/enterprise), and an array of event references. Indexed on email for login queries.

17.2 Events Collection

Each document represents a single MOMNT event. Fields include: unique event ID, host reference (foreign key), event name and description, upload window start and end timestamps, moderation mode setting, maximum photos per attendee, QR code URL, event status (draft/active/closed/archived), upload count (maintained as a cached counter), and display settings object. Indexed on host reference and status for dashboard queries.

17.3 Photos Collection

Each document represents a single uploaded photo. Fields include: unique photo ID, event reference, cloud storage URL (original), thumbnail URL, file size in bytes, upload timestamp, moderation status (pending/approved/rejected), AI processing status (unprocessed/processing/done), quality score (float 0–1), duplicate cluster ID, AI-generated tags array, reaction counts object (keyed by emoji type), and optional contributor nickname. Indexed on event reference (compound index with upload timestamp) for feed queries.

17.4 Sessions Collection

Each document manages an attendee's upload session. Fields include: session token (UUID), event reference, creation timestamp, expiry timestamp, IP hash (for rate limiting), upload count from this session, and badge status. TTL index on expiry timestamp for automatic cleanup of expired sessions.

18. User Flow / User Journey

18.1 Host Journey — Event Setup

6. Host visits momnt.app and creates a host account with email and password.
7. Host navigates to 'Create Event' and enters event name, date, upload window, and optional settings.
8. MOMNT generates a unique QR code. Host downloads in preferred format (PNG, SVG, or display link).
9. Host places QR code at venue: prints posters, configures digital display, or includes in event materials.
10. During the event, host opens the dashboard on their phone to monitor incoming uploads.
11. If moderation is enabled, host reviews and approves photos from the moderation queue as they arrive.
12. Host activates the live slideshow on a laptop connected to the venue's display system.
13. After the event, host closes the upload window and downloads the complete album as a ZIP file.

18.2 Attendee Journey — Upload

14. Attendee notices the MOMNT QR code displayed at the event venue.
15. Attendee opens their phone camera and points it at the QR code. A URL notification appears.
16. Attendee taps the notification. Their browser opens directly to the MOMNT upload page for this event.
17. Attendee sees the event name, current photo count, and an 'Upload Photos' button.
18. Attendee enters an optional nickname (for the leaderboard) and taps the upload button.
19. Attendee selects one or more photos from their camera roll, or captures a live photo.
20. Photos upload with a progress bar. On completion, a success screen is shown.
21. Attendee optionally browses the live gallery, reacts to photos, and checks the leaderboard.
22. Attendee can return to upload more photos at any point during the event window.

18.3 Slideshow Viewer Journey

23. Host or AV team opens the slideshow URL on a laptop.
24. Laptop is connected to the venue projector or display via HDMI or screen mirroring.
25. Browser enters full-screen mode. Slideshow begins cycling through approved photos.
26. New uploads appear in the rotation automatically as they are processed.
27. 'Photo of the Event' announcements display prominently when triggered.
28. Slideshow continues until host closes the event or manually stops the display.

19. Project Development Phases

MOMNT's development is structured into eight sequential phases, each with a clear objective, a defined scope, and a measurable outcome. This phased approach ensures that a working product is available at the earliest practical point and that complexity is added progressively on a stable foundation.

Phase 0 — Learning Curve

Objective	Achieve developer readiness before writing any production code.
Duration	4–6 weeks
Outcome	Full competency in every technology component of the MOMNT stack.

The most common cause of student project failure is beginning development without adequate understanding of the tools involved. Phase 0 is a deliberate investment in the knowledge required to build MOMNT effectively. The learning agenda covers four domains: front-end web development (HTML, CSS, JavaScript, and introductory React), back-end development (Node.js, Express, REST API design, and HTTP fundamentals), cloud storage (Firebase or AWS S3 SDK setup, file upload/download operations, and bucket configuration), and QR code systems (QR code generation libraries, URL encoding, and browser camera API behavior).

Each topic is practiced through a small, self-contained project: a personal webpage, a simple Express API with a file upload endpoint, a cloud storage file manager, and a QR code generator that links to a URL. These exercises produce artifacts that double as portfolio work and as early prototypes of MOMNT's individual components.

Phase 1 — Planning and Design

Objective	Produce a complete system blueprint that guides all subsequent development.
Duration	1–2 weeks
Outcome	Finalized feature specification, user flows, wireframes, and technology decisions.

Phase 1 transforms the product idea into a concrete, actionable specification. Feature prioritization is conducted using the MoSCoW method, separating the must-have MVP features from the should-have Phase 3 additions and the could-have AI layer. User flows are mapped for all three user types. The technology stack is finalized based on Phase 0 experience and the specific requirements of each component.

UI wireframes are sketched for the three main interfaces: the attendee upload page, the host dashboard, and the live slideshow. These wireframes do not need to be pixel-perfect — their purpose is to identify layout decisions and interaction patterns before any code is written. The database schema is drafted and reviewed for query efficiency. This phase's primary deliverable is the complete project documentation — the document you are reading — which serves as the single source of truth for all subsequent phases.

Phase 2 — MVP Development

Objective	Build a working, demonstrable version of MOMNT's core functionality.
Duration	4–6 weeks
Outcome	A deployable prototype capable of real-world testing at a single event.

The MVP prioritizes demonstrating the core value proposition: scan a QR code, upload a photo, see it in a shared space. Development follows a deliberate sequence to maintain always-runnable code: the backend upload API and database connection are built first, followed by cloud storage integration, then QR code generation tied to event IDs, then the attendee upload UI, and finally a simple host view showing uploaded photos in chronological order.

The MVP deliberately excludes real-time updates, moderation, authentication, and all engagement features. These are deferred to maintain focus and speed. The MVP is deployed to a staging environment and tested manually with a small group of 5–10 people simulating an event upload scenario. Issues identified in this initial test are fixed before Phase 3 begins.

Phase 3 — Feature Expansion

Objective	Transform the MVP into a feature-rich application ready for real college events.
Duration	4–8 weeks
Outcome	A polished web application with all non-AI features implemented and tested.

Phase 3 adds the features that differentiate MOMNT from a basic file upload form. WebSocket integration is implemented for real-time photo feed updates. The live event slideshow is built as a dedicated full-screen view with photo cycling and transition effects. Host authentication is added using JWT, protecting the dashboard behind a login wall. The moderation queue system is implemented, giving hosts full control over what appears in the public gallery and slideshow. The engagement layer — leaderboard, photo reactions, Photo of the Event, and badge system — is implemented and integrated with the real-time feed.

UI quality is significantly elevated in this phase. Tailwind CSS is applied systematically to produce a polished, responsive interface across all three applications. Mobile optimization of the upload flow is tested across iOS Safari and Android Chrome. Performance improvements — client-side image compression before upload, thumbnail generation on the server, and lazy loading in the dashboard — are implemented and benchmarked.

Phase 4 — AI Integration

Objective	Add intelligent automation that elevates MOMNT from collection to curation.
Duration	4–6 weeks
Outcome	An AI-enhanced system with automatic organization, quality selection, and tagging.

AI integration begins with the highest-impact feature: duplicate detection using perceptual hashing (pHash). Photos with similarity scores above a configured threshold are clustered, and the highest-quality representative of each cluster is identified using technical quality metrics. This is implemented as a background job triggered by each new upload, running asynchronously so it does not delay the upload response.

Smart tagging is implemented using a pre-trained classification model (MobileNet via TensorFlow.js or a Python Flask microservice, depending on inference load). Best-photo selection applies a composite quality score. All AI results are stored as fields on the photo database records and surfaced in the host dashboard as a 'Curated View' tab distinct from the raw chronological feed. The AI features are tested on a real event photo set of 300+ images to validate accuracy and processing time before release.

Phase 5 — Testing and Optimization

Objective	Ensure system stability, security, and performance under realistic conditions.
Duration	2–4 weeks
Outcome	A production-ready platform with documented performance limits and security posture.

Testing in Phase 5 covers four dimensions. Functional testing validates all features against the specification using structured manual test cases and automated end-to-end tests for critical paths (event creation, QR scan, upload, dashboard display). Load testing simulates concurrent upload scenarios — 20, 50, and 100 simultaneous uploaders — using a tool such as k6 or Artillery to identify backend bottlenecks, measure upload latency under load, and confirm WebSocket stability.

Security testing audits file upload validation (type checking, size limits, path traversal prevention), JWT implementation (expiry enforcement, signature validation), and rate limiting effectiveness. A UI/UX review session is conducted with 5 target users from the college event coordinator profile, focusing on the attendee upload flow and host dashboard. All critical issues are resolved. A known-issues log is maintained for minor items to address post-launch.

Phase 6 — Deployment and Launch

Objective	Make MOMNT publicly accessible and acquire the first real-world users.
Duration	1–2 weeks
Outcome	A live product with initial users, feedback loops, and a public presence.

Deployment infrastructure is configured: Vercel for the Next.js frontend (zero-config deployment with automatic HTTPS), Railway or Render for the Node.js backend (managed container hosting with environment variable support), and MongoDB Atlas for the database (M0 free tier sufficient for launch scale). A custom domain is purchased and configured with Cloudflare for DNS management and DDoS protection.

A CI/CD pipeline is set up via GitHub Actions: pushes to the main branch trigger automated deployment to the production environment. The pipeline includes basic build verification and environment smoke tests. Launch strategy targets a specific college event as MOMNT's first real-world deployment. The host is onboarded personally, the event is monitored live, and post-event feedback is collected via a short survey. Results are used to fix any remaining issues before the public launch announcement on social media and Product Hunt.

Phase 7 — Scaling and Expansion

Objective	Grow MOMNT beyond the initial user base and prepare it for commercial operation.
Duration	3–6 months ongoing
Outcome	A scalable, revenue-generating platform with a growing user base.

Scaling addresses four dimensions simultaneously. Technical scaling migrates from single-instance hosting to auto-scaling infrastructure capable of handling events with 1,000+ attendees. This involves introducing a CDN for media delivery, optimizing database query performance with compound indexes, and evaluating managed WebSocket services for improved connection reliability at high concurrency.

Analytics infrastructure is added: a dashboard tracking events created per week, photos uploaded per event (median and 90th percentile), upload completion rates, user retention (hosts who create a second event), and revenue by tier. Monetization is activated: the Pro tier paywall is enabled using Razorpay or Stripe for payment processing. Market expansion efforts target the wedding and corporate segments through dedicated landing pages, event industry partnerships, and case study content built from successful college event deployments.

20. Challenges and Limitations

20.1 Internet Dependency at Event Venues

MOMNT's real-time upload model requires active internet connectivity for both the uploading attendee and the backend server. Large events — particularly those held in basements, large halls, or outdoor areas — frequently have unreliable Wi-Fi, and cellular data can be degraded by the concentration of many devices in a small area. MOMNT addresses this risk through client-side upload queuing with automatic retry logic, so a photo selected for upload during a low-connectivity moment will complete its upload when connectivity improves, without requiring any action from the attendee. Long-term, an offline capture mode with background sync is planned for Phase 7.

20.2 Attendee Participation Variability

Even with the lowest possible friction, some attendees will not upload photos. Participation rates depend heavily on QR code visibility, host communication ('Please scan the QR code and add your photos'), and the social dynamics of the event. MOMNT cannot fully control this variable, but it provides host guidance on QR code placement best practices, slideshow announcements that prompt uploading, and the gamification features that create organic social pressure to participate.

20.3 Cloud Storage Cost Management

Cloud storage costs are the primary variable cost driver for MOMNT and scale directly with photo volume. An event with 500 attendees uploading an average of 3 photos each at 5MB per photo generates approximately 7.5GB of data per event. At AWS S3 standard pricing, this is manageable but significant at scale. MOMNT addresses this through mandatory client-side compression before upload (targeting 2MB per photo), JPEG re-encoding of HEIC uploads, aggressive thumbnail generation (100KB targets for display thumbnails), and configurable storage retention policies that archive older events to cheaper storage tiers automatically.

20.4 Content Moderation at Scale

Without moderation, any upload system risks receiving inappropriate content. MOMNT's moderation system provides the primary defense, but at events with hundreds of simultaneous uploaders and a host managing other responsibilities simultaneously, real-time human moderation can lag. Future mitigation includes automated content filtering using image classification models to flag potentially inappropriate content before it reaches the moderation queue, significantly reducing the review burden on hosts.

21. Risk Analysis

Risk	Likelihood	Impact	Mitigation Strategy
Poor venue Wi-Fi degrading upload experience	High	High	Client-side upload queue with retry; event host briefing on Wi-Fi provisioning; cellular fallback guidance
Low attendee participation rate	Medium	High	QR visibility best practices; host announcement scripts; gamification incentives; slideshow as social proof
Cloud storage cost overrun	Medium	Medium	Mandatory compression; storage limits per free tier; tiered archive policies
Inappropriate content uploaded	Medium	High	Host moderation system; client-side file type whitelist; future AI content filter
Security breach or data leak	Low	High	HTTPS-only; JWT auth; private S3 buckets with presigned URLs; no attendee PII collection
Solo developer velocity bottleneck	High	Medium	Strictly prioritized MVP scope; use of open-source libraries; detailed documentation for handover
Large platform (Google/Apple) replication	Low	High	First-mover advantage; strong UX; community loyalty; engagement layer as differentiator
WebSocket scalability at high concurrency	Medium	Medium	Load testing in Phase 5; Redis-backed socket adapter; managed WebSocket service in Phase 7

22. Future Scope

22.1 AI-Generated Event Highlights

A next-generation feature will enable MOMNT to automatically produce a short highlight video from each event's photos — selecting the best 20–30 images, applying cinematic transitions, and synchronizing to a user-selected or AI-matched music track. This video is delivered to the host within hours of the event's conclusion as a shareable social media asset. The feature leverages the AI curation pipeline built in Phase 4 and adds a video generation layer using an open-source slideshow-to-video library or a cloud video API.

22.2 Advanced Analytics for Hosts

A comprehensive analytics dashboard will provide event hosts with engagement insights beyond basic upload counts: upload volume over time (to identify peak engagement moments during the event), heatmaps of QR code scan locations for multi-venue events, reaction sentiment analysis across photos, and comparative metrics against anonymized benchmarks from similar events. For corporate clients, these analytics support ROI reporting on event investments.

22.3 Integration with Event Platforms

MOMNT will develop integrations with popular event management platforms — such as Eventbrite, Townscript, and LinkedIn Events — enabling hosts to embed a MOMNT event creation link directly in their event page. Attendees registered through these platforms can optionally receive the upload QR code automatically via email or in-app notification, reducing the dependency on physical QR code placement.

22.4 Enhanced Privacy Controls

Future privacy features will include face-based opt-out (where an individual can request removal of all photos containing their likeness), attendee consent management (requiring explicit agreement before photo visibility in a public gallery), and regional data residency options for enterprise clients subject to GDPR or India's Personal Data Protection Bill requirements. These features are designed in consultation with legal advisors and implemented with a privacy-by-design architecture.

22.5 Native Mobile Application

A lightweight native app for iOS and Android will be developed in a post-Phase 7 roadmap. The app's primary advantage over the browser-based interface is offline capture: attendees can photograph moments during connectivity gaps and the app will upload them automatically when connectivity is restored. The native app also enables push notifications — hosts can send a reminder to all session-active attendees encouraging more uploads at a specific event moment.

22.6 White-Label and API Platform

In its most mature form, MOMNT will offer a white-label solution for event management companies — a fully branded version of the platform deployable under the client's domain with their visual identity. Additionally, a public API will allow third-party developers to build custom applications on top of MOMNT's collection and storage infrastructure, creating an ecosystem of event photography tools.

23. Conclusion

Every event worth attending is worth remembering completely. MOMNT exists to make that completeness achievable — not through the effort of a few motivated individuals, but through the effortless participation of everyone in the room. By removing every barrier between a smartphone and a shared album, and by building an engagement layer that makes contributing feel rewarding rather than obligatory, MOMNT transforms photo sharing from a post-event chore into an in-event experience.

The platform's trajectory — from a college-focused MVP to an AI-powered, commercially viable event technology product — is grounded in a phased development plan that keeps the core value proposition intact at every stage while progressively adding the sophistication that premium markets require. The technical architecture is chosen for growth. The business model is designed for sustainability. The engagement features are built for virality.

What makes MOMNT more than a technical exercise is its genuine product-market fit. The problem it solves is universal and underserved. The solution is demonstrably simpler than any alternative currently available. The path from a student project to a scalable startup is clearly mapped, realistic, and achievable with disciplined execution. MOMNT does not just collect photos — it preserves the collective memory of shared experiences, and that is a purpose worth building toward.

— *End of Document* —

MOMNT Project Documentation | 2025