Limited Sale: Get Flat 50% OFF on all the self learning courses. Use coupon

code: ONLINE50

#### GreyCampus



X

★ Home > Blog > Programming > Top 30 Interview Questions and Answers on Angular 5



By: Kiran Ramanadham

28 MAY 2018

## Top 30 Interview Questions and Answers on Angular 5

## Introduction To Web Technology

Web development has come a long way in delivering functionalities online. There are tremendous changes happening both on the client-side technologies (like JS/Angular) and the server side technologies (like Java/Spring). Not only AngularJS, similar technologies like React JS and Vue JS are offering great scope in client development. Let us see what Angular has to offer in client development.

#### What is Angular and Why Angular?

1.9k Shares Angular (2/4/5) is not a programming language like Javascript or Typescript. Angular is a front-end or client-side Framework, which needs a programming language like Typescript (developed by Microsoft). Now, what does it mean when one says, "Angular is a client-side framework"? It means that it runs on the client-side or user's browser and not on a Web Server (where java/python/ruby/vb.net run). Of course, there is the Angular Universal which allows Angular to run on a server; but, primarily, angular is a client-side framework. Angular is a product developed and maintained by the techie giant Google and has adopted the SPA (Single Page Application) principles.



## Angular Interview Questions and Answers

With the introduction of these technologies, web development has catalyzed the generation of jobs like Front-end Developer or User Interface Developer. A newbie or an experienced developer can make a flourishing career by understanding any of the front-end technologies. Here are some of the questions that are frequently asked for any UI/Front-end Developer role.

## FAQ on Angular

## 1. What's new in Angular 5?

Certain tools are optimized in the new version of Angular, let us see what the tools are:

- Angular 5 supports Typescript version 2.4
- Angular 5 supports RxJS 5.5 which has new features like Pipeable Operators

1.9k Shares

- Ahead of Time (AOT) is updated to be on by default
- Events like ActivationStart and ActivationEnd are introduced in Router

## 2. Name the building blocks of Angular.

The Angular application is made using the following:

Modules

Component

**Template** 

**Directives** 

**Data Binding** 

Services

**Dependency Injection** 

Routing

## 3. What is Transpiling in Angular?

Transpiling is the process of converting the typescript into javascript (using Traceur, a JS compiler). Though typescript is used to write code in the Angular applications, the code is internally transpiled into javascript.

# 4. Which of the Angular life cycle component execution happens when a data-bound input value updates?

ngOnChanges is the life cycle hook that gets executed whenever a change happens to

the data that was bound to an innut

## 5. Differentiate between Components and Directives in Angular 5.

Components break up the application into smaller parts; whereas, Directives add behavior to an existing DOM element.

### 6. What is the use of @Input and @Output?

When it comes to the communication of Angular Components, which are in Parent-Child Relationship; we use @Input in Child Component when we are passing data from Parent to Child Component and @Output is used in Child Component to receive an event from Child to Parent Component.

Learn more about *Top 5 Skills That Make You A Sure Shot Programmer* 

#### 7. What is ng-content Directive?

The HTML elements like p (paragraph) or h1 (heading) have some content between the tags. For example, this is a paragraph and <h1>this is a heading</h1>. Now, similar to this, what if we want to have some custom text or content between the angular tags like <app-tax>some tax-related content</app-tax> This will not work the way it worked for HTML elements. Now, in such cases, the <ng-content> tag directive is used.

#### 8. What does a router.navigate do?

When we want to route to a component we use router.navigate. Syntax: this.router.navigate(['/component\_name']);

## 9. What is ViewEncapsulation?

ViewEncapsulation or not. There are three ways to do this in Angular:

Emulated: styles from other HTML spread to the component.

Native: styles from other HTML do not spread to the component.

None: styles defined in a component are visible to all components.



Angular Js Made Easy!
Courses starting at \$9.99

**Explore courses** 

## 10. What are Services in Angular and what command is used to create a service?

Services help us in not repeating the code. With the creation of services, we can use the same code from different components. Here is the command to create a service in angular, ng g service User (a UserService is created when this command is used).

### 11. What is Dependency Injection in Angular 4?

When a component is dependent on another component the dependency is injected/provided during runtime.

#### 12. What is Routing in Angular 5?

Routing helps a user in navigating to different pages using links.

## 13. How to handle Events in Angular 5?

Any activity (button click, mouse click, mouse hover, mouse move, etc) of a user on a frontend/web screen is termed as an event. Such events are passed from the view (.HTML) page to a typescript component (.ts).

1.9k Shares

#### 14. What is a RouterOutlet?

RouterOutlet is a substitution for templates rendering the components. In other words, it represents or renders the components on a template at a particular location.

## 15. Explain the usage of {{}}?

The set of brackets {{}} when used with an HTML tag, represent data from a component. For example, on a HTML page which has <h1>{{variableName}}</h1>, here the 'variableName' is actually typescript (component) data representing its value on the template; i.e., HTML. This entire concept is called String Interpolation.

You may also like: Other Programming workshops

## 16. In how many ways the Data Binding can be done?

Data Binding happens between the HTML (template) and typescript (component). Data binding can be done in 3 ways:

(i) Property Binding (ii) Event Binding (iii) Two-Way Data Binding.

## 17. What is the sequence of Angular Lifecycle Hooks?

OnChange() - OnInit() - DoCheck() - AfterContentInit() - AfterContentChecked() - AfterViewInit() - AfterViewChecked() - OnDestroy().

## 18. What is the purpose of using package.json in the angular project?

With the existence of package.json, it will be easy to manage the dependencies of the project. If we are using typescript in the angular project then we can mention the 1.9k

## 19. How is SPA (Single Page Application) technology different from the traditional web technology?

In traditional web technology, the client requests for a web page (HTML/JSP/asp) and the server sends the resource (or HTML page), and the client again requests for another page and the server responds with another resource. The problem here is a lot of time is consumed in the requesting/responding or due to a lot of reloading. Whereas, in the SPA technology, we maintain only one page (index.HTML) even though the URL keeps on changing.

### 20. What is Component in Angular Terminology?

A web page in Angular has many components involved in it. A Component is basically a block in which the data can be displayed on HTML using some logic usually written in typescript.

### 21. What are ngModel and how do we represent it?

ngModel is a directive which can be applied on a text field. This a two-way data binding. ngModel is represented by [()]

### 22. What does a Subscribe method do in Angular 4?

It is a method which is subscribed to an observable. Whenever the subscribe method is called, an independent execution of the observable happens.

## 23. Differentiate between Observables and Promises.

Observables are lazy, which means nothing happens until a subscription is made. Whereas Promises are eager; which means as soon as a promise is created, the execution takes place. Observable is a stream in which passing of zero or more 1.9k.

events is possible and the callback is called for each event. Whereas, promise handles a single event.



## Angular Js Made Easy! Courses starting at \$9.99

**Explore courses** 

### 24. What is an AsyncPipe in Angular?

When an observable or promise returns something, we use a temporary property to hold the content. Later, we bind the same content to the template. With the usage of AsyncPipe, the promise or observable can be directly used in a template and a temporary property is not required.

#### 25. Explain Authentication and Authorization.

Authentication: The user login credentials are passed to an authenticate API (on the server). On the server side validation of the credentials happens and a JSON Web Token (JWT) is returned. JWT is a JSON object that has some information or attributes about the current user. Once the JWT is given to the client, the client or the user will be identified with that JWT.

Authorization: After logging in successfully, the authenticated or genuine user does not have access to everything. The user is not authorized to access someone else's data, he/she is authorized to access some data.

#### 26. What is AOT Compilation?

Every angular application gets compiled internally. The angular compiler takes javascript code, compiles it and produces javascript code again. Ahead-of-Time

Time (JIT) Compilation.

#### 27. What is Redux?

It is a library which helps us maintain the state of the application. Redux is not required in applications that are simple with the simple data flow, it is used in Single Page Applications that have complex data flow.

## 28. What are the Pipes?

This feature is used to change the output on the template; something like changing the string into uppercase and displaying it on the template. It can also change Date format accordingly.

### 29. Differentiate between ng-Class and ng-Style.

In ng-Class, loading of CSS class is possible; whereas, in ng-Style we can set the CSS style.

### 30. Why Typescript with Angular?

Typescript is a superset of Javascript. Earlier, Javascript was the only client-side language supported by all browsers. But, the problem with Javascript is, it is not a pure Object Oriented Programming Language. The code written in JS without following patterns like Prototype Pattern becomes messy and finally leading to difficulties in maintainability and reusability. Instead of learning concepts (like patterns) to maintain code, programmers prefer to maintain the code in an OOP approach and is made available with a programming language like Typescript was thus developed by Microsoft in a way that it can work as Javascript and also offer what javascript cannot ie;

- pure OOPS as Typescript offers concepts like Generics, Interfaces and Types (a Static Typed Language) which makes it is easier to catch incorrect data types passing to variables.
- TS provides flexibility to programmers experienced in java, .net as it offers encapsulation through classes and interfaces.
- JS version ES5 offers features like Constructor Function, Dynamic Types,
   Prototypes. The next version of Javascript ie ES6 introduced a new feature like
   Class keyword but not supported by many browsers.
- TS offers Arrow Functions (=>) which is an ES6 feature not supported by many browsers directly but when used in TS, gets compiled into JS ES5 and runs in any browser.
- TS is not the only alternative to JS, we have CoffeeScript, Dart(Google).
- Finally, it is like, TS makes life easier when compared to JS.

Explore *Top 55 Java Interview Questions and Answers for 2018* 

## Few Tips and Tricks to groom yourself for the Interview

Here are some tips and tricks to answer one of the famous questions, "Tell me about yourself". This is a very common question which everyone (including a highly experienced candidate) has to answer in an interview. Here, my concentration is very much on freshers and people with minimal experience. As this group of candidates usually end up giving irrelevant information. When this question is asked, make sure the following points are considered:

Get started with your current status and gradually cover your past achievements. The current status could be your work or your education. And the past achievements could be your previous projects or your lower education qualification.

It's a good practice to keep your conversation entirely technical and not personal. Never tell your family details to the panel till asked. They are not interested in your family background. Always remember the panel is interested in you as a technical person and nothing else.

Answer the questions aptly, be to the point and do not extend the answer or elaborate too much, unless asked to. Be straightforward and say "No" if you do not know it.

Do not take too much time in answering the questions, as the panel would want to test the depth of your knowledge. So, allow them to talk and allow them to get the most out of you.

Gone are the days when you simply show yourself as a person who can deliver the given task. Show them that you are into multiple things, apart from your regular work.

#### Conclusion

Having or learning a new technology is always a promising path to one's career.

Angular is now a hot cake in the market; it not only helps in developing web applications, but it is also useful in mobile applications development. AngularJS has already proved itself as a reliable path for web development. Many companies (like Amazon, Paypal, Upwork and many more) have created their websites using Angular. And also propose the same technology for their future projects. This is the right time to shift or choose a career in web development.

lumnetart vour Angularic training hard

#### **About The Author**

Kiran Ramanadham is a Software Engineer by profession and has been working on frameworks like Angular and Spring for the past few years. Apart from this, as part of his routine job, he likes to write articles, blogs, tutorials on the same technologies. Not only an author and a developer, Kiran is very passionate about teaching and has helped many students and novice programmers by offering classes on technologies like HTML, CSS, Bootstrap, Javascript, JQuery, Typescript, Angular, JSP, Java, Servlets, Hibernate, Spring (MVC & Boot).

#### Kiran Ramanadham



B Raja • 10 months ago

The last answer to the question is entirely wrong. Typescript is introduced in angular to enable static typing as pure js won't support it. JS partially supports oops But using prototype Not classical.

2 ^ | V • Reply • Share >

Kiran Ramanadham → B Raja • 8 months ago

Its not entirely wrong:) as Typescript is a superset of Javascript is very much true. I missed to say JS is not a pure OOP. Anyhow thanks for pointing out that. Will try to update with more reasons why Typescript is used with Angular

```
Rajesh Mod → B Raja • 8 months ago
```

Hi Raja, Thank you for getting this to our notice, will discuss with our subject matter expert and update the content accordingly.

Any other questions you think are important for the interview, will be happy to include them in this list.

#### Show more replies

#### Arunmaran Manimaran • 4 months ago

Nice tips

#### Divya Bharathi • 5 months ago

Thank you for sharing great article and giving useful information

#### salim alam • 5 months ago

The AOT answer is circular and is complete nonsense and dosenot answer what AOT is , AOT is ahead of time compilation and it works with HTML and Css . JIT works with JS, And angular takes in JS and compiles JS it is not compilation if it takes JS and spilts out JS, JS is always compiled by the browser engine eg:V8. Angular takes TS and trans piles it into minified Js and sends to the client in lazyloaded manner.

#### Bhuvana Kandhan • 6 months ago

I just needed to record a speedy word to express profound gratitude to you for those magnificent tips and clues you are appearing on this site. We are providing AngularJs training



#### **Shriknat** • 6 months ago

About the last question I have confusion if JavaScript doesn't support pure OOP then how it will work when it compiled to Typescript to JavaScript?

#### salim alam → Shriknat • 5 months ago

yes javascript do not support OOPS, typescript is transpiled to JS with checks to provide strongly typed behaviour and some check are implemented at the transpiler level which are not converted to JS at all. you can check the behaviour of TS by writing an enum in TS and look at the JS code it produces it should give u an idea how TS transpilation works.



#### rajib ganguly • 8 months ago

A small shapes that satisfied Constant sumband will be @Outsut is used in Obital Commencent to

Kiran Ramanadham → rajib ganguly • 8 months ago

Thanks for pointing out Rajib. It will be corrected.

#### **ALSO ON OPENCAMPUS**

## An Ultimate Guide to Control Charts in Six Sigma

1 comment • 5 months ago

zillowrentalmanager — That's Wonderful! Many things to learn thank you for sharing

## Product Manager vs Project Manager vs Project Leader: Key differences you must

1 comment • 7 months ago

Ronald Richards — So glad to see this. The issue hasn't been raised effectively in the past. Maybe add "Program Manager" to the list.

## **Top Quality Management Tips to Enhance Your Business Performance**

1 comment • 10 months ago

Jack L Mash — We are passing through a new phase. A phase of technological advancement and business strategies. Companies want not

## **Best Project Management Templates to Ease Up Your Project Work**

4 comments • a year ago

Marc Arnecke — Thank you very much for liking my template (risk management plan). During the last few weeks I have completely redesigned my

#### **POPULAR POSTS**

RACI Matrix: How does it help Project Managers?

FEBRUARY 26, 2019

RACI Matrix: How does it help Project Managers?

Top 10 reasons you should know to get an AWS Certification

FEBRUARY 19, 2019

Why AWS? The Top 10 reasons to get an AWS Certification

**NOVEMBER 19, 2018** 

#### RAID Log: How is it useful for a Project Manager?



OCTOBER 29, 2018

IT Service Manager: The Hero of 2020

An Ultimate Guide to Control Charts in Six Sigma

OCTOBER 26, 2018

#### An Ultimate Guide to Control Charts in Six Sigma

Top 10 Popular Linux Distros for Penetration Testing and Ethical Hacking

OCTOBER 23, 2018

#### Top 10 Popular Linux Distros for Penetration Testing and Ethical Hacking

#### **Popular Courses**

Project Management Professional® Training

Lean Six Sigma Green Belt

Lean Six Sigma Black Belt

CSM

ITIL-Foundation

PRINCE2 Foundation & Practitioner

#### Join us!

Become our trainer

Become our affiliate

Create a course

Careers

#### **Contact & Support**

#### Sales

- **■** sales@greycampus.com
- **USA** +1 855 542 2678
- USA +1 347 994 9941

#### Support

#### Company

About us

**Customer Speak** 

Contact us

For Enterprise

1.9k

Sharos

Privacy policy

Cookie policy

Terms of use

FAQ

Cancellation / Rescheduling policy

#### Disclaimer

"PMIR", "PMBOKR", "PMPR" and "PMI-ACPR" are registered marks of the Project Management Institute, Inc.

The Swirl logo™ is a trade mark of AXELOS Limited.

ITIL is a registered trade mark of AXELOS Limited. Used under licence of AXELOS Limited. All rights reserved.

PRINCE2 is a registered trade mark of AXELOS Limited. Used under licence of AXELOS Limited. All rights reserved.

IASSC® is a registered trade mark of International Association for Six Sigma Certification.

Certified ScrumMaster® (CSM) and Certified Scrum Trainer® (CST) are registered trademarks of SCRUM ALLIANCE®

Project Management: PMP® Certification Training | CAPM® Certification Training |

PRINCE2® Foundation Training Classes | PRINCE2® Practitioner Training Classes |

PRINCE2® Foundation and Practitioner Combo | Microsoft Project Training

Quality Management: Lean Six Sigma Yellow Belt Training & Certification

Lean Six Sigma Green Belt Training & Certification | Lean Six Sigma Black Belt Training & Certification |

Lean Six Sigma Green & Black Belt Training & Certification Combo

Six Sigma Yellow Belt Training & Certification | Six Sigma Black Belt Training & Certification |

Six Sigma Green & Black Belt Training & Certification Combo

Agile and Scrum: PMI-ACP® Certification Training

Certified ScrumMaster® (CSM®) Training and Certification Course

1.9k

Shares

ITIL Intermediate Service Transition Training | ITIL® Intermediate Service Operations Training |
ITIL Intermediate Continual Service Improvement (CSI) Training | ITIL® v3 Foundation Training & Certification
Information Technology: Artificial Intelligence (AI) and Machine Learning (ML) Foundation Course |
CCNA Routing & Switching Training | AWS Certified Solutions Architect - Associate |
CEH (V10) - Certified Ethical Hacker Training | Internet of Things-IoT 101 |
MCSA Certification (Microsoft Certified Solutions Associate) | Stepping into Windows PowerShell
Others: MS Excel 2013 Advanced Training | GNS3 Training | Ruby Programming | Python Basics Training