Started on	Monday, 19 August 2024, 10:16 AM
State	Finished
Completed on	Monday, 19 August 2024, 10:24 AM
Time taken	7 mins 15 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
   int rev = 0, remainder;
   while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;

    }
print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:
A positive Integer n
Output:
Print the value of the counter variable

Answer:

```
#include<stdio.h>
int reverse(int n,int count)
{
   int rev = 0, remainder;
   count++;
   while (n != 0)
    {
        count++;
        remainder = n % 10;
        count++;
        rev = rev * 10 + remainder;
        count++;
        n/= 10;
        count++;
    }
    count++;
    count++;
//printf(rev);
return count;
}

int main(){
    int n,count=0;
    scanf("%d",&n);
    count+=reverse(n,count);
    printf("%d",count);
}
```

	Input	Expected	Got	
✔	12	11	11	✔
✔	1234	19	19	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

◄ Problem 4: Finding Complexity using Counter Method

Jump to...

1-G-Coin Problem ►