

Feedback — Week 2 Quiz

[Help](#)

Thank you. Your submission for this quiz was received.

You submitted this quiz on **Sun 16 Nov 2014 6:28 PM IST**. You got a score of **10.00** out of **10.00**.

Question 1

Under the lattice graphics system, what do the primary plotting functions like `xyplot()` and `bwplot()` return?

Your Answer	Score	Explanation
<input checked="" type="radio"/> an object of class "trellis"	✓ 1.00	
<input type="radio"/> an object of class "lattice"		
<input type="radio"/> an object of class "plot"		
<input type="radio"/> nothing; only a plot is made		
Total	1.00 / 1.00	

Question 2

What is produced by the following code?

```
library(nlme)
library(lattice)
xyplot(weight ~ Time | Diet, BodyWeight)
```

Your Answer	Score	Explanation
<input type="radio"/> A set of 11 panels showing the relationship between weight and diet for each time.		
<input type="radio"/> A set of 16 panels showing the relationship between weight and time for each rat.		

☒ A set of 3 panels showing the relationship between weight and time for each diet. ✔ 1.00

☐ A set of 3 panels showing the relationship between weight and time for each rat.

Total 1.00 / 1.00

Question 3

Annotation of plots in any plotting system involves adding points, lines, or text to the plot, in addition to customizing axis labels or adding titles. Different plotting systems have different sets of functions for annotating plots in this way. Which of the following functions can be used to annotate the panels in a multi-panel lattice plot?

Your Answer	Score	Explanation
<input type="radio"/> lines()		
<input type="radio"/> points()		
<input checked="" type="radio"/> llines()	✔ 1.00	
<input type="radio"/> text()		
Total	1.00 / 1.00	

Question 4

The following code does NOT result in a plot appearing on the screen device.

```
library(lattice)
library(datasets)
data(airquality)
p <- xyplot(Ozone ~ Wind | factor(Month), data = airquality)
```

Which of the following is an explanation for why no plot appears?

Your Answer	Score	Explanation
<input type="radio"/> The xyplot() function, by default, sends plots to the PDF device.		

- ☐ The variables being plotted are not found in that dataset.
-
- ☒ The object 'p' has not yet been printed with the appropriate print method. ✓ 1.00
-
- ☐ There is a syntax error in the call to xyplot().
-

Total 1.00 /
1.00

Question 5

In the lattice system, which of the following functions can be used to finely control the appearance of all lattice plots?

Your Answer	Score	Explanation
<input checked="" type="radio"/> trellis.par.set()	✓ 1.00	
<input type="radio"/> print.trellis()		
<input type="radio"/> par()		
<input type="radio"/> splom()		
Total	1.00 / 1.00	

Question 6

What is ggplot2 an implementation of?

Your Answer	Score	Explanation
<input type="radio"/> the S language originally developed by Bell Labs		
<input checked="" type="radio"/> the Grammar of Graphics developed by Leland Wilkinson ✓	1.00	
<input type="radio"/> a 3D visualization system		
<input type="radio"/> the base plotting system in R		
Total	1.00 / 1.00	

Question 7

Load the `airquality` dataset from the datasets package in R.

```
library(datasets)
data(airquality)
```

I am interested in examining how the relationship between ozone and wind speed varies across each month. What would be the appropriate code to visualize that using ggplot2?

Your Answer	Score	Explanation
<input type="radio"/> <code>qplot(Wind, Ozone, data = airquality, facets = . ~ factor(Month))</code>		
<input checked="" type="radio"/> <code>airquality = transform(airquality, Month = factor(Month))</code> <code>qplot(Wind, Ozone, data = airquality, facets = . ~ Month)</code>	✓ 1.00	
<input type="radio"/> <code>qplot(Wind, Ozone, data = airquality, geom = "smooth")</code>		
<input type="radio"/> <code>qplot(Wind, Ozone, data = airquality)</code>		
Total	1.00 / 1.00	

Question 8

What is a **geom** in the ggplot2 system?

Your Answer	Score	Explanation
<input type="radio"/> a method for making conditioning plots		
<input type="radio"/> a method for mapping data to attributes like color and size		
<input type="radio"/> a statistical transformation		
<input checked="" type="radio"/> a plotting object like point, line, or other shape	✓ 1.00	
Total	1.00 / 1.00	

Question 9

When I run the following code I get an error:

```
library(ggplot2)
g <- ggplot(movies, aes(votes, rating))
print(g)
```

I was expecting a scatterplot of 'votes' and 'rating' to appear. What's the problem?

Your Answer	Score	Explanation
<input type="radio"/> There is a syntax error in the call to ggplot.		
<input checked="" type="radio"/> ggplot does not yet know what type of layer to add to the plot.	✓ 1.00	
<input type="radio"/> The dataset is too large and hence cannot be plotted to the screen.		
<input type="radio"/> The object 'g' does not have a print method.		
Total	1.00 / 1.00	

Question 10

The following code creates a scatterplot of 'votes' and 'rating' from the movies dataset in the ggplot2 package. After loading the ggplot2 package with the library() function, I can run

```
qplot(votes, rating, data = movies)
```

How can I modify the the code above to add a smoother to the scatterplot?

Your Answer	Score	Explanation
<input checked="" type="radio"/> <code>qplot(votes, rating, data = movies) + geom_smooth()</code>	✓ 1.00	
<input type="radio"/> <code>qplot(votes, rating, data = movies) + stats_smooth("loess")</code>		
<input type="radio"/> <code>qplot(votes, rating, data = movies, smooth = "loess")</code>		
<input type="radio"/> <code>qplot(votes, rating, data = movies, panel = panel.loess)</code>		

Total	1.00 / 1.00
-------	----------------

