












				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No.	Q8017		+
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Title Page	SAP Line			Page No.
Rev. No.	Date	Name	Rev. Description	Date			S/N			Total Pages	17

	1	2	3	4	5	6	7	8	9	10	11	12																																				
A	TABLE OF CONTENTS <table><tr><th>PAGE</th><th>PAGE DESCRIPTION</th></tr><tr><td>1</td><td>Title Page</td></tr><tr><td>2</td><td>Table of Content</td></tr><tr><td>3</td><td>Legend</td></tr><tr><td>4</td><td>General Characteristics</td></tr><tr><td>5</td><td>Panel layout</td></tr><tr><td>6</td><td>Name Plate Details</td></tr><tr><td>7</td><td>Client's SLD</td></tr><tr><td>8</td><td>Schematic Diagram (Incoming)</td></tr><tr><td>9</td><td>Schematic Diagram (Incoming)</td></tr><tr><td>10</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>11</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>12</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>13</td><td>Schematic Diagram (NSX COMM)</td></tr><tr><td>14</td><td>Schematic Diagram (Door Limit Switch)</td></tr><tr><td>15</td><td>Schematic Diagram (BMS Signals)</td></tr><tr><td>16</td><td>Material List</td></tr><tr><td>17</td><td>Material List</td></tr></table>												PAGE	PAGE DESCRIPTION	1	Title Page	2	Table of Content	3	Legend	4	General Characteristics	5	Panel layout	6	Name Plate Details	7	Client's SLD	8	Schematic Diagram (Incoming)	9	Schematic Diagram (Incoming)	10	Schematic Diagram (Outgoing)	11	Schematic Diagram (Outgoing)	12	Schematic Diagram (Outgoing)	13	Schematic Diagram (NSX COMM)	14	Schematic Diagram (Door Limit Switch)	15	Schematic Diagram (BMS Signals)	16	Material List	17	Material List
PAGE	PAGE DESCRIPTION																																															
1	Title Page																																															
2	Table of Content																																															
3	Legend																																															
4	General Characteristics																																															
5	Panel layout																																															
6	Name Plate Details																																															
7	Client's SLD																																															
8	Schematic Diagram (Incoming)																																															
9	Schematic Diagram (Incoming)																																															
10	Schematic Diagram (Outgoing)																																															
11	Schematic Diagram (Outgoing)																																															
12	Schematic Diagram (Outgoing)																																															
13	Schematic Diagram (NSX COMM)																																															
14	Schematic Diagram (Door Limit Switch)																																															
15	Schematic Diagram (BMS Signals)																																															
16	Material List																																															
17	Material List																																															
B																																																
C																																																
D																																																
E																																																
F																																																

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No.	Q8017		+
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Table of Content	SAP Line			Page No. 2
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17	

LEGEND											
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET		
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH		
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER		
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK		
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK		
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK		
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE		
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN		
CROSS REFERENCES DETAILS											
XX.X:X											
ROW NO.											
COLUMN NO.											
PAGE NO.											

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Legend	SAP Line		Page No. 3
								S/N		Total Pages 17












LEGEND											
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET		
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH		
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER		
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK		
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK		
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK		
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE		
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN		

CROSS REFERENCES DETAILS












XX.X:X

ROW NO.
COLUMN NO.
PAGE NO.

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Legend	SAP Line		Page No. 3
								S/N		Total Pages 17

LEGEND											
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET		
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH		
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER		
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK		
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK		
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK		
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE		
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN		
CROSS REFERENCES DETAILS											
XX.X:X											
ROW NO.											
COLUMN NO.											
PAGE NO.											

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Legend	SAP Line		Page No. 3
								S/N		Total Pages 17












LEGEND											
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET		
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH		
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER		
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK		
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK		
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK		
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE		
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN		

CROSS REFERENCES DETAILS

XX.X:X

ROW NO.
COLUMN NO.
PAGE NO.

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Legend	SAP Line		Page No. 3
								S/N		Total Pages 17

LEGEND											
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET		
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH		
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER		
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK		
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK		
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK		
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE		
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN		





CROSS REFERENCES DETAILS

XX.X:X

ROW NO.
COLUMN NO.
PAGE NO.

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Legend	SAP Line		Page No. 3
								S/N		Total Pages 17

[illegible][illegible]



				Checked		Customer Name ---	Item Name MCC - KART	DWG. No. Ref. No. Q8017	Item No.	=
				Approved		Project Name SEVEN AL-KHARJ	Page Title Panel layout	Job No. 3530105868	QTY	Rev. No.
								SAP Line		Page No. 5
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17

	1	2	3	4	5	6	7	8	9	10	11	12
A												
B												
C												
D												
E												
F												

NAME PLATE DETAILS

150 mm

120 mm

MANUFACTURER : XYZ

PANEL NAME : MCC - KART

SYSTEM VOLTAGE : 400/230V, 3P4W, 60Hz

MAIN BUSBAR RATING : 700A

SHORT CIRCUIT LEVEL : 36kA

PANEL IP : IP-54


FORM OF SEPARATION : 3B

YEAR OF MANUFACTURE : 2026


SERIAL NUMBER :

NOTE: TEXT HEIGHT - 4.0 mm


				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	MCC - KART	Ref. No. Q8017		+
				Approved				Job No. 3530105868		Rev. No.
						Project Name	Page Title	SAP Line	QTY	Page No. 6
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Name Plate Details	S/N		Total Pages 17




				Checked		Customer Name ---	Item Name MCC - KART	DWG. No.	Item No.	=		
				Approved				Ref. No. Q8017			+	
									Job No. 3530105868		QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		Project Name SEVEN AL-KHARJ	Page Title Schematic Diagram (Incoming)	SAP Line				Page No. 8
							S/N			Total Pages 17		





				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No.	Q8017		+
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Incoming)	SAP Line			Page No. 9
							S/N			Total Pages 17	



				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017	QTY	+
						Project Name	Page Title	Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 10
								S/N		Total Pages 17







ULP Cable Pin assignment

RJ45	PIN NO.	PAIR NO.	WIRE COLOR	ASSIGNMENT
	1	PAIR 1	WHITE	Data (L)
	2	PAIR 1	BLUE	Data (H)
	7	PAIR 2	BLACK	0 v
	8	PAIR 2	RED	24 vdc

A	1	2	3	4	5	6	7	8	9	10	11	12
	BILL OF MATERIALS											
B	S/N	DEVICE TAG	PART NO.	DESCRIPTION							QTY.	MAKE
	1	ELR1...ELR3	56173	Earth-leakage relay RH99M with manual reset - 0.03..30 A - 0..4.5 s - 240 V							3	SCHNEIDER
	2	H1	XA2EVM4LC	Monolithic pilot light, Easy Harmony XA2, plastic, red, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference_XA2EVM4LC							1	SCHNEIDER
	3	H2	XA2EVM8LC	Monolithic pilot light, Easy Harmony XA2, plastic, yellow, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference							1	SCHNEIDER
	4	H3	XA2EVM6LC	Monolithic pilot light, Easy Harmony XA2, plastic, blue, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference_XA2EVM6LC							1	SCHNEIDER
	5	IFM	LV434000	MTZ , NW , NT , NS , NSX IFM V2 - MODBUS COMMUNICATION MODULE							1	SCHNEIDER
	6	IFM	TRV00880	ULP Line termination for NS, NSX CB							1	SCHNEIDER
C	7	L1	15-12-073-5W-LT-WH	LED TUBE LIGHT W/HOLDER_5W_LISTOCASA(door lamp)							1	REPUTED
	8	LS1	27-12-Z15G1307	Z15G1307_PANEL MOUNT PLUNGER_LIMIT SWITCH_MOMENTARY_250VAC, 15A, 1N.C._BLACK							1	REPUTED
	9	1MCB1;2MCB1;3MCB1;MCB1...MCB6;MCB8;MCB12	A9F44106	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 1P, 6A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							11	SCHNEIDER
	10	MCB4;MCB5;MCB7	A9F44206	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 2P, 6A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							3	SCHNEIDER
	11	MCB11	A9F44116	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 1P, 16A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							1	SCHNEIDER
	12	MCT1...MCT3	METSECT5CC010	current transformer tropicalised DIN mount 100 5 for cables d. 21							3	SCHNEIDER
	13	MDM	METSEPM2230	EasyLogic PM2230, Power & Energy meter, up to the 31st harmonic, LCD display, RS485, class 0.5S_Measurement voltage : 35...480 V AC 50/60 Hz between phases_20...277 V AC 50/60 Hz between phase and neutral_480...999000 V AC 50/60 Hz with external VT_Frequency measurement range : 45...65 Hz"							1	SCHNEIDER
D	14	MDM	VW3A8306D30	Cable for Modbus serial link, Altistart 48, 1 x RJ45 and free wires at other end, cable 3m							1	SCHNEIDER
	15	MSA	SPA105/T1	SPA105/T1 – Three Phase Surge Protection Device – Type 1,2,3							1	WALLIS
	16	PS	HDR-30-24	MEAN WELL, HDR DIN Rail Power Supply, 100-240VAC input, 24 VDC 1.5A Output							1	MEAN WELL
	17	Q1...Q6	C10F3TM032C	ComPacT NSXF 100 TMD_MCCB_3P_FIXED_FRONT POWER TERMINAL_32AT_100AF_T(22.4-40)A_M(500)A_Icu-36kA@380V_Ics-100%_50°C							6	SCHNEIDER
	18	Q1...Q3;QM	LV429386	MX shunt release, ComPact NSX, rated voltage 110/130 VAC 50/60 Hz							4	SCHNEIDER
	19	Q1...Q6;QMSA	29450	1 AUX.SWITCH C/O CONTACT OF/SDE/SDV(NS80							14	SCHNEIDER
	20	QM	C1036E100	TRIP UNIT NSX100 AC 3P3D 100A 6.2E							1	SCHNEIDER
E	21	QM	LV434220	Communication module, ComPacT NSX, BSCM Modbus SL/ULP, breaker status and control module							1	SCHNEIDER
	22	QM	LV434202	Communication Terminal Block, NSX cord, ComPact NSX, 3 m length							1	SCHNEIDER
	23	QMCTN	LV429521	Ext CT N NSX100 25-100A_NSX MCCB ACCESSORIES_CT FOR EXTERNAL NEUTRAL_25-100A_NSX100							1	SCHNEIDER
	24	QMSA	C10F3TM100C	ComPacT NSXF 100 TMD_MCCB_3P_FIXED_FRONT POWER TERMINAL_100AT_100AF_T(70-100)A_M(100)A_Icu-36kA@380V_Ics-100%_50°C							1	SCHNEIDER
	25	RVM	RXM4AB1F7	Plugin relay 4 C/O 110 V 50/60 Hz							1	SCHNEIDER
	26	RVM	RXZE2S114M	socket, Harmony Electromechanical Relays, for RXM2 RXM4 relays, screw connec to rs, separate contact							1	SCHNEIDER
	27	SOC	15-12-074-130250-1	13 Amp 250V Socket Outlet							1	REPUTED
F												

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017	QTY	+
						Project Name	Page Title	Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description			Date	SEVEN AL-KHARJ	Material List		SAP Line
								S/N	Total Pages 17	

1	2	3	4	5	6	7	8	9	10	11	12
A	BILL OF MATERIALS										
B	S/N	DEVICE TAG	PART NO.	DESCRIPTION					QTY.	MAKE	
	28	SOC	15-12-036-7070-1	PVC Box 70 x 70mm					1	REPUTED	
	29	T1	RE22R1AMR	Dual function relay, Harmony Timer Relays, A, 1 CO, 0.05sâ€³300h, power on delay, 24...240V AC DC					1	SCHNEIDER	
	30	TD1...TD3	50437	Closed toroid A type, VigiPacT, Vigilohm, TA30, inner diameter 30mm, rated current 65A					3	SCHNEIDER	
	31	TR1	12-01-INT-ADA03F	Control Transformer - XMR_DRY_1P_100VA_220/110Vac_IP00					1	REPUTED	
C	32	VMR	RM22TR33	RM22TR33_VMR_True RMS_PHASE SEQUENCE SWITCHABLE_PHASE FAILURE_OVERVOLATEG(V): 3x 456-576 V a.c_UNDERVOLATEG(V): 3x 304-384 V a.c_ ON DELAY W/O PHASE SEQ+PHASE FAILURE, OFF DELAY W/O PHASE SEQ+PHASE FAILURE Tv(s): 0.1-30s ADJUSTABLE_2C.O. CONTACT_8A@AC1-250V a.c_DOUBLE-CHAMBER CAGE CONNECTION TERMINALS-SCREW_2 LED: 1STATUS-TRIPPING & 1FAULT_Us: 304-576 V a.c					1	SCHNEIDER	
	33	XC1...XC6;XCSA	41-01-05-B1A1A	WIRING ACCESSORY-TB-ELMEX-2.5MM-SCREW CLAMP-FEED THROUGH-W/O COVER-GREY_KUT2.5					35	ELMEX	
	34	XC1...XC6;XCSA	41-01-05-U2A0A2	ELMEX TB-END COVER FOR KUT-2.5MM_GREY_KP					7	ELMEX	
	35	XC1...XC6;XCMI;XCMO;XCSA;XM	41-01-04-0400A	WIRING ACCESSORY - TERMINAL BLOCK - ONKA - STOPPER - GREY - TURKEY_MRK-D					20	ONKA	
	36	XCMI;XCMO	41-01-05-C1A1A	WIRING ACCESSORY-TB-ELMEX-4MM-SCREW CLAMP-FEED THROUGH-W/O COVER-GREY_KUT4					8	ELMEX	
D	37	XCMI;XCMO	41-01-05-U3A0A2	WIRING ACCESSORY - TERMINAL BLOCK - ELMEX - SUITABLE FOR KST4UWS, KUT10, KUT4, KUT4-BS, KUT6 - END COVER - FEED THROUGH - GREY - INDIA - KPX					2	ELMEX	
	38	XM	41-01-05-OAT6DTS	WIRING ACCESSORY - TERMINAL BLOCK - ELMEX - 6SQMM- BOLT CONNECTION - TEST AND DISCONNECT - W/O COVER - GREY - INDIAN - OAT6DTS - ELMEX					8	ELMEX	
	39	XM	41-01-05-OEP6DTS	WIRING ACCESSORY - TERMINAL BLOCK - ELMEX - 6SQMM - END COVER FOR OAT6DTS - GREY - INDIAN - OEP6DTS - ELMEX					1	ELMEX	
E											
F											
				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No. Q8017		+	
				Approved		Project Name SEVEN AL-KHARJ	Page Title Material List	Job No. 3530105868	QTY	Rev. No.	
								SAP Line		Page No. 17	
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17	