





				Checked		Customer Name ---	Item Name MCC - KART	DWG. No.	Item No.	=
				Approved		Project Name SEVEN AL-KHARJ	Page Title Title Page	Ref. No. Q8017	QTY	+
								Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date				SAP Line		Page No. 1
					S/N			Total Pages 17		

1	2	3	4	5	6	7	8	9	10	11	12																																				
A	TABLE OF CONTENTS																																														
B	<table><tr><td>PAGE</td><td>PAGE DESCRIPTION</td></tr><tr><td>1</td><td>Title Page</td></tr><tr><td>2</td><td>Table of Content</td></tr><tr><td>3</td><td>Legend</td></tr><tr><td>4</td><td>General Characteristics</td></tr><tr><td>5</td><td>Panel layout</td></tr><tr><td>6</td><td>Name Plate Details</td></tr><tr><td>7</td><td>Client's SLD</td></tr><tr><td>8</td><td>Schematic Diagram (Incoming)</td></tr><tr><td>9</td><td>Schematic Diagram (Incoming)</td></tr><tr><td>10</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>11</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>12</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>13</td><td>Schematic Diagram (NSX COMM)</td></tr><tr><td>14</td><td>Schematic Diagram (Door Limit Switch)</td></tr><tr><td>15</td><td>Schematic Diagram (BMS Signals)</td></tr><tr><td>16</td><td>Material List</td></tr><tr><td>17</td><td>Material List</td></tr></table>											PAGE	PAGE DESCRIPTION	1	Title Page	2	Table of Content	3	Legend	4	General Characteristics	5	Panel layout	6	Name Plate Details	7	Client's SLD	8	Schematic Diagram (Incoming)	9	Schematic Diagram (Incoming)	10	Schematic Diagram (Outgoing)	11	Schematic Diagram (Outgoing)	12	Schematic Diagram (Outgoing)	13	Schematic Diagram (NSX COMM)	14	Schematic Diagram (Door Limit Switch)	15	Schematic Diagram (BMS Signals)	16	Material List	17	Material List
PAGE	PAGE DESCRIPTION																																														
1	Title Page																																														
2	Table of Content																																														
3	Legend																																														
4	General Characteristics																																														
5	Panel layout																																														
6	Name Plate Details																																														
7	Client's SLD																																														
8	Schematic Diagram (Incoming)																																														
9	Schematic Diagram (Incoming)																																														
10	Schematic Diagram (Outgoing)																																														
11	Schematic Diagram (Outgoing)																																														
12	Schematic Diagram (Outgoing)																																														
13	Schematic Diagram (NSX COMM)																																														
14	Schematic Diagram (Door Limit Switch)																																														
15	Schematic Diagram (BMS Signals)																																														
16	Material List																																														
17	Material List																																														
C																																															
D																																															
E																																															
F																																															

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No.	Q8017		+
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Table of Content	SAP Line			Page No. 2
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17	

[illegible][illegible][illegible]



				Checked		Customer Name ---	Item Name MCC - KART	DWG. No. Ref. No. Q8017	Item No.	=
				Approved		Project Name SEVEN AL-KHARJ	Page Title Panel layout	Job No. 3530105868	QTY	+
								SAP Line		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date				S/N		Page No. 5

	1	2	3	4	5	6	7	8	9	10	11	12
A												
B												
C												
D												
E												
F												

150 mm

120 mm

MANUFACTURER

:

UTEC

PANEL NAME

:

MCC - KART

SYSTEM VOLTAGE

:

400/230V, 3P4W, 60Hz

MAIN BUSBAR RATING

:

700A

SHORT CIRCUIT LEVEL

:

36kA

PANEL IP

:

IP-54

FORM OF SEPARATION

:

3B

YEAR OF MANUFACTURE

:

2026

SERIAL NUMBER

:

NOTE: TEXT HEIGHT - 4.0 mm

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	MCC - KART	Ref. No. Q8017		+
				Approved		Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Name Plate Details	SAP Line		Page No. 6
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17

[illegible]

	1	2	3	4	5	6	7	8	9	10	11	12
A												
B												
C												
D												
E												
F												

150 mm

120 mm

MANUFACTURER

:

UTEC

PANEL NAME

:

MCC - KART

SYSTEM VOLTAGE

:

400/230V, 3P4W, 60Hz

MAIN BUSBAR RATING

:

700A

SHORT CIRCUIT LEVEL

:

36kA

PANEL IP

:

IP-54

FORM OF SEPARATION

:

3B

YEAR OF MANUFACTURE

:

2026

SERIAL NUMBER

:

NOTE: TEXT HEIGHT - 4.0 mm

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	MCC - KART	Ref. No. Q8017		+
				Approved		Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Name Plate Details	SAP Line		Page No. 6
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17

	1	2	3	4	5	6	7	8	9	10	11	12
A												
B												
C												
D												
E												
F												

150 mm

120 mm

MANUFACTURER

:

UTEC

PANEL NAME

:

MCC - KART

SYSTEM VOLTAGE

:

400/230V, 3P4W, 60Hz

MAIN BUSBAR RATING

:

700A

SHORT CIRCUIT LEVEL

:

36kA

PANEL IP

:

IP-54

FORM OF SEPARATION

:

3B

YEAR OF MANUFACTURE

:


2026


SERIAL NUMBER

:


NOTE: TEXT HEIGHT - 4.0 mm

				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	MCC - KART	Ref. No. Q8017		+
				Approved		Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
						SEVEN AL-KHARJ	Name Plate Details	SAP Line		Page No. 6
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 17







				Checked		Customer Name ---	Item Name MCC - KART	DWG. No.	Item No.	=		
				Approved				Ref. No. Q8017			+	
									Job No. 3530105868		QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		Project Name SEVEN AL-KHARJ	Page Title Schematic Diagram (Incoming)	SAP Line				Page No. 8
							S/N			Total Pages 17		




				Checked		Customer Name	Item Name	DWG. No.	Item No.	=	
						---	MCC - KART	Ref. No.	Q8017		+
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Incoming)	SAP Line			Page No. 9
							S/N			Total Pages 17	




				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017	QTY	+
						Project Name	Page Title	Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 10
								S/N		Total Pages 17



				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017	QTY	+
						Project Name	Page Title	Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 11
								S/N		Total Pages 17



				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	MCC - KART	Ref. No. Q8017	QTY	+
						Project Name	Page Title	Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 12
								S/N		Total Pages 17



				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	MCC - KART	Ref. No. Q8017		+
				Approved				Job No. 3530105868	QTY	Rev. No.
						Project Name	Page Title	SAP Line		Page No. 14
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Door Limit Switch)	S/N		Total Pages 17

A	1	2	3	4	5	6	7	8	9	10	11	12
	BILL OF MATERIALS											
B	S/N	DEVICE TAG	PART NO.	DESCRIPTION							QTY.	MAKE
	1	ELR1...ELR3	56173	Earth-leakage relay RH99M with manual reset - 0.03..30 A - 0..4.5 s - 240 V							3	SCHNEIDER
	2	H1	XA2EVM4LC	Monolithic pilot light, Easy Harmony XA2, plastic, red, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference_XA2EVM4LC							1	SCHNEIDER
	3	H2	XA2EVM8LC	Monolithic pilot light, Easy Harmony XA2, plastic, yellow, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference							1	SCHNEIDER
	4	H3	XA2EVM6LC	Monolithic pilot light, Easy Harmony XA2, plastic, blue, 22mm, integral LED, screw clamp terminals, 220...230V AC, anti interference_XA2EVM6LC							1	SCHNEIDER
	5	IFM	LV434000	MTZ , NW , NT , NS , NSX IFM V2 - MODBUS COMMUNICATION MODULE							1	SCHNEIDER
	6	IFM	TRV00880	ULP Line termination for NS, NSX CB							1	SCHNEIDER
C	7	L1	15-12-073-5W-LT-WH	LED TUBE LIGHT W/HOLDER_5W_LISTOCASA(door lamp)							1	REPUTED
	8	LS1	27-12-Z15G1307	Z15G1307_PANEL MOUNT PLUNGER_LIMIT SWITCH_MOMENTARY_250VAC, 15A, 1N.C._BLACK							1	REPUTED
	9	1MCB1;2MCB1;3MCB1;MCB1...MCB6;MCB8;MCB12	A9F44106	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 1P, 6A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							11	SCHNEIDER
	10	MCB4;MCB5;MCB7	A9F44206	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 2P, 6A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							3	SCHNEIDER
	11	MCB11	A9F44116	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 1P, 16A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							1	SCHNEIDER
	12	MCT1...MCT3	METSECT5CC010	current transformer tropicalised DIN mount 100 5 for cables d. 21							3	SCHNEIDER
	13	MDM	METSEPM2230	EasyLogic PM2230, Power & Energy meter, up to the 31st harmonic, LCD display, RS485, class 0.5S_Measurement voltage : 35...480 V AC 50/60 Hz between phases_20...277 V AC 50/60 Hz between phase and neutral_480...999000 V AC 50/60 Hz with external VT_Frequency measurement range : 45...65 Hz"							1	SCHNEIDER
D	14	MDM	VW3A8306D30	Cable for Modbus serial link, Altistart 48, 1 x RJ45 and free wires at other end, cable 3m							1	SCHNEIDER
	15	MSA	SPA105/T1	SPA105/T1 – Three Phase Surge Protection Device – Type 1,2,3							1	WALLIS
	16	PS	HDR-30-24	MEAN WELL, HDR DIN Rail Power Supply, 100-240VAC input, 24 VDC 1.5A Output							1	MEAN WELL
	17	Q1...Q6	C10F3TM032C	ComPacT NSXF 100 TMD_MCCB_3P_FIXED_FRONT POWER TERMINAL_32AT_100AF_T(22.4-40)A_M(500)A_Icu-36kA@380V_Ics-100%_50°C							6	SCHNEIDER
	18	Q1...Q3;QM	LV429386	MX shunt release, ComPact NSX, rated voltage 110/130 VAC 50/60 Hz							4	SCHNEIDER
	19	Q1...Q6;QMSA	29450	1 AUX.SWITCH C/O CONTACT OF/SDE/SDV(NS80							14	SCHNEIDER
	20	QM	C1036E100	TRIP UNIT NSX100 AC 3P3D 100A 6.2E							1	SCHNEIDER
E	21	QM	LV434220	Communication module, ComPacT NSX, BSCM Modbus SL/ULP, breaker status and control module							1	SCHNEIDER
	22	QM	LV434202	Communication Terminal Block, NSX cord, ComPact NSX, 3 m length							1	SCHNEIDER
	23	QMCTN	LV429521	Ext CT N NSX100 25-100A_NSX MCCB ACCESSORIES_CT FOR EXTERNAL NEUTRAL_25-10								

				Checked		Customer Name ---	Item Name MCC - KART	DWG. No.	Item No.	=
				Approved		Project Name SEVEN AL-KHARJ	Page Title Material List	Ref. No. Q8017	QTY	+
								Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SAP Line	Page No. 16			
					S/N	Total Pages 17				

