

1	2	3	4	5	6	7	8	9	10	11	12																																			
A	TABLE OF CONTENTS <table><tr><th>PAGE</th><th>PAGE DESCRIPTION</th></tr><tr><td>1</td><td>Title page</td></tr><tr><td>2</td><td>Table Of Content</td></tr><tr><td>3</td><td>Table Of Content</td></tr><tr><td>4</td><td>Legend</td></tr><tr><td>5</td><td>General Characteristics</td></tr><tr><td>6</td><td>Panel layout</td></tr><tr><td>7</td><td>Name Plate Details</td></tr><tr><td>8</td><td>Load Schedule</td></tr><tr><td>9</td><td>Schematic Diagram (Incoming)</td></tr><tr><td>10</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>11</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>12</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>13</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>14</td><td>Schematic Diagram (Outgoing)</td></tr><tr><td>15</td><td>Schematic Diagram (Control)</td></tr><tr><td>16</td><td>Schematic Diagram (NSX COMM)</td></tr></table>											PAGE	PAGE DESCRIPTION	1	Title page	2	Table Of Content	3	Table Of Content	4	Legend	5	General Characteristics	6	Panel layout	7	Name Plate Details	8	Load Schedule	9	Schematic Diagram (Incoming)	10	Schematic Diagram (Outgoing)	11	Schematic Diagram (Outgoing)	12	Schematic Diagram (Outgoing)	13	Schematic Diagram (Outgoing)	14	Schematic Diagram (Outgoing)	15	Schematic Diagram (Control)	16	Schematic Diagram (NSX COMM)	
PAGE	PAGE DESCRIPTION																																													
1	Title page																																													
2	Table Of Content																																													
3	Table Of Content																																													
4	Legend																																													
5	General Characteristics																																													
6	Panel layout																																													
7	Name Plate Details																																													
8	Load Schedule																																													
9	Schematic Diagram (Incoming)																																													
10	Schematic Diagram (Outgoing)																																													
11	Schematic Diagram (Outgoing)																																													
12	Schematic Diagram (Outgoing)																																													
13	Schematic Diagram (Outgoing)																																													
14	Schematic Diagram (Outgoing)																																													
15	Schematic Diagram (Control)																																													
16	Schematic Diagram (NSX COMM)																																													
B																																														
C																																														
D																																														
E																																														
F																																														
				Checked		Customer Name ---	Item Name DB-Prisma G	DWG. No.	Item No.	=																																				
				Approved		Project Name SEVEN AL-KHARJ	Page Title Table Of Content	Ref. No. Q8017	QTY	+																																				
								Job No. 3530105868		Rev. No.																																				
Rev. No.	Date	Name	Rev. Description					Date		SAP Line	Page No. 2																																			
								S/N		Total Pages 18																																				





	1	2	3	4	5	6	7	8	9	10	11	12						
A	TABLE OF CONTENTS <table><tr><td>PAGE</td><td>PAGE DESCRIPTION</td></tr><tr><td>17</td><td>Schematic Diagram (BMS Signals)</td></tr><tr><td>18</td><td>Material List</td></tr></table>												PAGE	PAGE DESCRIPTION	17	Schematic Diagram (BMS Signals)	18	Material List
PAGE	PAGE DESCRIPTION																	
17	Schematic Diagram (BMS Signals)																	
18	Material List																	
B																		
C																		
D																		
E																		
F																		
				Checked		Customer Name	Item Name	DWG. No.	Item No.	=								
						---	DB-Prisma G	Ref. No.	Q8017		+							
				Approved		Project Name	Page Title	Job No.	3530105868	QTY	Rev. No.							
						SEVEN AL-KHARJ	Table Of Content	SAP Line			Page No. 3							
Rev. No.	Date	Name	Rev. Description	Date				S/N		Total Pages 18								

SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION
	FIXED CIRCUIT BREAKER I PROTECTION		CONTACTOR POWER CONTACT		PUSH BUTTON		HYGROSTAT		SOCKET
	FIXED CIRCUIT BREAKER LI PROTECTION		DISCONNECTOR SWITCH		3 POSITION SELECTOR SWITCH		CURRENT TRANSFORMER (CT)		LIMIT SWITCH
	FIXED CIRCUIT BREAKER LS/I PROTECTION		FUSE SWITCH		2 POSITION SELECTOR SWITCH		VOLTAGE/POWER TRANSFORMER		AC/DC CONVERTER
	FIXED CIRCUIT BREAKER LSI PROTECTION		FUSE		INDICATION LAMP		VOLTMETER		INTERLOCK
	FIXED CIRCUIT BREAKER LSIG PROTECTION		MINIATURE CIRCUIT BREAKER		DOOR LAMP		AMMETER		TERMINAL BLOCK
	FIXED CIRCUIT BREAKER LSIRc PROTECTION		COIL		HEATER		DIGITAL METER		CAPACITOR BANK
	DRAW-OUT CIRCUIT BREAKER		ON DELAY TIMER		FAN		BATTERY		SURGE PROTECTIVE DEVICE
	PLUG-IN CIRCUIT BREAKER		OFF DELAY TIMER		THERMOSTAT		CIRCUIT BREAKER MOTOR		SIREN


XX.X:X
 ROW NO.
 COLUMN NO.
 PAGE NO.

				Checked		Customer Name ---	Item Name DB-Prisma G	DWG. No.	Item No.	=
				Approved				Ref. No. Q8017		+
									Job No. 3530105868	QTY
Rev. No.	Date	Name	Rev. Description	Date		Project Name SEVEN AL-KHARJ	Page Title Legend	SAP Line		
							S/N		Total Pages 18	

[illegible][illegible]





				Checked		Customer Name ---	Item Name DB-Prisma G	DWG. No.	Item No.	=
				Approved				Ref. No. Q8017		+
								Job No. 3530105868		Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		Project Name SEVEN AL-KHARJ	Page Title Panel layout	SAP Line	QTY	Page No. 6
							S/N		Total Pages 18	




				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	DB-Prisma G	Ref. No. Q8017		+
				Approved				Job No. 3530105868	QTY	Rev. No.
						Project Name	Page Title	SAP Line		Page No. 7
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Name Plate Details	S/N		Total Pages 18


				Checked		Customer Name ---	Item Name DB-Prisma G	DWG. No.	Item No.	=	
				Approved				Ref. No. Q8017			+
									Job No. 3530105868	QTY	Rev. No.
									SAP Line		
Rev. No.	Date	Name	Rev. Description	Date		Project Name SEVEN AL-KHARJ	Page Title Load Schedule	S/N		Total Pages 18	









				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	DB-Prisma G	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 12
								S/N		Total Pages 18




				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
				Approved		---	DB-Prisma G	Ref. No. Q8017		+
						Project Name	Page Title	Job No. 3530105868	QTY	Rev. No.
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Outgoing)	SAP Line		Page No. 13
								S/N		Total Pages 18





				Checked		Customer Name	Item Name	DWG. No.	Item No.	=
						---	DB-Prisma G	Ref. No. Q8017		+
				Approved				Job No. 3530105868		Rev. No.
						Project Name	Page Title	SAP Line	QTY	Page No. 15
Rev. No.	Date	Name	Rev. Description	Date		SEVEN AL-KHARJ	Schematic Diagram (Control)	S/N		Total Pages 18



1	2	3	4	5	6	7	8	9	10	11	12
BILL OF MATERIALS											
S/N	DEVICE TAG	PART NO.	DESCRIPTION							QTY.	MAKE
1	IFM	LV434000	MTZ , NW , NT , NS , NSX IFM V2 - MODBUS COMMUNICATION MODULE							1	SCHNEIDER
2	IFM	TRV00880	ULP Line termination for NS, NSX CB							1	SCHNEIDER
3	K4...K6;K9	LC1D25M7	TeSys D contactor 3P AC3 25A 220V AC coil							4	SCHNEIDER
4	MCB1;MCB2	A9F44206	MCB_iC60N-C06_2P_FIXED_C CURVE_06A_Icn-6kA_Icu-10kA@400V_Ics-75%							2	SCHNEIDER
5	PS	HDR-30-24	MEAN WELL, HDR DIN Rail Power Supply, 100-240VAC input, 24 VDC 1.5A Output							1	MEAN WELL
6	Q1...Q3;Q8;Q10;Q11;Q20;Q21	A9F44116	2CTI9 IC60N 1P, 16A, C, MINIATURE CIRCUIT BREAKER							8	SCHNEIDER
7	Q4...Q7;Q9;Q12...Q19;Q22...Q25	A9F44120	Miniature circuit breaker (MCB), Acti9 iC60N Disbo, 1P, 20A, C curve, 6000A (IEC/EN 60898-1), 10kA (IEC/EN 60947-2)							17	SCHNEIDER
8	Q12;Q15;Q19	A9A26909	Auxiliary contact, Acti9 A9A, iOF/SD+OF, 2 C/O, 100mA to 6A, 24VAC to 415VAC, 24VDC to 130VDC, top and bottom connection							3	SCHNEIDER
9	QM	C10F3TM063C	ComPacT NSXF 100 TMD_MCCB_3P_FIXED_FRONT POWER TERMINAL_63AT_100AF_T(44.1-63)A_M(500)A_Icu-36kA@380V_Ics-100%_50°C							1	SCHNEIDER
10	QM	LV434220	Communication module, ComPacT NSX, BSCM Modbus SL/ULP, breaker status and control module							1	SCHNEIDER
11	QM	LV434201	NSX cord, Compact NSX, length 1.3 m							1	SCHNEIDER
12	RCCB1...RCCB3;RCCB8;RCCB10;RCCB11	A9R12240	Acti 9 iID - RCCB - 2P - 40A - 100mA - type AC							6	SCHNEIDER
13	RCCB4...RCCB7;RCCB9;RCCB12...RCCB19;RCCB22	A9R71225	Acti 9 iID - RCCB - 2P - 25A - 30mA - type AC							14	SCHNEIDER
14	RCCB12;RCCB15;RCCB19	A9A26917	Auxiliary contact, Acti9 A9A, iSD, 1 C/O, 2mA to 100mA, 24VAC to 250VAC, 24VDC to 220VDC, bottom connection							3	SCHNEIDER
15	RF1;RF2	RXM4AB1BD	RXM4AB1BD_PLUGGABLE MINIATURE RELAY_Vs: 24 V DC_4 C/O (SPDT)_6A@250V							2	SCHNEIDER
16	RF1;RF2	RXZE2M114M	socket, Harmony Electromechanical Relays, for RXM2 RXM4 relays, screw connec to rs, mixed contact							2	SCHNEIDER
17	XC4...XC6;XC9	41-01-05-C1A1A	WIRING ACCESSORY-TB-ELMEX-4MM-SCREW CLAMP-FEED THROUGH-W/O COVER-GREY_KUT4							8	ELMEX
18	XC4...XC6;XC9	41-01-05-U3A0A2	WIRING ACCESSORY - TERMINAL BLOCK - ELMEX - SUITABLE FOR KST4UWS, KUT10, KUT4, KUT4-BS, KUT6 - END COVER - FEED THROUGH - GREY - INDIA - KPX							4	ELMEX
19	XC4...XC6;XC9;XC12;XC15;XC19;XF	41-01-04-0400A	WIRING ACCESSORY - TERMINAL BLOCK - ONKA - STOPPER - GREY - TURKEY_MRK-D							16	ONKA
20	XC12;XC15;XC19;XF	41-01-05-B1A1A	WIRING ACCESSORY-TB-ELMEX-2.5MM-SCREW CLAMP-FEED THROUGH-W/O COVER-GREY_KUT2.5							23	ELMEX
21	XC12;XC15;XC19;XF	41-01-05-U2A0A2	ELMEX TB-END COVER FOR KUT-2.5MM_GREY_KP							4	ELMEX