
- Lab 3
  - Screenshots

Lab 3


An assignment for class **MET CS579** Database Management at Boston University due on **April 27, 2023**, instructed by **Jae Lee**. Students Jin Yu Zhang and Wei Wang submitted on **April 27, 2023**.

Screenshots


Problem 1:




Problem 2:




Problem 3:



Problem 4 (A SELECT is performed for manual review):


Root
Administration
Schemas
Query 1
SCHEMAS
Filter objects
account_hub
company
Tables
Views
Stored Procedures
Functions
homework_8
lab
Tables
branch
customer
employee
order_item
shoe_order
shoe_type
suborder
Views
Stored Procedures
Functions
sys
Object Info
Session
Schema: lab
Limit to 1000 rows
DELIMITER //
DROP TRIGGER IF EXISTS max_types //
CREATE TRIGGER max_types
BEFORE INSERT ON order_item
FOR EACH ROW
BEGIN
DECLARE count TINYINT;
SELECT
COUNT(DISTINCT order_item.shoe_type_identifier)
INTO
count
FROM
order_item
WHERE
order_item.suborder_shoe_order_number = new.suborder_shoe_order_number AND
order_item.suborder_number = new.suborder_number;
IF
count >= 2 AND
new.shoe_type_identifier NOT IN (
SELECT
100%
42:22
Result Grid
Filter Rows:
Search
Export:
Suborder Shoe Order Num...
Suborder Numb...
identifier
1 1 SHOE003
1 1 SHOE004
1 1 SHOE005
Result 135
Read Only
Action Output
Time
Action
Response
Duration / Fetch Time
1 16:22:36 DROP TRIGGER IF EXISTS max_types 0 row(s) affected, 1 warning(s): 1360 Trigger does no... 0.0025 sec
2 16:22:36 CREATE TRIGGER max_types BEFORE INSERT ON order_item FOR EACH ROW BEGIN DECLARE count TINYINT; SELE... 0 row(s) affected 0.0073 sec
3 16:22:36 -- Problem 4 Manual Review SELECT order_item.suborder_shoe_order_number AS 'Suborder Shoe Order Number', order_ite... 34 row(s) returned 0.0044 sec / 0.0000...
4 16:22:36 INSERT INTO order_item (suborder_shoe_order_number, suborder_number, shoe_type_identifier, quantity) VALUES (8, 1, 'SH... 1 row(s) affected 0.0023 sec
5 16:22:36 INSERT INTO order_item (suborder_shoe_order_number, suborder_number, shoe_type_identifier, quantity) VALUES (8, 1, 'SH... Error Code: 1644. A suborder can only include at mos... 0.00070 sec
Query interrupted

Problem 5:


Root
Administration
Schemas
Query 1
SCHEMAS
Filter objects
account_hub
company
Tables
Views
Stored Procedures
Functions
homework_8
lab
Tables
branch
customer
employee
order_item
shoe_order
shoe_type
suborder
Views
Stored Procedures
Functions
sys
Object Info
Session
Schema: lab
Limit to 1000 rows
DECLARE shoe_order_date DATE;
SELECT
DISTINCT shoe_order.date
INTO
shoe_order_date
FROM
suborder,
shoe_order
WHERE
suborder.shoe_order_number = shoe_order.number AND
shoe_order.number = new.shoe_order_number;
IF
new.request_ship_date < shoe_order_date
THEN
SIGNAL SQLSTATE '45000'
SET
message_text = 'The required shipping date of a suborder can not be earlier than its parent order date.';
END IF;
END //
DELIMITER ;
INSERT INTO suborder (shoe_order_number, number, request_ship_date)
VALUES (1, 4, '2024-03-24'); -- No violation
INSERT INTO suborder (shoe_order_number, number, request_ship_date)
VALUES (1, 5, '2014-03-24'); -- Violates the trigger
100%
68:35
Action Output
Time
Action
Response
Duration / Fetch Time
1 16:24:23 USE lab 0 row(s) affected 0.00043 sec
2 16:24:23 DROP TRIGGER IF EXISTS date_inconsistency 0 row(s) affected 0.0063 sec
3 16:24:23 CREATE TRIGGER date_inconsistency BEFORE INSERT ON suborder FOR EACH ROW BEGIN DECLARE shoe_order_date... 0 row(s) affected 0.0057 sec
4 16:24:23 INSERT INTO suborder (shoe_order_number, number, request_ship_date) VALUES (1, 4, '2024-03-24') 1 row(s) affected 0.0031 sec
5 16:24:23 INSERT INTO suborder (shoe_order_number, number, request_ship_date) VALUES (1, 5, '2014-03-24') Error Code: 1644. The required shipping date of a sub... 0.00074 sec
Query interrupted