

How to use LATEX

Daoming Dong & Youchao Wang

CMMPE, Engineering, University of Cambridge

Why LATEX ?

An extremely good philosophical question.

- Microsoft Office Word and PowerPoint are boring.
- ► LATEX is elegant, charming, or whatever...
- Excellent for mathematical typesetting.
- ► Powerful, lots and lots of power for you to extend it, be it theses, papers, slides (using Beamer), spreadsheets...



Useful Resources

Books list



Figure 1: LATEXBeginner's Guide



Figure 2: LATEX: A Document

Preparation System: User's Guide and

Reference Manual



Useful Resources

Learn LATEX in one video : https://www.youtube.com/watch?v=VhmkLrOjLsw

Mr Daoming Dong is also a good resource. He is nice and helpful.



A Brief History

In the mid 1970s, Donald Knuth, a Stanford CS geek developed TEX in SAIL to typeset his "The Art of Computer Programming" (TAOCP). First public release in 1978. He reimplemented it in Pascal in the mid 80s (WEB, literate programming). Leslie Lamport, the genius, wrote LATEX in early 80s by porting the orginal TEX.

What is the relationship between TEX and LATEX? LATEX uses the TEX typesetting programme to compile and generate its output. LATEX focuses on the content while TEX is the main programme for setting up the layout.



LATEX Version

The first LATEX version available is 2.09 (strange number and strange version control). Later in 1994, LATEX $2_{\mathcal{E}}$ replaced the old version, and remained ever since. LATEX 3 is a long-term research project, which started from the 1990s.



How to pronounce LATEX ?

First and foremost, the pronunciation of LATEX. According to the father of TEX:

'English words like 'technology' stem from a Greek root beginning with the letters $\tau \epsilon \chi ...$; and this same Greek word means art as well as technology. Hence the name TeX, which is an uppercase form of $\tau \epsilon \chi$.

Insiders pronounce the χ of TeX as a Greek chi, not as an 'x', so that TeX rhymes with the word blecchhh. It's the 'ch' sound in Scottish words like loch or German words like ach; it's a Spanish 'j' and a Russian 'kh'. When you say it correctly to your computer, the terminal may become slightly moist.'

Donald Knuth



How to pronounce LATEX ?

Another quote from the father of LATEX:

'One of the hardest things about LaTeX is deciding how to pronounce it. This is also one of the few things I'm not going to tell you about LaTeX, since pronunciation is best determined by usage, not fiat. TeX is usually pronounced teck, making lah-teck, and lay-teck the logical choices; but language is not always logical, so lay-tecks is also possible.' Leslie Lamport



What LATEX can do and what it cannot

- ► Write scientific papers
- ▶ Write theses
- Typesetting books and publications
- Write typeset letters
- Play around with mathematical formula
- ► Make presentation slides
- and many more



Installation

We would highly recommend the following LATEX distributions.

- ► For Windows users
 - ► TeX Live
 - ► MiKTeX
- ► For MacOS users
 - ► TeX Live
 - ▶ MacTeX



Editors

There are in fact numerous ways for you to write up a LATEX document.


- ► TeXStudio (behold, the beamer template we used for this tutorial cannot be built using this editor)
- ▶ TeXShop
- ► Notepad
- Sublime
- ► Visual Studio Code
- ► Vim
- ▶ and many others...
- ► Overleaf (the online editor)



How to use

We have to remind you that learning LATEX (might be) very hard

THE ULTIMATE TEX LEARNING CURVE CREDIT: YOUCHAO





How to use



¹These arrows are plotted using a package called tikz



Some common knowledge

Since LATEX is a package implemented in the TEX typesetting language, we should consider the TEX input syntax when use it.



Some common knowledge

- ► The effect of typing multiple space is the same as one space.
- ► The effect of typing multiple line feeds is the same as one line break.
- ▶ If you don't know how and when to use \ (backslash), then you are doomed.
- ► Be aware of the use of \xpace and whatever that follows the backslash after the "mark, e.g., "\ref.



Some common knowledge

► Special meta characters as part of the TEX language syntax:

▶ To use them you have to do the following



Changing fonts and styles

You may either use (1) commands or (2) lexical declarations. *Contents* are referenced from the slides for a course held at the Computer Lab, Cambridge.

\mdseries	\textmd{text}	Medium series
\bfseries	\textbf{text}	Boldface series
\rmfamily	\textrm{text}	Roman family
\sffamily	\textsf{text}	Sans-serif family
\ttfamily	\texttt{text}	Typewriter family
\upshape	\textup{text}	Upright shape
\itshape	<pre>\textit{text}</pre>	Italic shape
\slshape	\textsl{text}	Slanted shape
\scshape	\textsc{text}	SMALL CAPS SHAPE
\normalfont	\textnormal{text}	Normal style



Starting a report and title page

```
documentclass { article }
\begin{document}
\begin{titlepage}
  \begin{center}
    \line(1,0){300}\\
    [0.25in]
    \huge{\textbf{ CSSA \LaTeX\ Notes
         1111
    [2mm]
    \line(1,0){200}\\
    [1.5cm]
    \textsc{\LARGE University of
         Cambridge } \\
    \textsc{\LARGE Using \LaTeX\ to
         Write a Simple Report}\\
    [8cm]
  \end{center}
  \begin{flushright}
    \textsc{\large CSSA. \\ A Latex
         Hser\\
    20th Apr 2019}
  \end{flushright}
\end{titlepage}
\end{document}
```

```
CSSA LATEX Notes
      UNIVERSITY OF CAMBRIDGE
USING LATEX TO WRITE A SIMPLE REPORT
```



10

11

12

13

14

15

16

17 18

19

20

Sections

```
\section{Introduction}
    This is the first line of the report.
         This report will show you how to
         use \LaTeX\\\
    % Text holder: show one paragraph of
         \lipsum
    \lipsum[1]
    % Text holder: show one paragraph of
         \lipsum
    \section{Second section}
    This is the second section of this
         report.
    \subsection{Sub section 1}
    This is the first sub section in this
         report.
    \subsection{Sub section 2}
11
    This is the second sub section in this
          report.
12
    \subsubsection{Sub sub section}
13
    This is a sub sub section. Replace
         text here when you write your
         report.
```

1 Introduction

I INSTORMETION
This is the first lim of the sport. This report will show you have to use DEPAC
Lomes is grown show it as not consortium offspixing offs. It years will, worther
Non-income the contract of the

2 Second section

This is the second section of this report

2.1 Sub section 1

This is the first sub-section in this report.

2.2 Sub section 2

This is the second subsection in this report

2.2.1 Sub-sub-section in this report

This is a sub-sub-section. Replace text here when you write your report



Margins, page number

```
documentclass { article }
    \usepackage{lipsum}
    % geometry package, control the margin
          of the article
    \usepackage[margin = 1 in, left = 1.5
         in, includefoot]{geometry}
    % Header and Footer Stuff
    \usepackage{fancyhdr} % fancyhdr
         package
    \pagestyle{fancy}
    % Clear previous head and foot style
    \fancyhead{}
10
    \fancvfoot{}
11
    % Position the page number RHS of the
          footer
12
    \fancvfoot[R]{ \thepage\ }
13
    % Clear the header line
14
    \renewcommand{\headrulewidth}{Opt}
15
    % Keep the footer line
    \renewcommand{\footrulewidth}{1pt}
16
```

1 Introduction

This is the final the of the report. This report will show you have to use HIJK Learns spans do due it saws, consections of alloying dit. C. by grave of concludence of an experiment of the contrast of the c

2 Second section

This is the second section of this report.

2.1 Sub-section 1

This is the first sub-section in this report

This is the first sun section in

2.2 Sub-section 2
This is the second subsection in this report

2.2.1 Sub-sub-section

This is a sub-sub-section. Replace text here when you write your rep



Lists

9

10

11

13

14 15

16

17 18

19

```
% Normal bullet point: itemized
\begin{itemize}
  \item This is our first line
  \item This is our second line and I
       am making it longer so that you
        can see how text wraps around
       automatically in \LaTeX
  \begin{itemize}
    \item A bullet within a bullet!
    \begin{itemize}
      \item More deeper
    \end{itemize}
  \end{itemize}
  \item [Title] blah blah blah
  \item [This is a longer title] blah
       blah blah
  \begin{enumerate}
    % Numberd lists
    \item \lipsum[1]
    % Just try to make the PDF looks
         okav for this presentation
    \item \lipsum [2]
  \end{enumerate}
\end{itemize}
```

```
3 Lists
   . This is our first line
   . This is our second line and I am making it longer so that you can see how text wrans around
    automatically in DTgX
       - A bullet within a bullet
       2. Nam dai ligula, fringilla a, enismod sodales, sollicitudin vel, wiei. Morbi austor lorem
```



Figures and tables

```
\usepackage{graphicx}% Import images \usepackage{float} % Control float
```

```
\section{Figures and Tables}
\subsection{Figures}
\begin{figure}[H]
  \ centering
  \includegraphics[width = \textwidth
       1{Figures/space.png}
  \caption{My desktop background}
       \label{fig}
\end{figure}
\subsection{Tables}
\begin{table}[H]
  \centering \label{tab}
  \caption{This is a very simple table
  \begin{tabular}{l | c r}
    Name & University & Department
         \\\hline
    CSSA & Cambridge & Engineering \\
  \end{tabular}
\end{table}
Figure \ref{fig}. Table \ref{tab}.
```





10

11

12 13

14

15

16 17

Math equations

```
\section{Math equation}
     Fractions, inline equation: $d = v it
           + \frac{1}{2} \cdot at^2$\\
     Brackets:
     $$ \left(\frac{1}{2}\right) \cdot 2 =
     \$ \left | -7 \right | = 7$$
     $$x^{2^3}$$
     \begin{eqnarray*}
          \sqrt{4} &\neq& 5 \\
         \pi &\approx& 3 \\
10
         \pi &\times& \sqrt{4} < 15
11
     \end{eqnarray*}
12
     \begin{equation}
       U(\alpha, \beta) = \frac{e^{jkz}}{j}
13
              \lambda z}e^{j\frac{k(\alpha^2+
              \beta^2) \{2z\}\iint \left \{U(x, y
             e^{j \frac{k(x^2+y^2)}{2z}}
              \left\langle right \right\rangle e^{-i} \left\langle frac \left( 2 \right\rangle \right| 
             \lambda z\(\alpha x+\beta y)\)
             dxdv
       \label{eq:Fresnel}
14
15
     \end{equation}
```

```
5 Math equation
 Fractions, in
line equation: d = v_i t + \frac{1}{4} \cdot at^2
                                                                               \binom{1}{8} \cdot 2 = 1
                            U(\alpha,\beta) = \frac{e^{jkz}}{(1-a)}e^{j\frac{k(\alpha^2+\beta^2)}{2a}} \int \int \left\{ U(x,y)e^{j\frac{k(\alpha^2+\beta^2)}{2a}} \right\} e^{-j\frac{kz}{2a}(\alpha+\beta)d} dxdy
```



References: set up

- ► LHS: Journal paper
- ► RHS: Conference paper

```
@article{GaborHolography,
      author = {D. Gabor},
      journal = {Nature},
      number = \{161\}.
      pages = \{777 - -778\}.
      publisher = {Nature},
      title = {A new microscopic principle
      volume = {161},
      month = {Mav}.
10
      vear = \{1948\}.
11
      url = {https://www.nature.com/
            articles/161777a0},
12
      doi = {https://doi.org
            /10.1038/161777a0},
13
```

```
@inproceedings{HardReview_84,
     author = {M. Lucente and Galyean, T.
     title = {Rendering Interactive
           Holographic Images},
 4
     booktitle = {Proceedings of the 22Nd
           Annual Conference on Computer
           Graphics and Interactive
           Techniques},
 5
     series = {SIGGRAPH '95}.
     vear = \{1995\},\
     isbn = \{0-89791-701-4\},
     pages = \{387 - -394\},
 9
     numpages = \{8\},
10
     url = {http://doi.acm.org
           /10.1145/218380.218490}.
11
     doi = \{10.1145/218380.218490\}.
12
     acmid = \{218490\},\
13
     publisher = {ACM}.
14
     address = {New York, NY, USA}.
15
```



References: use

```
% Reference setup
    \ cleardoublepage
 3
 4
    \section{How to use references}
    \lipsum[1]
    \textbf{I'm citing a journal article}
          \cite{GaborHolography}.\\
    \lipsum[2]
    \textbf{I'm now citing a conference
          article} \cite{HardReview 84}.
10
    \bibliographystyle { IEEEtran }
11
12
    \ cleardoublepage
13
    \bibliography{References/references.
          bib}
    \addcontentsline{toc}{section}{
14
          \numberline{}References}
```

```
% .bibtex file use google
```

6 How to use refernces

Lerm journ skair ett ausen, onsentetter adsjöring dit. Ur jærre elle, verkladen av, påennt av, sellering ette, fölke. Urakhur ditten spraisk marke. Nam av tillene, mannen gerk omsentettet all, vilgårder, a. nagan. Dere vilkenla sagne en sopar. Pellenberge heldent att milet helden sen trajkvarde flama av trajkvarde flama år trajkvarde. Inden si har Den vilken standar samle trajkvarde kande i har Den vilken standar samle spraiska påenne. Inden sen kande skalle påenne pående påenne. Inden sen kande kande skalle påenne skalle skall

Pau deliga a juerual article [1].

Neu del lipida, Rigilla, a estimund accident, militatentila ud, wisi. Mordi annes levan mon juen.
Neu del lipida, Rigilla, a estimund accident, militatentila ud, wisi. Mordi annes levan mon juen.
Nilestano, esti figira aliquet impara, tilizar emmes uni surema mil Marila nen est et aliquet impara, tilizar emmes demons a mil Marila nen est et aliquet impara.
Nilestano, esti figira aliquet impara, tilizar emmes annes a mil Marila nen et et aliquet militatentila. Supposition et unasco. Canto esta antico. Pletfontospes a milit, com social antique possible et unapita del parteriolet monte, manes esta della della marila della militate marila. Nilestano esta della militate marila marila militate della mil



Appendix

```
\ cleardoublepage
    \appendix
    \section{Appendix -1}
    This is the first appendix.
    \lipsum[1]
    \section{Appendix -2}
    This is the second appendix.
    \begin{figure}[H]
       \begin{subfigure}{0.5 \linewidth}
10
         \includegraphics [width =
               \textwidth | { Figures / Cubic
              aperture.png}
         \caption{cubic aperture}
11
12
         \label{cubicAperture}
13
       \end{subfigure}
14
       begin{subfigure}{0.5 \ linewidth}
         \includegraphics[width =
15
              \textwidth]{Figures/Circular_
              aperture.png}
         \caption{circular aperture}
16
         \label{circularAperture}
17
       \end{subfigure}
18
19
       caption{Two figures}
    \end{figure}
20
```




Table of contents, list of figures, list of tables

```
\end{titlepage}
\cleardoublepage
% Table of contents stuff
\pagenumbering{roman}
\tableofcontents
% \cleardoublepage
% List of figures, list of tables
\listoffigures
\listoftables
\thispagestyle { empty }
\addcontentsline{toc}{section}{
     \numberline{}List of Figures}
\addcontentsline{toc}{section}{
     \numberline{}List of Tables}
\ cleardoublepage
% Main body stuff
\pagenumbering{arabic}
\setcounter{page}{1}
\ cleardoublepage
\section{Introduction}
```

```
Contents
 List of Figures
4 Figures and Tables
List of Figures
List of Tables
```



10 11

12

13

14

15 16

17

18

19 20

21

How to use dashes

There are, in fact, **en dashes**, **em dashes**, **hyphens** and **minus signs**.

```
corresponds to - hyphen
```

-- corresponds to - en dash

--- corresponds to — em dash

- corresponds to - minus sign

In terms of how to properly use them, try searching the internet for answers. **Metaphysics** it is.



Templates

We will demonstrate some useful LATEX templates.

However, keep in mind that before you use templates, you should make yourself comfortable with the basic LATEX commands.



Useful resources revisit

- University of Cambridge CUED thesis template, Gitlab:
 Siegfriedchao, modified from Github: kks32
- University of Cambridge Powerpoint template, Gitlab:
 Siegfriedchao, modified from Github: rjw57

