

# Parameters of the different endpoints

---

## Applications

- /applications/ (GET)
  - Query Parameters
    - byJobOpeningId: (number)
      - Filter list by given job opening id.
    - byJobOpeningExternalId: (string)
      - Filter list by given job opening externalId.
    - byApplicationStatusId: (string)
      - Filter list by given application status internal-name.
    - byOrgUnitId: (number)
      - Filter list by given organisation unit id.
    - byDateCreatedFrom: (date)
      - Filter list by given creation date of application (from).
    - byDateCreatedTo: (date)
      - Filter list by given creation date of application (to).
    - byLastStatusChangeDateFrom: (date)
      - Filter list by given last status change date of application (from).
    - byLastStatusChangeDateTo: (date)
      - Filter list by given last status change date of application (to).
- /applications/?externalId={externalId} (GET)
  - URI Parameters
    - externalId: required (string)
      - externalId of the requested application
- /applications/{id} (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id} (PUT)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/delete (POST)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/statusChange/{statusId} (POST)
  - URI Parameters
    - id: required (number)
      - id of the requested application
    - statusId: required (number)
      - id of the target application status.

- /applications/{id}/jobOpeningMove/{jobOpeningId} (POST)
  - URI Parameters
    - id: required (number)
      - id of the application to change job opening for.
    - jobOpeningId: required (number)
      - id of the target job opening.
- /applications/{id}/attachments (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/attachments (POST)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/attachments/{attachmentId} (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested application
    - attachmentId: required (number)
      - id of the requested attachment
- /applications/{id}/attachments/{attachmentId}/pdf (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested application
    - attachmentId: required (number)
      - id of the requested attachment
- /applications/{id}/history (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/history (PUT)
  - URI Parameters
    - id: required (number)
      - id of the requested application
- /applications/{id}/history/{externalId} (PUT)
  - URI Parameters
    - id: required (number)
      - id of the requested application
    - externalId: required (string)
      - external id of the history entry to create or update

## Configuration

- /configuration/{type}/externalLinks (GET)
  - URI Parameters
    - type: required (string)

- type of requested external links. Currently available types: "applications", "jobPublications".
- /configuration/{type}/externalLinks (PUT)
  - URI Parameters
    - type: required (string)
    - type of requested external links. Currently available types: "applications", "jobPublications".

## Hiring Requests

- /hiringRequests/ (GET)
  - Query Parameters
    - byDateCreatedFrom: (date)
      - Filter list by given creation date of hiring request (from).
    - byDateCreatedTo: (date)
      - Filter list by given creation date of hiring request (to).
- /hiringRequests/?externalId={externalId} (GET)
  - URI Parameters
    - externalId: required (string)
- /hiringRequests/{id} (GET)
  - URI Parameters
    - id: required (number)
- /hiringRequests/{id} (PUT)
  - URI Parameters
    - id: required (number)
- /hiringRequests/{id}/history (GET)
  - URI Parameters
    - id: required (number)
- /hiringRequests/{id}/approvers (GET)
  - URI Parameters
    - id: required (number)

## Job Openings

- /jobOpenings/ (GET)
  - Query Parameters
    - byDateCreatedFrom: (date)
    - byDateCreatedTo: (date)
- /jobOpenings/?externalId={externalId} (GET)
  - URI Parameters
    - externalId: required (string)
- /jobOpenings/{id} (GET)
  - URI Parameters
    - id: required (number)
- /jobOpenings/{id} (PUT)
  - URI Parameters

- id: required (number)
- /jobOpenings/{id}/history (GET)
  - URI Parameters
    - id: required (number)
- /jobOpenings/{id}/history (PUT)
  - URI Parameters
    - id: required (number)
- /jobOpenings/{id}/history/{externalId} (PUT)
  - URI Parameters
    - id: required (number)
    - externalId: required (string)

## Job Publications

- /jobPublications/?externalId={externalId} (GET)
  - URI Parameters
    - externalId: required (string)
- /jobPublications/{id} (GET)
  - URI Parameters
    - id: required (number)
- /jobPublications/{id} (PUT)
  - URI Parameters
    - id: required (number)
- /jobPublications/{id}/delete (POST)
  - URI Parameters
    - id: required (number)

## Job Publication Channels

- /jobPublicationChannels/{id} (GET)
  - URI Parameters
    - id: required (string)
- /jobPublicationChannels/{id} (PUT)
  - URI Parameters
    - id: required (string)

## Job Publication

- /jobPublicationPlacements/{partner\_id}/placements (GET)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
- /jobPublicationPlacements/{partner\_id}/placements (POST)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
- /jobPublicationPlacements/{partner\_id}/placements/?externalId={externalId} (GET)

- URI Parameters
  - partner\_id: required (string)
    - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
  - externalId: required (string)
- /jobPublicationPlacements/{partner\_id}/placements/?jobPublicationId={jobPublicationId} (GET)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
    - jobPublicationId: required (number)
- /jobPublicationPlacements/{partner\_id}/placements/{id} (GET)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
    - id: required (number)
- /jobPublicationPlacements/{partner\_id}/placements/{id} (PUT)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
    - id: required (number)
- /jobPublicationPlacements/{partner\_id}/placements/{id}/delete (POST)
  - URI Parameters
    - partner\_id: required (string)
      - Alphanumeric string [a-zA-Z0-9] with 3 - 15 characters
    - id: required (number)

## Locations

- /locations/ (GET)
  - Query Parameters
    - forJobOpeningByOrgUnitId: (number)
      - Filter list of locations that can be assigned to job openings of the given organisation unit.
- /locations/{id} (GET)
  - URI Parameters
    - id: required (string)
- /locations/{id} (PUT)
  - URI Parameters
    - id: required (string)
- /locations/{id}/delete (POST)
  - URI Parameters
    - id: required (string)

## Onboardings

- /onboardings/ (GET)
  - Query Parameters

- status: (one of ACTIVE, FINISHED)
    - Filter onboardings by state
  - orgUnitId: (integer)
    - Filter onboardings by corresponding organization unit
  - applicationId: (integer)
    - Filter onboardings by corresponding application paper
  - fromDateOfStart: (string)
    - ISO8601 date format (e.g. 2020-08-20), filter onboardings greater than equal entered date
  - fromDateOfContract: (string)
    - ISO8601 date format (e.g. 2020-08-20), filter onboardings greater than equal entered date
  - fromDateOfEmployment: (string)
    - ISO8601 date format (e.g. 2020-08-20), filter onboardings greater than equal entered date
  - fromDateOfEnd: (string)
    - ISO8601 date format (e.g. 2020-08-20), filter onboardings greater than equal entered date
  - fromDateCreated: (string)
    - ISO8601 date-time format (e.g. 2020-08-20T07:45:00Z), filter onboardings greater than equal entered date-time
- /onboardings/{id} (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested onboarding
- /onboardings/{id}/attachments (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested onboarding
- /onboardings/{id}/attachments/{attachmentId} (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested onboarding
    - attachmentId: required (string)
      - id of the requested attachment
- /onboardings/{id}/attachments/{attachmentId}/pdf (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested onboarding
    - attachmentId: required (string)
      - id of the requested attachment
- /onboardings/{id}/delete (POST)
  - URI Parameters
    - id: required (number)
      - id of the requested onboarding

# Organisation Units

- /orgUnits/{id} (GET)
  - URI Parameters
    - id: required (number)
      - id of the requested organisation unit

## Persons

- /persons/?externalId={externalId} (GET)
  - URI Parameters
    - externalId: required (string)
- /persons/{id} (GET)
  - URI Parameters
    - id: required (number)
- /persons/{id} (PUT)
  - URI Parameters
    - id: required (number)
- /persons/{id}/delete (POST)
  - URI Parameters
    - id: required (number)
- /persons/{id}/photo (GET)
  - URI Parameters
    - id: required (number)
- /persons/{id}/photo (POST)
  - URI Parameters
    - id: required (number)
- /persons/{id}/photo/delete (POST)
  - URI Parameters
    - id: required (number)

## Users

- /users/ (GET)
  - Query Parameters
    - lang: (string)
      - Use given locale for Translations. If not defined the locale/language of the api user is used. Supported fields: displayName Returns HTTP Status Error 422, if passed locale is not supported.  
Example:
        - en
        - de\_DE
    - externalId: (string)  
Filter list by given dvinci user externalId.

- forJobOpeningByOrgUnitId: (number)  
Filter list by users that can be selected as responsible users for job openings of the given organisation unit.
- /users/{id} (GET)
  - URI Parameters
    - id: required (number)
- /users/{id} (PUT)
  - URI Parameters
    - id: required (number)
- /users/{id}/delete (POST)
  - URI Parameters
    - id: required (number)

## User Groups

- /userGroups/ (GET)
  - URI Parameters
    - forJobOpeningByOrgUnitId: (number)
      - Filter list to user groups that can be assigned to job openings of the given organisation unit.
    - externalId: (string)
      - Filter list by given user group externalId.
- /userGroups/{id} (GET)
  - URI Parameters
    - id: required (number)
- /userGroups/{id} (PUT)
  - URI Parameters
    - id: required (number)
- /userGroups/{id}/delete (POST)
  - URI Parameters
    - id: required (number)