I. Patient Flow and Correlations

Table 1.1
Patient Flow

	CC01	CC04	CC10	CC21	CC39	CC49	CC58	CC68	CC71	CC83	CC92	CC93	Total
Randomized	3720	3794	3660	3870	3986	3764	3848	3732	3788	3594	3748	3762	45266
Included in analysis	2978	3052	2940	3136	3258	3006	3042	3010	3050	2908	2980	3086	36446
Consented to specimen collection	1742	1722	1666	1870	1842	1764	1854	1708	1764	1666	1780	1728	21106
Specimen submitted to biobank	886	854	854	910	974	806	970	884	906	862	924	888	10718

Table 1.2
Pearson Correlation Between ADI % and Median Income

Variable	N	Correlation	p-value
ADI %	36446		
Median Income (thousands, USD)	36446	-0.9	<0.0001

II. Biospecimen Consent

Table 2.1
Pretreatment Characteristics by Biospecimen Consent

Characteristic	No	Yes	Total	p-value
Age (Years)	(n=19488)	(n=16958)	(n=36446)	<0.0001
Mean	69.6	68.3	69.0	
Std. Dev.	14.4	15.4	14.9	
Median	72.0	71.0	72.0	
Min-Max	22-89	20-89	20-89	
Q1-Q3	60-82	58-81	59-81	
ADI %	(n=19488)	(n=16958)	(n=36446)	0.0014
Mean	67.0	66.0	66.5	
Std. Dev.	29.8	30.1	29.9	
Median	75.0	74.0	75.0	
Min-Max	1-100	1-100	1-100	
Q1-Q3	44-94	43-93	43-94	
Median Income (USD)	(n=19488)	(n=16958)	(n=36446)	0.0014
Mean	74358.4	76103.8	75170.5	
Std. Dev.	51774.9	52222.0	51989.9	
Median	59633.5	62087.0	60564.0	
Min-Max	17230-190617	17230-190646	17230-190646	
Q1-Q3	27590-114637	28409-116716	27887-115713	
Sex	(n=19488)	(n=16958)	(n=36446)	0.0953
Male	9802 (50.3%)	8678 (51.2%)	18480 (50.7%)	
Female	9686 (49.7%)	8280 (48.8%)	17966 (49.3%)	
Race	(n=19488)	(n=16958)	(n=36446)	<0.0001
White	11746 (60.3%)	12210 (72.0%)	23956 (65.7%)	
Black	5084 (26.1%)	2062 (12.2%)	7146 (19.6%)	
Other	2658 (13.6%)	2686 (15.8%)	5344 (14.7%)	
Enrollment Year	(n=19488)	(n=16958)	(n=36446)	0.0105
2001	1292 (6.6%)	1118 (6.6%)	2410 (6.6%)	
2002	1270 (6.5%)	1184 (7.0%)	2454 (6.7%)	
2003	1268 (6.5%)	1134 (6.7%)	2402 (6.6%)	
2004	1224 (6.3%)	1158 (6.8%)	2382 (6.5%)	
2005	1256 (6.4%)	1138 (6.7%)	2394 (6.6%)	
2006	1312 (6.7%)	1056 (6.2%)	2368 (6.5%)	
2007	1316 (6.8%)	1176 (6.9%)	2492 (6.8%)	

2008	1350 (6.9%)	1140 (6.7%)	2490 (6.8%)	
2009	1280 (6.6%)	1146 (6.8%)	2426 (6.7%)	
2010	1308 (6.7%)	1206 (7.1%)	2514 (6.9%)	
2011	1340 (6.9%)	1054 (6.2%)	2394 (6.6%)	
2012	1258 (6.5%)	1138 (6.7%)	2396 (6.6%)	
2013	1318 (6.8%)	1124 (6.6%)	2442 (6.7%)	
2014	1338 (6.9%)	1074 (6.3%)	2412 (6.6%)	
2015	1358 (7.0%)	1112 (6.6%)	2470 (6.8%)	
Median			2008	
Min-Max			2001 – 2015	
Q1-Q3			2004 – 2012	
Study	(n=19488)	(n=16958)	(n=36446)	0.6382
CC01	1578 (8.1%)	1400 (8.3%)	2978 (8.2%)	
CC04	1668 (8.6%)	1384 (8.2%)	3052 (8.4%)	
CC10	1598 (8.2%)	1342 (7.9%)	2940 (8.1%)	
CC21	1632 (8.4%)	1504 (8.9%)	3136 (8.6%)	
CC39	1766 (9.1%)	1492 (8.8%)	3258 (8.9%)	
CC49	1604 (8.2%)	1402 (8.3%)	3006 (8.3%)	
CC58	1610 (8.3%)	1432 (8.4%)	3042 (8.4%)	
CC68	1634 (8.4%)	1376 (8.1%)	3010 (8.3%)	
CC71	1604 (8.2%)	1446 (8.5%)	3050 (8.4%)	
CC83	1548 (7.9%)	1360 (8.0%)	2908 (8.0%)	
CC92	1582 (8.1%)	1398 (8.2%)	2980 (8.2%)	
CC95	1664 (8.5%)	1422 (8.4%)	3086 (8.5%)	

Table 2.2
Logistic Regression for Biospecimen Consent - Race

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		0.039			0.0129	0.0027
Race	Black	-0.941	0.390	(0.369,0.413)	0.0291	<0.0001
	Other	-0.028	0.972	(0.916,1.032)	0.0303	0.3503
	White [RL]					

RL = Reference Level

Table 2.3
Logistic Regression doe Biospecimen Consent – ADI Quartiles

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.124			0.0120	<0.0001
ADI	Q4	-0.065	0.937	(0.892,0.984)	0.0249	0.0089
Quartiles	Q1-3 [RL]					

RL = Reference Level

Table 2.4
Logistic Regression for Biospecimen Consent – Enrollment Year

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.122			0.0144	<0.0001
Median Enrollment Year		-0.036	0.965	(0.926,1.005)	0.0210	0.0880

Table 2.5
Logistic Regression for Biospecimen Consent - Sex

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.122			0.0147	<0.0001
Sex	Female	-0.035	0.966	(0.927,1.006)	0.0210	0.0953
	Male [RL]					

RL = Reference Level

Table 2.6
Logistic Regression for Biospecimen Consent - Age

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		0.261			0.0497	<0.0001
Age		-0.006	0.9994	(0.993,0.996)	0.0007	<0.0001

Table 2.7
Logistic Regression for Biospecimen Consent – Median Income

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.188			0.0185	<0.0001
Median Income (10,000)		-0.0065	1.006	(1.003,1.010)	0.0020	0.0014

Table 2.8
Multivariable Logistic Regression Model for Biospecimen Consent – ADI Quartiles

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		0.488			0.0530	<0.0001
ADI Quartiles	Q4	-0.062	0.940	(0.894,0.988)	0.0253	0.0143
Age		-0.006	0.994	(0.993,0.996)	0.0007	<0.0001
Sex	Female	-0.032	0.968	(0.928,1.009)	0.0214	0.1289
Race	Black	-0.941	0.390	(0.369,0.413)	0.0292	<0.0001
	Other	-0.021	0.979	(0.923,1.039)	0.0303	0.4928
Median Enroll Year		-0.045	0.956	(0.917,0.997)	0.0214	0.0375

Table 2.9
Multivariable Logistic Regression Model for Biospecimen Consent – Median Income

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		0.428			0.0555	<0.0001
Median Income		0.006	1.006	(1.002,1.010)	0.0021	0.0054
Age		-0.006	0.994	(0.993,0.996)	0.0007	<0.0001
Sex	Female	-0.032	0.968	(0.928,1.010)	0.0214	0.1293
Race	Black	-0.941	0.390	(0.369,0.413)	0.0292	<0.0001
	Other	-0.021	0.980	(0.923,1.040)	0.0303	0.4984
Median Enroll Year		-0.045	0.956	(0.917,0.997)	0.0214	0.0376

III. Biospecimen Submission

Table 3.1
Pretreatment Characteristics by Biospecimen Submission

Characteristic	No	Yes	Total	p-value
Age (Years)	(n=27846)	(n=8600)	(n=36446)	<0.0001
Mean	69.3	68.1	69.0	
Std. Dev.	14.7	15.7	14.9	
Median	72.0	71.0	72.0	
Min-Max	20-89	20-89	20-89	
Q1-Q3	60-82	58-81	59-89	
ADI %	(n=27846)	(n=8600)	(n=36446)	0.0328
Mean	66.7	65.9	66.5	
Std. Dev.	29.9	30.2	29.9	
Median	75.0	74.0	75.0	
Min-Max	1-100	1-100	1-100	
Q1-Q3	43-94	42-93	43-94	
Median Income (USD)	(n=27846)	(n=8600)	(n=36446)	0.0271
Mean	74836.0	76253.6	75170.5	
Std. Dev.	51836.7	52471.5	51989.9	
Median	60218.0	61693.0	60564.0	
Min-Max	17230-190624	17230-190646	17230-190646	
Q1-Q3	27778-115146	28447-117661	27887-115713	
Sex	(n=27846)	(n=8600)	(n=36446)	0.5644
Male	14096 (50.6%)	4384 (51.0%)	18480 (50.7%)	
Female	13750 (49.4%)	4216 (49.0%)	17966 (49.3%)	
Race	(n=27846)	(n=8600)	(n=36446)	<0.0001
White	17818 (64.0%)	6138 (71.4%)	23956 (65.7%)	
Black	6072 (21.8%)	1074 (12.5%)	7146 (19.6%)	
Other	3959 (14.2%)	1388 (16.1%)	5344 (14.7%)	
Enrollment Year	(n=27846)	(n=8600)	(n=36446)	
2001	1854 (6.7%)	556 (6.5%)	2410 (6.6%)	
2002	1838 (6.6%)	616 (7.2%)	2454 (6.7%)	
2003	1824 (6.6%)	578 (6.7%)	2402 (6.6%)	
2004	1752 (6.3%)	630 (7.3%)	2382 (6.5%)	
2005	1820 (6.5%)	574 (6.7%)	2394 (6.6%)	
2006	1858 (6.7%)	510 (5.9%)	2368 (6.5%)	
2007	1876 (6.7%)	616 (7.2%)	2492 (6.8%)	

2008	1880 (6.8%)	610 (7.1%)	2490 (6.8%)
2009	1846 (6.6%)	580 (6.7%)	2426 (6.7%)
2010	1898 (6.8%)	616 (7.2%)	2514 (6.9%)
2011	1878 (6.7%)	516 (6.0%)	2394 (6.6%)
2012	1852 (6.7%)	544 (6.3%)	2396 (6.6%)
2013	1874 (6.7%)	568 (6.6%)	2442 (6.7%)
2014	1860 (6.7%)	552 (6.4%)	2412 (6.6%)
2015	1936 (7.0%)	534 (6.2%)	2470 (6.8%)
Median			2008
Min-Max			2001 – 2015
Q1-Q3			2004 – 2012
Study	(n=27846)	(n=8600)	(n=36446)
CC01	2268 (8.1%)	710 (8.3%)	2978 (8.2%)
CC04	2350 (8.4%)	702 (8.2%)	3052 (8.4%)
CC10	2244 (8.1%)	696 (8.1%)	2940 (8.1%)
CC21	2412 (8.7%)	724 (8.4%)	3136 (8.6%)
CC39	2458 (8.8%)	800 (9.3%)	3258 (8.9%)
CC49	2374 (8.5%)	632 (7.4%)	3006 (8.3%)
CC58	2286 (8.2%)	756 (8.8%)	3042 (8.4%)
CC68	2298 (8.3%)	712 (8.3%)	3010 (8.3%)
CC71	2300 (8.3%)	750 (8.7%)	3050 (8.4%)
CC83	2210 (7.9%)	698 (8.1%)	2908 (8.0%)
CC92	2286 (8.2%)	694 (8.1%)	2980 (8.2%)
CC95	2360 (8.5%)	726 (8.4%)	3086 (8.5%)

Table 3.2
Logistic Regression for Biospecimen Submission – Race

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-1.066			0.0148	<0.0001
Race	Black	-0.667	0.513	(0.478,0.551)	0.0363	<0.0001
	Other	0.018	1.019	(0.952,1.090)	0.0345	0.5953
	White [RL]					

RL = Reference Level

Table 3.3
Logistic Regression for Biospecimen Submission – ADI Quartiles

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-1.162			0.0140	<0.0001
ADI Quartiles	Q4	-0.057	0.944	(0.891,1.000)	0.0294	0.0510
	Q1-3 [RL]					

RL = Reference Level

Table 3.4
Logistic Regression for Biospecimen Submission – Enrollment Year

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-1.143			0.0168	<0.0001
Median Enroll Year		-0.070	0.933	(0.888,0.979)	0.0248	0.0048

Table 3.5
Logistic Regression for Biospecimen Submission – Sex

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-1.168			0.0173	<0.0001
Sex	Female	-0.014	0.986	(0.939,1.035)	0.0247	0.5644
	Male [RL]					

RL = Reference Level

Table 3.6
Logistic Regression for Biospecimen Submission – Age

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.813			0.0571	<0.0001
Age		-0.005	0.995	(0.993,0.996)	0.0008	<0.0001

Table 3.7
Logistic Regression for Biospecimen Submission – Median Income

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-1.214			0.0218	<0.0001
Median Income (thousands)		-0.005	1.005	(1.001,1.010)	0.0024	0.0271

Table 3.8
Multivariable Logistic Regression for Biospecimen Submission – ADI Quartiles

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.657			0.0602	<0.0001
ADI Quartiles	Q4	-0.054	0.948	(0.894,1.004)	0.0296	0.0698
Age		-0.005	0.995	(0.993,0.996)	0.0008	<0.0001
Sex	Female	-0.012	0.988	(0.941,1.037)	0.0248	0.6278
Race	Black	-0.666	0.514	(0.478,0.552)	0.0363	<0.0001
Race	Other	0.025	1.025	(0.958,1.097)	0.0346	0.4744
Median Enroll Year		-0.075	0.928	(0.884,0.974)	0.0249	0.0026

Table 3.9
Multivariable Logistic Regression for Biospecimen Submission – Median Income

Variable	Level	Estimate	OR	95% CI	Std. Err.	P-value
Intercept		-0.706			0.0633	<0.0001
Median Income		0.005	1.005	(1.000,1.009)	0.0024	0.0585
Age		-0.005	0.995	(0.993,0.996)	0.0008	<0.0001
Sex	Female	-0.012	0.988	(0.941,1.037)	0.0248	0.6265
Race	Black	-0.666	0.514	(0.479,0.552)	0.0363	<0.0001
Race	Other	0.025	1.025	(0.958,1.097)	0.0346	0.4721
Median Enroll Year		-0.075	0.928	(0.884,0.974)	0.0249	0.0026