## Boat report The Crew

Rowers: R1, Boattype: M1x Calibration: 1.0 Misc: Extra info


Powerline: powerline session number

Venue: Location

Piece "all" used: averaging


	Average	t20	t24	t28	t32	start
Strokes		9	15	14	10	10
Stroke rate	28	18	26	29	32	36
Rythm % cycle time	50	40	46	50	54	58
500m split	2:22.1	2:54.0	2:18.4	2:19.0	2:13.6	2:05.4
Distance/stroke	7.76	9.38	8.27	7.56	6.92	6.66
Speed power loss(%)	6.3	5.9	5.6	5.9	7.7	6.4
Max speed at % cycle		79.3	99.1	5.6	5.4	6.3
Maximum Yaw (°)		0.0	0.1	0.2	0.1	0.2
Maximum Roll (°)		1.3	1.8	1.3	1.4	1.8

## Boat report The Crew



## Crew report

Piece "t20" used.



Rower 1, using piece "all"

	2k Target	Average	t20	t24	t28	t32	start
Stroke rate			18	26	29	32	36
500m split		2:22.1	2:54.0	2:18.4	2:19.0	2:13.6	2:05.4
Catch angle (°)	-66	-62	-62	-63	-62	-62	-60
Finish angle (°)	44	38	40	40	40	38	35
Total angle (°)	110	100	101	102	102	100	96
Catch slip (°) (40%)	6	6	7	6	6	5	4
Finish wash (°) (40%)	12	19	17	19	20	22	16
Effective angle (°)	92	76	77	77	76	73	75
Gate force average			133	204	210	239	265
Ratio avg/max Gate force							
Power average (W)	540		103	192	206	258	313
Power/weight			1.15	2.13	2.29	2.87	3.48
Progn Power target rate							

