
## Boat report


Roeiers, info, ..

	start	t20	t24	t28	t32	max
Aantal halen	18	14	15	21	18	21
Tempo	36	20	24	28	31	36
500m split	1:54.3	2:26.9	2:11.4	2:7.6	2:1.9	1:51.5
Boot snelheid (m/s)	4.37	3.40	3.81	3.92	4.10	4.49
Afstand per haal	7.21	10.12	9.64	8.43	7.82	7.49
Max at % cycle	98.6	77.5	16.7	8.2	8.6	9.4
Min at % cycle	34.3	40.6	40.5	37.1	37.6	36.5
Maximum Yaw (°)	0.5	0.2	0.3	0.2	0.2	0.3
Maximum Roll (°)	3.2	2.2	2.0	2.2	1.5	1.6




## Crew report

Piece start used.



## Rower 1, using piece t24

	Target (t28)	Average	start	t20	t24	t28	t32	max
Stroke rate			36	20	24	28	31	36
Drive time							-	
Rhythm (% Cycle time)			59	36	40	44	47	49
Catch angle (°)			-50	-56	-56	-58	-56	-57
Finish angle (°)			27	32	33	31	31	30
Catch slip (°)			7	14	13	12	14	12
Finish wash (°)			4	12	15	13	16	12
Effective angle (°)								
Effective angle (%)								
Gate force average			341	155	146	241	166	243
Gate force max			831	672	599	799	572	799
Ratio avg/max Gate force								
Gate force max at								
Gate force up to $70\%$ at								
Gate force under 70% at								
Power max (W)			949	604	607	1035	562	951
Work (J)			433	287	264	395	244	378
Power (W)			309	104	105	204	131	222
Power/weight								
Progn Power target rate								



## Rower 2, using piece start

	Target (t28)	Average	start	t20	t24	t28	t32	max
Stroke rate	,		36	20	24	28	31	36
Drive time								
Rhythm (% Cycle time)			56	38	40	48	52	52
Catch angle (°)			-40	-57	-59	-58	-58	-57
Finish angle (°)			23	32	32	31	30	29
Catch slip (°)			6	9	9	8	10	8
Finish wash (°)			13	19	21	20	26	19
Effective angle (°)								
Effective angle $(\%)$								
Gate force average			222	152	171	189	169	202
Gate force max			617	638	683	645	599	656
Ratio avg/max Gate force								
Gate force max at								
Gate force up to $70\%$ at								
Gate force under 70% at								
Power max (W)			665	540	539	613	441	595
Work (J)			254	238	247	265	211	279
Power (W)			181	86	98	137	114	164
Power/weight								
Progn Power target rate								

