Two strings, a and b, are called anagrams if they contain all the same characters in the same frequencies. For this challenge, the test is not case-sensitive. For example, the anagrams of `CAT` are `CAT`, `ACT`, `tac`, `TCA`, `aTC`, and `CtA`.

Function Description

Complete the isAnagram function in the editor.

isAnagram has the following parameters:

- string a: the first string
- string b: the second string

Returns

- boolean: If a and b are case-insensitive anagrams, return true. Otherwise, return false.

Input Format

The first line contains a string a.

The second line contains a string b.

Constraints

- $1 \leq length(a), length(b) \leq 50$
- Strings a and b consist of English alphabetic characters.
- The comparison should NOT be case sensitive.

Sample Input 0

```
anagram
margana
```

Sample Output 0

```
Anagrams
```

Explanation 0

Character	Frequency: `anagram`	Frequency: `margana`
A or a	3	3
G or g	1	1
N or n	1	1
M or m	1	1
R or r	1	1

The two strings contain all the same letters in the same frequencies, so we print "Anagrams".

Sample Input 1

```
anagramm
marganaa
```

Sample Output 1

Change Theme Language Java 7

```
import java.util.Scanner;⋯

    static int[] countAlphabets(String a) {
        a = a.toLowerCase();
        int a_index = (int) 'a';
        int z_index = (int) 'z';
        int n = z_index - a_index + 1;
        int[] counts = new int[n];
        for (int i = 0; i < n; i++) {
            counts[i] = 0;
        }
        for (int i = 0; i < a.length(); i++) {
            counts[(int)a.charAt(i) - a_index]
        }
        return counts;
    }
```

Line: 4 Col: 1

Upload Code as File

Run Code

Submit Code

Test against custom input