


zip, combineLatest, forkJoin



The image shows a code editor with a TypeScript file named `zip-operator.component.ts`. The code defines an Angular component `ZipOperatorComponent` that uses the `zip` operator to combine three observables. The first observable emits numbers 1 through 4, the second emits letters 'a' through 'd', and the third emits numbers 100 through 400. The `zip` operator combines these into an array of three elements, which is then logged to the console.

```
4 @Component({
5   selector: 'app-zip-operator',
6   templateUrl: './zip-operator.component.html',
7   styleUrls: ['./zip-operator.component.css'],
8 })
9 export class ZipOperatorComponent implements OnInit {
10  constructor() {}
11
12  ngOnInit(): void {
13    let source1$ = of(1, 2, 3, 4);
14    let source2$ = of('a', 'b', 'c', 'd');
15    let source3$ = of(100, 200, 300, 400);
16
17    zip(source1$, source2$, source3$).subscribe((data) => {
18      console.log(data);
19    });
20  }
21 }
22
```

The console output shows the following messages:

- Angular is running in development mode. Call `enableProdMode()` to enable production mode.
- ▶ (3) [1, "a", 100]
- ▶ (3) [2, "b", 200]
- ▶ (3) [3, "c", 300]
- ▶ (3) [4, "d", 400]
- [WDS] Live Reloading enabled.

zip, combineLatest, forkJoin

```
//  
// .subscribe(console.log);  
  
let ob1$ = timer(2000, 3000);  
let ob2$ = timer(5000, 4000);  
  
combineLatest(ob1$, ob2$).subscribe(  
  ([one, two]) => console.log(`one is ${one} and two is ${two}`)  
);  
}
```

⚠ [WARNING] Using default timeseries implementation
[WDS] Live Reloading enabled.

one is 0	and two is 0
one is 1	and two is 0
one is 2	and two is 0
one is 2	and two is 1
one is 3	and two is 1
one is 3	and two is 2
one is 4	and two is 2
one is 5	and two is 2
one is 5	and two is 3
one is 6	and two is 3
one is 6	and two is 4
one is 7	and two is 4
one is 7	and two is 5



zip, combineLatest, forkJoin

```
src > app > pages > fork-join-operator > fork-join-operator.component.ts > ForkJoinOperatorComponent > ngOnInit  
1 import { Component, OnInit } from '@angular/core';  
2 import { forkJoin, of } from 'rxjs'; 14.2K (gzipped: 4.9K)  
3  
4 @Component({  
5   selector: 'app-fork-join-operator',  
6   templateUrl: './fork-join-operator.component.html',  
7   styleUrls: ['./fork-join-operator.component.css'],  
8 })  
9 export class ForkJoinOperatorComponent implements OnInit {  
10   constructor() {}  
11  
12   ngOnInit(): void {  
13     let source1$ = of(1, 2, 3, 4);  
14     let source2$ = of('a', 'b');  
15  
16     forkJoin([source1$, source2$]).subscribe((data) => {  
17       console.log(data);  
18     });  
19   }  
20 }
```

```
⏮ ⏪ ⏩ ⏭ top 🔍 Filter  
Angular is running in development mode. Call en  
[WDS] Live Reloading enabled.  
▶ (2) [4, "b"]  
>
```