

# SQL\_Output\_Screenshots

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```
1 SELECT *
2 FROM sales_data_sample
3 LIMIT 10;
```

ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	PRODUCTCODE	CUSTOMERNAME	PHONE
10107	30	95.7	2	2871	2/24/2003 0:00	Shipped	1	2	2003	Motorcycles	95	S10_1678	Land of Toys Inc.	2125557818
10121	34	81.35	5	2765.8	5/7/2003 0:00	Shipped	2	5	2003	Motorcycles	95	S10_1678	Reims Collectables	26.47.1555
10134	41	94.74	2	3884.34	7/1/2003 0:00	Shipped	3	7	2003	Motorcycles	95	S10_1678	Lyon Souveniers	+33 1 46 62 7555
10145	45	83.26	6	3746.7	8/25/2003 0:00	Shipped	3	8	2003	Motorcycles	95	S10_1678	Toys4GrownUps.com	6265557265
10159	49	100.0	14	5205.27	10/10/2003 0:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Corporate Gift Ideas Co.	6505551386
10168	36	96.66	1	3479.76	10/28/2003 0:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Technics Stores Inc.	6505556609
10180	29	86.13	9	2497.77	11/11/2003 0:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Daedalus Designs Imports	20.16.1555
10188	48	100.0	1	5512.32	11/18/2003 0:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Herkku Gifts	+47 2267 3215
10201	22	98.57	2	2168.54	12/1/2003 0:00	Shipped	4	12	2003	Motorcycles	95	S10_1678	Mini Wheels Co.	6505555787
10211	41	100.0	14	4708.44	1/15/2004 0:00	Shipped	1	1	2004	Motorcycles	95	S10_1678	Auto Canal Petit	(1) 47.55.6555

```
Execution finished without errors.
Result: 10 rows returned in 7ms
At line 1:
SELECT *
FROM sales_data_sample
LIMIT 10;
```

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```
1 SELECT *
2 FROM sales_data_sample
3 LIMIT 10;
4
5 SELECT ORDERNUMBER, SALES, CUSTOMERNAME
6 FROM sales_data_sample
7 ORDER BY SALES DESC
8
9
```

ORDERNUMBER	SALES	CUSTOMERNAME
10407	14082.8	The Sharp Gifts Warehouse
10322	12536.5	Online Diecast Creations Co.
10424	12001	Euro Shopping Channel
10412	11887.8	Euro Shopping Channel
10403	11886.6	UK Collectables, Ltd.

```
Execution finished without errors.
Result: 5 rows returned in 6ms
At line 1:
SELECT ORDERNUMBER, SALES, CUSTOMERNAME
FROM sales_data_sample
ORDER BY SALES DESC
```

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```
1
2
3 LIMIT 10;
4
5 SELECT ORDERNUMBER, SALES, CUSTOMERNAME
6 FROM sales_data_sample
7 ORDER BY SALES DESC
8
9
10
11
12 WHERE SALES > (SELECT AVG(SALES) FROM sales_data_sample)
13 ORDER BY SALES DESC;
```

ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	PRODUCTCODE	CUSTOMERNAME
10407	76	100.0	2	14082.8	4/22/2005 0:00	On Hold	2	4	2005	Vintage Cars	170	S10_1749	The Sharp Gifts Warehouse
10322	50	100.0	6	12536.5	11/4/2004 0:00	Shipped	4	11	2004	Vintage Cars	127	S10_2325	Online Diecast Creations Co.
10424	50	100.0	6	12001	5/31/2005 0:00	In Process	2	5	2005	Classic Cars	214	S10_1949	Euro Shopping Channel
10412	60	100.0	9	11887.8	5/3/2005 0:00	Shipped	2	5	2005	Classic Cars	169	S10_3232	Euro Shopping Channel
10403	66	100.0	9	11886.6	4/6/2005 0:00	Shipped	2	4	2005	Motorcycles	193	S10_4698	UK Collectables, Ltd.
10405	76	100.0	3	11739.7	4/14/2005 0:00	Shipped	2	4	2005	Classic Cars	140	S10_3856	Mini Caravy
10312	48	100.0	3	11623.7	10/21/2004 0:00	Shipped	4	10	2004	Classic Cars	214	S10_1949	Mini Gifts Distributors Ltd.
10333	46	100.0	2	11336.7	11/18/2004 0:00	Shipped	4	11	2004	Vintage Cars	99	S10_3320	Mini Wheels Co.
10127	46	100.0	2	11279.2	6/3/2003 0:00	Shipped	2	6	2003	Classic Cars	207	S12_1108	Muscle Machine Inc
10150	45	100.0	8	10993.5	9/19/2003 0:00	Shipped	3	9	2003	Classic Cars	214	S10_1949	Dragon Souveniers, Ltd.

```
Execution finished without errors.
Result: 1168 rows returned in 1ms
At line 10:
SELECT *
FROM sales_data_sample
WHERE SALES > (SELECT AVG(SALES) FROM sales_data_sample)
```

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```

8 LIMIT 5;
9
10 SELECT *
11 FROM sales_data_sample
12 WHERE SALES > (SELECT AVG(SALES) FROM sales_data_sample)
13 ORDER BY SALES DESC;
14
15 SELECT PRODUCTLINE, SUM(SALES) AS TotalSales, AVG(SALES) AS AvgSales
16 FROM sales_data_sample
17 GROUP BY PRODUCTLINE
18 ORDER BY TotalSales DESC;
19

```

PRODUCTLINE	TotalSales	AvgSales
1 Classic Cars	3919615.66	4053.37710444674
2 Vintage Cars	1903150.84	3135.33911037891
3 Motorcycles	1166388.34	3523.8318429003
4 Trucks and Buses	1127789.84	3746.81009966777
5 Planes	975003.57	3186.28617647059
6 Ships	714437.13	3053.15012820513
7 Trains	226243.47	2938.22688311688

Execution finished without errors.  
Result: 7 rows returned in 10ms  
At line 10:  
SELECT PRODUCTLINE, SUM(SALES) AS TotalSales, AVG(SALES) AS AvgSales  
FROM sales\_data\_sample  
GROUP BY PRODUCTLINE

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```

14
15 SELECT PRODUCTLINE, SUM(SALES) AS TotalSales, AVG(SALES) AS AvgSales
16 FROM sales_data_sample
17 GROUP BY PRODUCTLINE
18 ORDER BY TotalSales DESC;
19
20 SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL, c.COUNTRY
21 FROM sales_data_sample s
22 INNER JOIN customers c
23 ON s.CUSTOMERNAME = c.CUSTOMERNAME
24
25 LIMIT 10;

```

ORDERNUMBER	SALES	CUSTOMERNAME	EMAIL	COUNTRY
1 10107	2871	Land of Toys Inc.	landtoys@example.com	USA
2 10121	2765.9	Reims Collectables	reims@example.com	France
3 10134	3884.34	Lyon Souveniers	lyon@example.com	France
4 10145	3746.7	Toys4GrownUps.com	grownups@example.com	USA
5 10159	5205.27	Corporate Gift Ideas Co.	corpgift@example.com	UK
6 10168	3479.76	Technics Stores Inc.	technics@example.com	USA
7 10180	2497.77	Daedalus Designs Imports	daedalus@example.com	USA
8 10188	5512.32	Herkku Gifts	herkku@example.com	Finland
9 10201	2168.54	Mini Wheels Co.	miniwheels@example.com	USA
10 10211	4708.44	Auto Canal Petit	autocanal@example.com	France

Execution finished without errors.  
Result: 10 rows returned in 4ms  
At line 20:  
SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL, c.COUNTRY  
FROM sales\_data\_sample s  
INNER JOIN customers c

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

```

20
21 SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL, c.COUNTRY
22 FROM sales_data_sample s
23 INNER JOIN customers c
24 ON s.CUSTOMERNAME = c.CUSTOMERNAME
25
26 SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL
27 FROM sales_data_sample s
28 LEFT JOIN customers c
29 ON s.CUSTOMERNAME = c.CUSTOMERNAME
30
31 LIMIT 10;

```

ORDERNUMBER	SALES	CUSTOMERNAME	EMAIL
1 10107	2871	Land of Toys Inc.	landtoys@example.com
2 10121	2765.9	Reims Collectables	reims@example.com
3 10134	3884.34	Lyon Souveniers	lyon@example.com
4 10145	3746.7	Toys4GrownUps.com	grownups@example.com
5 10159	5205.27	Corporate Gift Ideas Co.	corpgift@example.com
6 10168	3479.76	Technics Stores Inc.	technics@example.com
7 10180	2497.77	Daedalus Designs Imports	daedalus@example.com
8 10188	5512.32	Herkku Gifts	herkku@example.com
9 10201	2168.54	Mini Wheels Co.	miniwheels@example.com
10 10211	4708.44	Auto Canal Petit	autocanal@example.com

Execution finished without errors.  
Result: 10 rows returned in 5ms  
At line 20:  
SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL  
FROM sales\_data\_sample s  
LEFT JOIN customers c

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragmas Execute SQL

SQL 1\*

```

24 LIMIT 10;
25
26 SELECT s.ORDERNUMBER, s.SALES, c.CUSTOMERNAME, c.EMAIL
27 FROM sales_data_sample s
28 LEFT JOIN Customer c
29 ON s.CUSTOMERNAME = c.CUSTOMERNAME
30 LIMIT 10;
31
32 SELECT ORDERNUMBER, SALES
33 FROM sales_data_sample
34 WHERE SALES > (SELECT AVG(SALES) FROM sales_data_sample);
35

```

	ORDERNUMBER	SALES
1	10134	3884.34
2	10145	3746.7
3	10159	5205.27
4	10188	5512.32
5	10211	4708.44
6	10223	3965.66
7	10263	3676.76
8	10275	4177.35
9	10285	4099.68
10	10309	4394.38
11	10318	4358.04

Execution finished without errors.  
Result: 1168 rows returned in 9ms  
At line 32:  
SELECT ORDERNUMBER, SALES  
FROM sales\_data\_sample  
WHERE SALES > (SELECT AVG(SALES) FROM sales\_data\_sample);

UTF-8

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragmas Execute SQL

SQL 1\*

```

29 ON s.CUSTOMERNAME = c.CUSTOMERNAME
30 LIMIT 10;
31
32 SELECT ORDERNUMBER, SALES
33 FROM sales_data_sample
34 WHERE SALES > (SELECT AVG(SALES) FROM sales_data_sample);
35
36 SELECT CUSTOMERNAME
37 FROM sales_data_sample
38 GROUP BY CUSTOMERNAME
39 HAVING SUM(SALES) > 50000;
40

```

CUSTOMERNAME
1 AV Stores, Co.
2 Alpha Cognac
3 Amica Models & Co.
4 Anna's Decorations, Ltd
5 Australian Collectables, Ltd
6 Australian Collectors, Co.
7 Australian Gift Network, Co
8 Auto Assoc. & Cie.
9 Auto Canal Petit
10 Baane Mini Imports
11 Blauer See Auto, Co.

Execution finished without errors.  
Result: 81 rows returned in 8ms  
At line 36:  
SELECT CUSTOMERNAME  
FROM sales\_data\_sample  
GROUP BY CUSTOMERNAME

UTF-8

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragmas Execute SQL

SQL 1\*

```

37 FROM sales_data_sample
38 GROUP BY CUSTOMERNAME
39 HAVING SUM(SALES) > 50000;
40
41
42 DROP INDEX IF EXISTS idx_sales;
43 DROP INDEX IF EXISTS idx_customername;
44
45 CREATE INDEX idx_sales ON sales_data_sample(SALES);
46 CREATE INDEX idx_customername ON sales_data_sample(CUSTOMERNAME);
47 PRAGMA index_list('sales_data_sample');
48

```

seq	name	unique	origin	partial
1 0	idx_customername	0	c	0
2 1	idx_sales	0	c	0

Execution finished without errors.  
Result: 2 rows returned in 6ms  
At line 47:  
PRAGMA index\_list('sales\_data\_sample');

UTF-8

DB Browser for SQLite - C:\Users\AAFALKAZI\OneDrive\Documents\task3\task3.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragmas Execute SQL

SQL 1\*

```
45 CREATE INDEX idx_sales ON sales_data_sample(SALES);
46 CREATE INDEX idx_customername ON sales_data_sample(CUSTOMERNAME);
47 PRAGMA index_list('sales_data_sample');
48
49 DROP VIEW IF EXISTS HighValueOrders;
50
51 CREATE VIEW HighValueOrders AS
52 SELECT ORDERNUMBER, SALES, CUSTOMERNAME
53 FROM sales_data_sample
54 WHERE SALES > 10000;
55 SELECT * FROM HighValueOrders;
56
```

	ORDERNUMBER	SALES	CUSTOMERNAME
1	10375	10039.6	La Rochelle Gifts
2	10388	10066.6	FunGiftIdeas.com
3	10304	10172.7	Auto Assoc. & Cie.
4	10406	10468.9	Danish Wholesale Imports
5	10247	10606.2	Suminen Souveniers
6	10339	10758	Tokyo Collectables, Ltd
7	10150	10993.5	Dragon Souveniers, Ltd.
8	10127	11279.2	Muscle Machine Inc
9	10333	11336.7	Mini Wheels Co.
10	10312	11623.7	Mini Gifts Distributors Ltd.
11	10405	11739.7	Mini Caravy

Execution finished without errors.  
Result: 16 rows returned in 10ms  
At line 55:  
SELECT \* FROM HighValueOrders;

UTF-8