

	Problem statement	
1	Write a C program where you will use two structures : Student and Teacher. A Student structure will have the members roll and marks. A Teacher structure will have the members id,name and studentList (array of structures of size 5); Create two teacher structures. Then insert the information about the teachers (id, name , studentInfo). Then insert the information about the students who are under those teachers (use for loop). Finally print the values of members of the two teacher structures. Sample Input: Enter teacher 1' name:Jack Enter teacher 1's id:100 Enter teacher 1's student info : 1 10 2 20 3 30 4 40 5 50 Enter teacher 2' name: Julia Enter teacher 2's id:200 Enter teacher 2's student info : 100 11 200 21 300 31 400 41 500 51 Sample Output: Teacher id: 100 Teacher name: Jack The students of John are (roll and marks): (1,10) (2,20) (3,30) (4,40) (5,50) ***** Teacher id: 200 Teacher name: Julia The students of Julia are (roll and marks): (100,11) (200,21) (300,31) (400,41) (500,51) *****	
2	Determine which teacher's students have the higher average marks. For the given sample input above, the output will be as follows: The students of the teacher Jack have a total number of 150 and an average number of 30. The students of the teacher Julia have a total number of 155 and an average number of 31. The students of the teacher Julia have the better results.	
3	Prepare a Date Structure, which will have the following members Day Month Year Now write a function that will take two dates and compare them. Use pass by reference. Sample Input : Enter Date 1: Day : 1 Month :1 Year : 1997 Enter Date 2: Day : 1 Month :1 Year : 1999 Sample Output: Date 1 is earlier than Date 2	