

1. Which SQL statement is used to insert a new data in a table?

- ☒ INSERT INTO
- ☐ UPDATE
- ☐ ADD
- ☐ INSERT NEW

2. Which of the following is the statement used to create a trigger?

- ☐ PRODUCE TRIGGER
- ☐ PRODUCE TRIGGERS
- ☒ CREATE TRIGGER
- ☐ CREATE TRIGGERS

3. Select three steps from the followings that you must require to work with a mysql server in PHP;

- ☐ Open a connection to the server
- ☐ Work with databases in the server
- ☐ Close the connect
- ☒ Above all

4. When you need to assign new privileges to a user for group of users?

- ☐ Revoke command
- ☒ Grant command
- ☐ Connect command
- ☐ Assign command

5. Choose the correct answer to limit returned query results to first three rows

- ☐ SELECT name, price FROM product ORDER BY name ASC MIN 3;
- ☐ SELECT name, price FROM product ORDER BY name ASC LIMIT 3,10;
- ☒ SELECT name, price FROM product ORDER BY name ASC LIMIT 3;

6. Which of the following statement is true about View?

- ☐ A View is a task that executes in response to some predetermined event
- ☐ A set of SQL statement stored in the database and executed by calling an assigned name
- ☒ A View consists of a set of rows that is returned if a particular query is executed

7. Which commend/function is used to list database names:

- ☒ Show databases
- ☐ List databases
- ☐ Mysql_list_dbs()
- ☐ Mysql_show_dbs()

8. Which one of the following is correct about fetch_array()?

- ☒ Its returns a single row value from a result set
- ☐ Its returns all row values from a result set as associative array

- Its store a single row value from a result set

9. What is the purpose of –safe- updates option?

- Update all records
- Ignore update operation
- Prevent accidental mass deletions or modifications

10. Which format display mysql data values?

- yyyy-dd-mm
- dd-mm-yyyy
- mm-dd-yyyy
- yyyy-mm-dd

11. Share.notes not support which of the following OOP properties?

- Object Cloning
- Multiple inheritance
- Interface
- Namespace

12. Which command is used to delete an existing stored procedure?

- DROP PROCEDURE procedure_name
- DELETE PROCEDURE procedure_name
- STOP PROCEDURE "procedure_name"
- ALTER FUNCTION procedure_name

13. Which of the following is the correct SQL statement for creating a view?

- Make A VIEW trainee_info_view AS
SELECT first_name,last_name,email,phone
FROM trainee_info ORDER BY last_name ASC;
- CREATE trainee_info_view from
SELECT first_name,last_name,email,phone
FROM trainee_info ORDER BY last_name ASC;
- CREATE VIEW trainee_info_view AS
SELECT first_name,last_name,email,phone
FROM trainee_info ORDER BY last_name ASC;

14. Which of the following statement is true about Transaction?

- A View is a task that executes in response to some predetermined event
- A set of SQL statement stored in the database and executed by calling an assigned name
- Consists of a set of rows that is returned if a particular query is executed
- A transaction is an ordered group of database operations that are treated as a single unit

15. What does SQL stand for?

- ☒ Structured Query Language
- ☐ Strong Question Language
- ☐ Structured Question Language

16. A set of SQL statements stored in the database and executed by calling an assigned name within a query is known as what?

- ☒ stored routine
- ☐ stored procedures
- ☐ stored functions
- ☐ stored tables

17. What are the benefits of Index?

- ☒ Query Optimization
- ☐ Uniqueness
- ☐ Database table search
- ☐ Show the searching

18. Which command is used to end an existing stored procedure?

- ☐ DROP PROCEDURE procedure name
- ☐ DROP PROCEDURE "procedure_name"
- ☒ DROP PROCEDURE procedure_name
- ☐ DROP FUNCTION procedure_name

19. Which function is used to close database connection like to the Mysql Server? Choose correct one -----

- ☒ closer
- ☐ mysqlcloser
- ☐ flush

20. Which of the following is a MySQL default storage engine for windows operating system?

- ☐ ISAM
- ☐ EMORY
- ☒ innnoDB
- ☐ BLACKHOLE

21. You use the ____ clause to list data in a specific order.

- ☐ GROUP BY
- ☐ SORT BY
- ☒ ORDER BY
- ☐ HAVING

22. Which option is used to log all results of mysql into a text file?

- ☒ \T
- ☐ \t

- \L
- \G

23. Which of the following command is used to show the current configuration of Mysql Server?

- mysql>DESCRIBE VARIABLES;
- mysql>STRUCT VARIABLES;
- mysql>SHOW VARIABLES;
- sql>EXECUTE VARIABLES;

24. Which of the following feature is called MySQL one of the greatest speed enhancements?

- Security
- Replication
- Query Caching
- Indexing

25. Which of the following clause will prevent any subsequent view update from changing any value in the column?

- UNDEFINED
- WITH CHECK OPTION
- HAVING
- NONE

26. Which SQL statement is used to delete data from a database?

- REMOVE
- DELETE
- COLLAPSE

27. What SQL clause is used to restrict the rows returned by query?

- AND
- WHERE
- HAVING
- FROM

28. How Do I Convert ISAM Tables to MyISAM Tables?

- MODIFY TABLE table_name TYPE=MYISAM;
- ADD TABLE table_name TYPE=MYISAM;
- ALTER TABLE table_name TYPE=MYISAM;

29. What do you mean by Sanitizing input?

- How to perform file system.
- How to interact with data files.
- How to prevent users from passing data that may cause harm to data.
- None

30. Which SQL statement is used to extract data from a database?

- ☐ OPEN
- ☐ EXTRACT
- ☒ SELECT
- ☐ GET

31. Which one will delete the table data as well as table structure?

- ☐ TRUNCATE
- ☒ DROP

32. Which are arguments accepted by mysql_connect() function? Select from the followings-----

- ☐ Hostname
- ☐ Userpassword
- ☐ Username
- ☒ All of the above

33. How to view all tables in mysql?

- ☐ View tables
- ☒ Show tables
- ☐ Select tables
- ☐ Alter tables

34. Which of the following statement would be used if you want to show the structure of Product table that in your inventory

- ☐ DISTINCT Product
- ☒ DESCRIBE Product
- ☐ STRUCTURE Product
- ☐ None of the above

35. Which of the following methods retrieves the total number of rows affected by an insert, update or delete?

- ☐ num_rows()
- ☐ affected_rows()
- ☒ both a & b

36. To export data from mysql server which utilities are used?

- ☒ mysqldump
- ☐ mysqlshow
- ☐ mysqlhotcopy
- ☐ A & C

37. To view table structure which statement is used?

- ☐ Show
- ☐ view
- ☒ describe
- ☐ alter

38. Which file is responsible for configuring MYSQL on windows platform?

- ☐ php.ini
- ☐ mysql.ini
- ☒ my.ini
- ☐ my.cnf

39. With SQL, how do you select all the columns from a table named "Person"?

- ☐ SELECT *. Persons
- ☐ SELECT Persons
- ☐ SELECT [all] FROM Persons
- ☒ SELECT *FROM Persons

40. Select the all the correct code statements from the following:

- ☒ CREATE TABLE product (
rowID SMALLINT NOT NULL AUTO_INCREMENT PRIMARY KEY,
sku CHAR(8) NOT NULL,
name VARCHAR(35) NOT NULL,
price DECIMAL(6,2)
)ENGINE=MyISAM;
- ☐ CREATE TABLE product (
rowID SMALLINT NOT NULL AUTO_INCREMENT PRIMARY KEY,
sku CHAR(8) NOT NULL,
name VARCHAR(35) NOT NULL,
price DECIMAL(6,2)
)
- ☐ CREATE TABLE product (
rowID SMALLINT NOT NULL AUTO_INCREMENT PRIMARY KEY,
sku CHAR(8) NOT NULL,
name VARCHAR(35) NOT NULL,
price DECIMAL(6,2)
)ENGINE=InnoDB;
- ☐ All of the above

41. Which is the no data type attribute?

- ☐ auto-increment
- ☐ binary
- ☐ index

- ☐ string

42. How to delete database?

- ☐ create database name
- ☒ drop database name
- ☐ delete database name
- ☐ alter database name

43. Which of the following statement is used to process the rows in a cursor?

- ☐ READ
- ☐ GET
- ☒ FETCH
- ☐ None

44. Evaluate the following statement:-

Mysql-GRANT ALL PRIVLEGES ON mydatabase.*

TO runUser@localhost IDENTIFIED BY;

- ☐ runUser has access privileges on every database under the server
- ☒ runUser has access privileges on all available tables under mydatabase
- ☐ The statement is not work
- ☐ runUser does not required any password to login into the database server

45. Which of the following method can be used to apply definid style sheets onto all the matched elements in Query?

- ☐ text():
- ☐ \$("div")
- ☒ addClass(classes)
- ☐ filter(selector)

46. Which command is used to remove existing tables or database?

- ☐ DELETE
- ☐ Either DROP TABLE or DELETE
- ☐ DROP TABLE
- ☒ None of the mentioned

47. Which of the following commands should be given to connect as the anonymous user of a MySQL server running on the localhost

- ☐ mysql u anon
- ☐ mysql u anonymous
- ☐ mysql -u
- ☒ mysql

48. Which of the following statement is used to change the table name?

- ☒ CHANGE
- ☐ CHANGENAME

- CHANGENM
- RENAME

49. Which of the following method is used to the inside of every matched element.

- **append (content)**
- after (content)
- insert After (selector)
- None

50. Which of the following method can be used to filter out all elements from the set of mached elements?

- filter_out()
- **filter(selector)**
- add()
- select()

51. Triggers are also referred to as database?

- Function
- **Event**
- Procedure
- Datatype

52. MySQL is a relation database server?

- **True**
- False

53. Which of the following method can be used to apply multiple CSS properties using a single JQuery method?

- JQuery()()
- map()
- **CSS()**

54. Which of the following SQL statement does not support triggers?

- Update
- insert
- **views**
- delete

55. Which of the following method can be used to locate all the descendent elements of a particular type of elements?

- **Find(selector)**
- Filter(selector)

56. Which of the following JQuery function is used to set the plain text contents off all matched element

- ☐ \$(selector).add(val)
- ☒ \$(selector).text(val)
- ☐ \$(selector).html(val)
- ☐ \$(selector).wrap(val)

57. If you want to validating or modifying data which type of trigger you will use

- ☒ before trigger
- ☐ after trigger
- ☐ both a & b

58. What of the following statement is correct for deleting a table?

- ☒ DROP TABLE tablename;
- ☐ DELETE TABLE tablename;
- ☐ DROP DATABASE IF EXISTS databasename;
- ☐ DELETE DATABASE IF EXISTS databasename;

59. Which of the following JQuery utility function parses the returned JSON string?

- ☐ getScript()
- ☒ getJSON()
- ☐ get()
- ☐ None

60. Which SQL statement is used to update data in a database?

- ☐ MODIFY
- ☐ SAVE
- ☐ SAVE AS
- ☒ UPDATE

61. Why we can use LIKE commands?

- ☐ To conjunction data
- ☐ To looking data
- ☒ Matching data
- ☐ To connect data

62. Which of the following method can be used to replace

- ☐ replace()
- ☐ change()
- ☒ replaceWith(content)

63. Identify the correct one from the following where locational dep_name are columns

- ☐ SELECT from department cols location,dep_name;
- ☐ SELECT from department location,dep_name;
- ☒ SELECT location,dep_name from department;
- ☐ None of the above

64. Which of the following method can be used to warp the inner child contents of each matched DOM hole aita html hole (b) no.

- ☒ wrapInner (elem)
- ☐ wrapAll (html)
- ☐ wrapInner (html)
- ☐ wrap (html)

65. Which SQL statement is used to extract data from a database?

- ☐ OPEN
- ☐ EXTRACT
- ☒ SELECT
- ☐ GET

66. Which of the following method can be used to get the current offset of the first matched element

- ☒ offset()
- ☐ offsetParent()
- ☐ position()
- ☐ outerHeight([margin])

67. If there is a database named mydatabase under mysql database server then which command is used to select the database method current use?

- ☐ select mydatabase
- ☐ current mydatabase
- ☒ use mydatabase
- ☐ all of the above

68. All type of selectors available in JQuery, always start with-

- ☐ @
- ☐ &
- ☐ !
- ☒ \$

69. How can we get a set of elements containing the unique next siblings?

- ☐ find(selector)
- ☒ nextAll([selector])
- ☐ children([selector])

- next([selector])

70. Which method removes all matched elements from the DOM?

- empty()
- **remove()**
- remove(expr)
- removeAll([selector])

71. Which event type occurs when a mouse click?

- dbclick
- keypress
- keydown
- **click**

72. For connecting to database user name must be

- Case insensitive
- **Case sensitive**
- Case insensitive & Case sensitive
- None

73. Which of the following method can be used to remove all child nodes from the set of matched elements?

- delete()
- remove()
- **empty()**
- append()

74. What are the benefits of Index? (choose two)

- Query Optimization
- Uniqueness
- Database table search
- Slow the searching
- **Above a,b**

75. Which JQuery method is used to hide selected elements?

- hidden()
- **hide()**
- visible(false)
- display(none)

76. Which JQuery function is used to prevent code from running, before the document is finished loading?

- \$(document).load()
- **\$(document).ready()**
- \$(body).onload()

77.To export data from mysql server which utilities are used?

- ☒ mysqldump
- ☐ mysqlshow
- ☐ mysqlhotcopy
- ☐ All
- ☐ A & C

78.Which of the following method gets the html contents (innerHTML) of the first matched element in JQuery?

- ☐ text(val)
- ☒ html()
- ☐ replaceWith(content)
- ☐ JQuery()

79.Which of the following SQL statement does not support triggers?

- ☐ Update
- ☐ Insert
- ☒ Views
- ☐ Delete

80.Which is jquery?

- ☐ JavaScript Language
- ☐ JavaScript Method
- ☐ PHP Method
- ☒ JavaScript Library

81.What is the purpose of using.bind() method in JQuery?

- ☐ to filter out all elements from the set of matched elements
- ☒ to attach standard JavaScript events to elements
- ☐ reduce the set of matched elements to a single element
- ☐ to apply any CSS property using JQuery method

82.Which of the following selector is used to select only form elements?

- ☐ \$("input")
- ☒ \$("input[type=*]")
- ☐ \$("input[type*=]")
- ☐ \$("input[type]")

83.Which method is specifically for loading scripts only?

- ☐ \$.script()
- ☒ \$.getScript()
- ☐ \$.postScript()
- ☐ None

84.How to set the administrator password?

- ☐ SET ROOT PASSWORD FOR root@localhost=PASSWORD('tiger');
- ☒ SET PASSWORD FOR root@localhost=PASSWORD('tiger');
- ☐ SET ROOT PASSWORD FOR Admininstrator@localhost=PASSWORD('tiger');
- ☐ SET ADMINISTRATOR FOR root@localhost=PASSWORD('tiger');

85. The database administrator uses the ____ command to revoke privileges from users

- ☒ REVOKE
- ☐ GRANT
- ☐ COMMIT
- ☐ ROLLBACK

86.Which event type is occurs when the elements loses focus?

- ☒ Blur
- ☐ Focus
- ☐ Load
- ☐ Change

87.Which of the following method can be used to either fetch or set the value of an attribute from the first elements

- ☐ val()
- ☐ text(val)
- ☒ attr()
- ☐ html()

88.Which of the following method can be used to remove event handlers?

- ☐ delete()
- ☐ remove()
- ☐ empty()
- ☐ die()

89.How can we bind multiple event?

- ☒ bind()
- ☐ param()
- ☐ getbind()
- ☐ bindparam()

90.Which of the following rules always start with JQuery?

- ☐ parentheses
- ☐ equal
- ☒ dollar sign and parentheses
- ☐ plus

91.Which of the following selector selects all checked boxes in the form?

- ☐ \$("checked")
- ☒ \$("":checked")
- ☐ \$("input[checked]")
- ☐ \$("input[checked=checked]")

92.Which of the following method can be used to apply multiplie CSS properties using a single JQuery method?

- ☐ JQuery()
- ☐ Map()
- ☒ CSS()

93.How can we validate an E-mail & web sites address?

- ☐ Number
- ☐ Validation
- ☒ REGULAR Expression
- ☐ None

94.Which of the following is the default MySQL communicates port?

- ☐ pot TCP/IP
- ☐ port 4.01
- ☒ port 3306
- ☐ port16

95.We can remove event handler using?

- ☐ die()
- ☐ remove()
- ☐ close()
- ☐ end()
- ☒ off() , unbind()

96.Which of the following function turns all the elements into a JavaScript object.

- ☐ serializeArray()
- ☐ post()
- ☐ get()
- ☐ serialize()

97.Which of the following method is used to load any static or dynamic data using JQuery AJAX?

- ☐ .ready()
- ☐ load()
- ☐ add()
- ☐ select()

98. Which method remove all child nodes from the set of matched elements

- ☐ p
- ☐ ul
- ☐ empty()
- ☐ all of the above