```
-- MySQL dump 10.13 Distrib 8.0.16, for Win64 (x86 64)
-- Host: localhost Database: praxxys
__ ______
-- Server version 8.0.16
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
SET NAMES utf8 ;
/*!40103 SET @OLD TIME ZONE=@@TIME_ZONE */;
/*!40103 SET TIME ZONE='+00:00' */;
/*!40014 SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS,
FOREIGN KEY CHECKS=0 */;
/*!40101 SET @OLD SQL MODE=@@SQL MODE, SQL MODE='NO AUTO VALUE ON ZERO'
/*!40111 SET @OLD SQL NOTES=@@SQL NOTES, SQL NOTES=0 */;
-- Table structure for table `migrations`
DROP TABLE IF EXISTS `migrations`;
/*!40101 SET @saved cs client = @@character set client */;
SET character set client = utf8mb4 ;
CREATE TABLE `migrations` (
  `id` int(10) unsigned NOT NULL AUTO INCREMENT,
  `migration` varchar(191) CHARACTER SET utf8mb4 COLLATE
utf8mb4 unicode ci NOT NULL,
 `batch` int(11) NOT NULL,
 PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO INCREMENT=4 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4 unicode ci;
/*!40101 SET character set client = @saved_cs_client */;
-- Dumping data for table `migrations`
LOCK TABLES `migrations` WRITE;
/*!40000 ALTER TABLE `migrations` DISABLE KEYS */;
INSERT INTO `migrations` VALUES
(1,'2014 10 12 000000 create users table',1),(2,'2014 10 12 100000 create
password resets table',1), (3,'2019 07 19 021132 create posts table',1);
/*!40000 ALTER TABLE `migrations` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `password resets`
DROP TABLE IF EXISTS `password resets`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
```

```
SET character set client = utf8mb4 ;
CREATE TABLE `password resets` (
  `email` varchar(191) CHARACTER SET utf8mb4 COLLATE utf8mb4 unicode ci
NOT NULL,
  `token` varchar(191) CHARACTER SET utf8mb4 COLLATE utf8mb4 unicode ci
NOT NULL,
  `created at` timestamp NULL DEFAULT NULL,
  KEY `password resets email index` (`email`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 unicode ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `password resets`
LOCK TABLES `password resets` WRITE;
/*!40000 ALTER TABLE `password_resets` DISABLE KEYS */;
/*!40000 ALTER TABLE `password_resets` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `posts`
DROP TABLE IF EXISTS `posts`;
                                = @@character set_client */;
/*!40101 SET @saved cs client
SET character set client = utf8mb4 ;
CREATE TABLE `posts` (
  'id' bigint (20) unsigned NOT NULL AUTO INCREMENT,
  `body` mediumtext CHARACTER SET utf8mb4 COLLATE utf8mb4 unicode ci NOT
  `posted by` int(11) NOT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated at` timestamp NULL DEFAULT NULL,
  `attachedImage` varchar(191) CHARACTER SET utf8mb4 COLLATE
utf8mb4 unicode ci DEFAULT NULL,
 PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO INCREMENT=7 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4 unicode ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `posts`
LOCK TABLES `posts` WRITE;
/*!40000 ALTER TABLE `posts` DISABLE KEYS */;
INSERT INTO `posts` VALUES (5, 'Hahahaha', 1, '2019-07-21 02:37:57', '2019-
07-21 02:37:57', NULL), (6, 'Hahahaha din',2, '2019-07-21 02:38:22', '2019-07-
21 02:38:22', NULL);
/*!40000 ALTER TABLE `posts` ENABLE KEYS */;
UNLOCK TABLES;
```

--

```
-- Table structure for table `users`
DROP TABLE IF EXISTS `users`;
/*!40101 SET @saved cs client = @@character set client */;
 SET character set client = utf8mb4 ;
CREATE TABLE `users` (
  'id' bigint (20) unsigned NOT NULL AUTO INCREMENT,
  `name` varchar(191) CHARACTER SET utf8mb4 COLLATE utf8mb4 unicode ci
NOT NULL,
  `email` varchar(191) CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci
NOT NULL,
   email verified at `timestamp NULL DEFAULT NULL,
  password` varchar(191) CHARACTER SET utf8mb4 COLLATE
utf8mb4 unicode ci NOT NULL,
  `remember token` varchar(100) CHARACTER SET utf8mb4 COLLATE
utf8mb4 unicode ci DEFAULT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated at` timestamp NULL DEFAULT NULL,
  `image` varchar(191) CHARACTER SET utf8mb4 COLLATE utf8mb4 unicode ci
DEFAULT NULL,
 PRIMARY KEY ('id'),
 UNIQUE KEY `users email unique` (`email`)
) ENGINE=InnoDB AUTO INCREMENT=3 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4 unicode ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `users`
LOCK TABLES `users` WRITE;
/*!40000 ALTER TABLE `users` DISABLE KEYS */;
INSERT INTO `users` VALUES (1,'Mark
Chester', 'markchester.dequiroz@gmail.com', NULL, '$2y$10$sZP7WrxEY8JvIAoqOq
Pmhux77blQHCGRMKSn.q0JIcYD5Z/RRwv42','rav1j02gg9wngq7FgydBuYqacFTofy3TnIJ
9YS35Hb7Yd9YQ6ARLp1cQw1Df','2019-07-21 02:34:04','2019-07-21
02:34:48', 'P1060958
(1) 15637052881.png'),(2,'SigmaGale','sheramariedequiroz@gmail.com',NULL,
'$2y$10$jgkwGiiM/BmENCjSMem39uKaBuyVb7xhN0zcs.qqcCZyUmBfNS1bu','Nc8NfcBaU
oRWKqQtaFWXfAUer94QljPZqyQ4eCW4OjPPHqr2qoMtvpSIPzVh','2019-07-21
02:35:48','2019-07-21 02:35:48',NULL);
/*!40000 ALTER TABLE `users` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN KEY CHECKS=@OLD FOREIGN KEY CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */;
/*!40101 SET CHARACTER SET CLIENT=@OLD CHARACTER SET CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
/*!40111 SET SQL NOTES=@OLD SQL NOTES */;
```

-- Dump completed on 2019-07-21 18:46:44