



PlenumNET TDNS

27-Dimensional Ontological Network Intelligence Report

<https://plenumnet.replit.app/>

Scanned: 2026-03-06, 2:13:06 a.m.
Tier: FREE — sha256-js

WO:2312 WA:1111 WR:3121 WN:2322 WY:1111 HO:2213 PE:331

CRD 3 SHA-256 : 2611273a97da39032cdfbbe68b8ff10c...

51

FAIR
Trust Index

62

GOOD
PFI

60

GOOD
Privacy

50

FAIR
Maturity

42

FAIR
Complexity

SECURITY FINDINGS — CLEAN

Long-Lived Session Cookie

A persistent cookie with expiry beyond 30 days was detected. Long-lived cookies increase cross-session tracking exposure.

D24

27-DIMENSIONAL BREAKDOWN

DIM	AXIS	T	QUESTION	LABEL	MEANING	CONF
D1	WHO	2	What kind of entity?	Corporate	Commercial or business entity operating for profit — registered company or startup.	
D2	WHO	3	Who's the audience?	Everyone	Open to the public internet — reachable by anyone with a URL.	
D3	WHO	1	Who operates it?	Anonymous	Operator identity is anonymous or undisclosed — no verifiable accountability.	
D4	WHO	2	Hosting model?	Provider	Hosted by a third-party provider — shared or dedicated infrastructure.	
D5	WHAT	1	What form factor?	Website	Static website — HTML/CSS content delivery, no dynamic API surface.	
D6	WHAT	1	Content type?	Text / HTML	Text-based content — HTML documents, markdown, or structured data responses.	
D7	WHAT	1	Primary consumer?	Humans	Designed for human users — browser-rendered HTML, UI-first.	
D8	WHAT	1	AI / ML present?	No	No AI or machine learning signals detected — deterministic software only.	
D9	WHERE	3	Visibility?	Public	Fully public — accessible to any internet-connected client without credentials.	
D10	WHERE	1	Authentication required?	None	No authentication required — content is open to anonymous access.	
D11	WHERE	2	Infrastructure scale?	Several	Multiple servers or regional distribution — some redundancy present.	
D12	WHERE	1	Transport protocol?	HTTP	Standard HTTP/HTTPS — request/response model only.	
D13	WHEN	2	Technology era?	2010s	2010s technology stack — some modern headers present, partial adoption.	
D14	WHEN	3	Availability window?	24/7	24/7 continuous operation — high uptime signals, no maintenance indicators.	
D15	WHEN	2	Data freshness?	Current	Current data — regularly refreshed, moderate cache TTL.	
D16	WHEN	2	Real-time capability?	Near-real-time	Near-real-time — low cache TTL or short polling interval detected.	
D17	WHY	1	Financial transactions?	None	No financial transaction signals — informational or content-only service.	
D18	WHY	1	Data collection appetite?	Minimal	Minimal data collection — no tracking scripts, no forms, no collection signals.	
D19	WHY	1	Legal / policy presence?	None	No legal or policy pages detected — no privacy policy, no terms of service.	
D20	WHY	1	Revenue model?	Free	Free service — no payment or subscription signals detected.	
D21	HOW	2	Delivery topology?	Multicast	Relay or proxy — traffic routed through an intermediary layer.	
D22	HOW	2	Data flow direction?	Relay / Proxy	Relay or bidirectional — traffic passes through an intermediary or flows both ways.	

DIM	AXIS	T	QUESTION	LABEL	MEANING	CONF
D23	HOW	1	Update mechanism?	Pull / Poll	Pull model — client must request updates, no server-initiated delivery.	
D24	HOW	3	Session persistence?	Long-lived	Long-lived session — persistent cookie with expiry beyond 30 days detected.	
D25	PEACE	3	Encryption posture?	Hardened TLS	Hardened TLS — HTTPS + full security header suite (HSTS, CSP, XCTO, XFO).	
D26	PEACE	3	Tracker density?	Clean	Clean — no known tracker categories detected in the initial HTTP response.	
D27	PEACE	1	Security audit status?	None	No security audit evidence — no bug bounty, penetration test, or certification.	

SECURITY HEADER AUDIT

	HEADER	VALUE	PURPOSE	DIM
✓	strict-transport-security	max-age=63072000; includeSubDomains, max-age=31536000; includeSubDomains	Forces HTTPS for duration of max-age. Preload = hardcoded in browsers.	D25
✓	content-security-policy	default-src 'self';script-src 'self' 'unsafe-inlin e' 'unsafe-eval';style-sr c 'se...	Prevents XSS by whitelisting script/style sources.	D25,D13
✓	x-content-type-options	nosniff	Prevents MIME-type sniffing. Value must be 'nosniff'.	D25
✗	x-frame-options	—	Blocks clickjacking via iframe embedding.	D25
✗	permissions-policy	—	Controls browser feature access (camera, mic, geolocation).	D13
✗	cross-origin-opener-policy	—	Isolates browsing context — Spectre mitigation.	D13
✗	cross-origin-embedder-policy	—	Required with COOP for SharedArrayBuffer access.	D13
✓	cross-origin-resource-policy	cross-origin	Prevents cross-origin resource reads.	D13
✓	referrer-policy	strict-origin-when-cross-origin	Controls Referer header leakage on navigation.	D18,D26
✗	nel	—	Network Error Logging — modern observability signal.	D13
✗	report-to	—	Reporting API endpoint for CSP, NEL, and COOP violations.	D13
✓	x-powered-by	—	Exposes server framework version — information disclosure risk.	D14

TRACKER & PRIVACY INTELLIGENCE

✓ Analytics

MEDIUM

Not detected in initial HTTP response
GDPR Art. 6(1)(f) — consent required

✓ Social Trackers

HIGH

Not detected in initial HTTP response
GDPR Art. 9 — inferred sensitive attributes via social graph

✓ Advertising

HIGH

Not detected in initial HTTP response
GDPR Art. 22 — automated profiling

Domain Mapping

See Results

Mapping of domains to their parent domains (e.g. www.example.com to example.com)

IP Mapping

See Results

Mapping of domains to their IP addresses (e.g. www.example.com to 192.168.1.1)

PlenumNET — Capomastro Holdings Ltd., Applied Physics Division, Alberta, Canada

Scan Hash (SHA-256 (JS path)): 2611273a97da39032cdfbbe68b8ff10c9a2e61882b49dae141bd1123448feee6

This report is a point-in-time snapshot. For legal or compliance use, request a TSA-attested scan (Phase 4). Patent(s) Pending — All Rights Reserved.

TDNS v2.3.3
Extension v1.0.1
GF(3) · Rep C · BLAKE3