HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>StileGuide</title>
   <link rel="stylesheet" href="stilesheet.css">
  </head>
  <body>
<!--Dette er vores header, som indeholder profilbillede galeri, tilbage knappen og
teksten profil-->
<div class="slideshow-container">
   <div class="mySlides fade">
      <div class="numbertext">1 / 3</div>
      <img class="imgpro" src="billeder/Kimmi.png" alt="profilbillede">
    </div>
   <div class="mySlides fade">
      <div class="numbertext">2 / 3</div>
      <img class="imgpro" src="billeder/kimmio.png" alt="profilbillede">
    </div>
   <div class="mySlides fade">
      <div class="numbertext">3 / 3</div>
      <img class="imgpro" src="billeder/Group 7.png" alt="profilbillede">
   </div>
    <a class="prev" onclick="plusSlides(-1)">&#10094;</a>
    <a class="next" onclick="plusSlides(1)">&#10095;</a>
        <div class="header">
        <div class="knap">
                           <!--LINK TIL TILBAGE-->
        <a class="knap4" href="index.html"><img class="pil" src="billeder/Group"</pre>
4.png" alt="pil"></a>
        <div class="knap3"><h1><b> PROFIL </b></h1></div>
        </div>
        </div>
```

CSS

```
* Det næste lange stykke, er stile af vores profilbilleder galleri */
* {box-sizing: border-box}
.mySlides {display: none}
img {vertical-align: middle;}
/* Rammen omkring vores galleri */
.slideshow-container {
 width: 100%;
  position: relative;
 margin: auto;
  background-color: rgb(241,200,192);
/* pilene frem og tilbage, hvor vi kan skifte billede */
.prev, .next {
 cursor: pointer;
  position: absolute;
  top: 50%;
  width: auto;
  padding: 16px;
  margin-top: -22px;
  color: white;
  font-weight: bold;
  font-size: 18px;
  transition: 0.6s ease;
  border-radius: 0 3px 3px 0;
  user-select: none;
/* Position the "next button" to the right */
.next {
  right: 0;
  border-radius: 3px 0 0 3px;
```

```
/* On hover, add a black background color with a little bit see-through */
.prev:hover, .next:hover {
 background-color: rgba(0,0,0,0.8);
.numbertext {
  color: #f2f2f2;
 font-size: 12px;
  padding: 8px 12px;
  position: absolute;
  top: 0;
/* The dots/bullets/indicators */
.dot {
  cursor: pointer;
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
/* farven skifter */
.active, .dot:hover {
 background-color: #717171;
/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
/* stile og placering af billeder */
.imgpro {
 width: 50%;
  margin-left: 25%;
  padding-top: 100px;
```

```
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}

@keyframes fade {
  from {opacity: .4}
  to {opacity: .1}
}
```

JS

```
// Alt herunder er vores galleri, til profilbilleder:
var slideIndex = 1;
showSlides(slideIndex);
function plusSlides(n) {
  showSlides(slideIndex += n);
function currentSlide(n) {
  showSlides(slideIndex = n);
function showSlides(n) {
  var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");
  if (n > slides.length) {slideIndex = 1}
  if (n < 1) {slideIndex = slides.length}</pre>
  for (i = 0; i < slides.length; i++) {</pre>
      slides[i].style.display = "none";
  for (i = 0; i < dots.length; i++) {</pre>
      dots[i].className = dots[i].className.replace(" active", "");
  slides[slideIndex-1].style.display = "block";
  dots[slideIndex-1].className += " active";
```