

Post

POST

http://localhost:3000/opiskelija

	Key	Value
<input checked="" type="checkbox"/>	etunimi	Matti
<input checked="" type="checkbox"/>	sukunimi	Meikäläinen
<input checked="" type="checkbox"/>	Osoite	Korpelantie 1
<input checked="" type="checkbox"/>	luokkatunnus	tvt23

POST

http://localhost:3000/opintojakso

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	koodi	UPM
<input checked="" type="checkbox"/>	laajuus	5
<input checked="" type="checkbox"/>	nimi	Ultimaattinen Postman Matka

POST

http://localhost:3000/arviointi

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	paivamaara	2024-01-11
<input checked="" type="checkbox"/>	arvosana	4
<input checked="" type="checkbox"/>	idopiskelija	3
<input checked="" type="checkbox"/>	idopintojakso	2
	Key	Value

Put

PUT

http://localhost:3000/arviointi/3

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	paivamaara	2024-01-11
<input checked="" type="checkbox"/>	arvosana	5
<input checked="" type="checkbox"/>	idopiskelija	3
<input checked="" type="checkbox"/>	idopintojakso	2

PUT

http://localhost:3000/opiskelija/3

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	etunimi	Matti
<input checked="" type="checkbox"/>	sukunimi	Sakari
<input checked="" type="checkbox"/>	Osoite	Korpelantie1
<input checked="" type="checkbox"/>	luokkatunnus	tvt23

Get eri vaiheilta

GET http://localhost:3000/opiskelija

```
{
  "idopiskelija": 3,
  "Etunimi": "Matti",
  "Sukunimi": "Sakari",
  "Osoite": null,
  "Luokkatunnus": "tvt23"
}
```

GET http://localhost:3000/arviointi

```
{
  "idArviointi": 3,
  "Paivamaara": "2024-01-10T22:00:00.000Z",
  "Arvosana": 5,
  "idOpiskelija": 3,
  "idOpintojakso": 2
}
```

GET http://localhost:3000/opintojakso

```
{
  "idopintojakso": 2,
  "Koodi": "UPM",
  "Laajuus": 5,
  "Nimi": "Ultimaattinen Postman Matka"
}
```

Delete

DELETE http://localhost:3000/arviointi/3

USER

POST http://localhost:3000/user

Params Authorization Headers (9) Body Pre-request Script Tests Settings

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

Key	Value
<input checked="" type="checkbox"/> username	Elukka
<input checked="" type="checkbox"/> password	123

GET http://localhost:3000/user

```
{
  "idUser": 1,
  "username": "Elukka",
  "password": "$2a$10$xJlvkY1oKjhi.1b8J6szj0gH.FwX.DLD.cexqM6V1b4df4t4oFx82"
}
```

Ilman salasanaa

GET http://localhost:3000/opiskelija

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Type Basic Auth

The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)

Username elukka

Password Password

Body Cookies Headers (7) Test Results

Pretty Raw Preview HTML

1

Salasanalla

GET

localhost:3000/opiskelija

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Type

Basic Auth

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Username

elukka

Password

123

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

{

"idopiskelija": 3,

"Etunimi": "Matti",

"Sukunimi": "Sakari",

"Osoite": null,

"Luokkatunnus": "tyt23"

}

,

{

"idopiskelija": 4,

"Etunimi": null,

"Sukunimi": null,

"Osoite": null,

"Luokkatunnus": null

}