

### (screenshots) adding VS Code Editor

```
Successfully rebased and updated refs/heads/ticket1.

C:\DevOpsWeek2\rbc>git log --oneline
2fccdb6 (HEAD -> ticket1) file1 is added
aa8be69 (master) added to this file

C:\DevOpsWeek2\rbc>git config --global core.editor "code --wait"

C:\DevOpsWeek2\rbc>git config --global -e

C:\DevOpsWeek2\rbc>git config --global core.autocrlf true

C:\DevOpsWeek2\rbc>
```

# Git branch and log -oneline command

```
C:\DevOpsWeek2\rbc>git add file1.txt
C:\DevOpsWeek2\rbc>git commit -m "added some more"
[ticket1 9d55523] added some more
1 file changed, 3 insertions(+), 1 deletion(-)
C:\DevOpsWeek2\rbc>git branch
 master
 ticket1
C:\DevOpsWeek2\rbc>git log --oneline
 d55523 (HEAD -> ticket1) added some more
  ccdb6 file1 is added
aa8be69 (master) added to this file
C:\DevOpsWeek2\rbc>git commit -a -m "added once more"
[ticket1 3abb0f7] added once more
1 file changed, 1 insertion(+)
C:\DevOpsWeek2\rbc>git log --oneline
 abb0f7 (HEAD -> ticket1) added once more
  55523 added some more
 fccdb6 file1 is added
 a8be69 (master) added to this file
C:\DevOpsWeek2\rbc>git add file1.txt
```

#### Merge-base and rebase command

```
bb0f7 (HEAD -> ticket1) added once more
d55523 added some more
 fccdb6 file1 is added
aa8be69 (master) added to this file
C:\DevOpsWeek2\rbc>git add file1.txt
C:\DevOpsWeek2\rbc>git commit -m "added once more"
On branch ticket1
nothing to commit, working tree clean
C:\DevOpsWeek2\rbc>git log --oneline
3abb0f7 (HEAD -> ticket1) added once more
 d55523 added some more
 fccdb6 file1 is added
aa8be69 (master) added to this file
C:\DevOpsWeek2\rbc>git merge-base ticket1 master
aa8be694fc0791f28a84f7f0574548f181a4c2e4
C:\DevOpsWeek2\rbc>git rebase -i aa8be69
hint: Waiting for your editor to close the file...
```

#### Contd... (this is in the editor)

```
≡ git-rebase-todo X
C: > DevOpsWeek2 > rbc > .git > rebase-merge > ≡ git-rebase-todo
       pick 2fccdb6 file1 is added
       pick 9d55523 added some more
       pick 3abb0f7 added once more
      # Rebase aa8be69..3abb0f7 onto aa8be69 (3 commands)
       # Commands:
       # p, pick <commit> = use commit
       # r, reword <commit> = use commit, but edit the commit message
       # e, edit <commit> = use commit, but stop for amending
  10
       # s, squash <commit> = use commit, but meld into previous commit
  11
       # f, fixup <commit> = like "squash", but discard this commit's log message
 12
       # x, exec <command> = run command (the rest of the line) using shell
 13
      # b, break = stop here (continue rebase later with 'git rebase --continue')
  15
       # d, drop <commit> = remove commit
       # 1, label <label> = label current HEAD with a name
       # t, reset <label> = reset HEAD to a label
 17
       # m, merge [-C <commit> | -c <commit>] <label> [# <oneline>]
  18
                 create a merge commit using the original merge commit's
  19
             message (or the oneline, if no original merge commit was
  20
                specified). Use -c <commit> to reword the commit message.
```

### Contd... (rebased and updated)

```
C:\DevOpsWeek2\rbc>git merge-base ticket1 master
aa8be694fc0791f28a84f7f0574548f181a4c2e4

C:\DevOpsWeek2\rbc>git rebase -i aa8be69
Successfully rebased and updated refs/heads/ticket1.

C:\DevOpsWeek2\rbc>git log --oneline
3abb0f7 (HEAD -> ticket1) added once more
9d55523 added some more
2fccdb6 file1 is added
aa8be69 (master) added to this file
```

# Cherry-pick commands (1)

```
Microsoft Windows [Version 10.0.18363.1379]
(c) 2019 Microsoft Corporation. All rights reserved.
C:\DevOpsWeek2\cherry pick>git init
Initialized empty Git repository in C:/DevOpsWeek2/cherry pick/.git/
C:\DevOpsWeek2\cherry pick>code 1.txt
C:\DevOpsWeek2\cherry pick>git add 1.txt
C:\DevOpsWeek2\cherry pick>git commit -m "added 1"
[master (root-commit) b0fe7e1] added 1
1 file changed, 1 insertion(+)
 create mode 100644 1.txt
C:\DevOpsWeek2\cherry pick>git checkout -b x
Switched to a new branch 'x'
C:\DevOpsWeek2\cherry pick>code 2.txt
C:\DevOpsWeek2\cherry pick>git commit -a -m "added 2"
On branch x
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
C:\DevOpsWeek2\cherry pick>git add 2.txt
```

# Cherry-pick (2)

```
Delect C. (VVIII GOWS (Dystellioz (CITIG. exe
C:\DevOpsWeek2\cherry pick>git add 2.txt
C:\DevOpsWeek2\cherry pick>git commit -m "added 2"
[x fb6ad6a] added 2
1 file changed, 1 insertion(+)
 create mode 100644 2.txt
C:\DevOpsWeek2\cherry pick>code 3.txt
C:\DevOpsWeek2\cherry pick>git add 3.txt
C:\DevOpsWeek2\cherry pick>git commit -m"3 is added"
[x b206919] 3 is added
1 file changed, 1 insertion(+)
 create mode 100644 3.txt
C:\DevOpsWeek2\cherry pick>git checkout -b y
Switched to a new branch 'y'
C:\DevOpsWeek2\cherry pick>code a.txt
C:\DevOpsWeek2\cherry pick>git add a.txt
C:\DevOpsWeek2\cherry pick>git commit -m "a is added"
[y 8df09d1] a is added
1 file changed, 1 insertion(+)
 create mode 100644 a.txt
C:\DevOpsWeek2\cherry pick>code b.txt
```

# Cherry-pick (3)

```
C:\DevOpsWeek2\cherry pick>git add b.txt
C:\DevOpsWeek2\cherry pick>git commit -m "b is also added"
[y 7886d2d] b is also added
1 file changed, 1 insertion(+)
create mode 100644 b.txt
7886d2d (HEAD -> v) b is also added
3df09d1 a is added
5206919 (x) 3 is added
Fb6ad6a added 2
o0fe7e1 (master) added 1
C:\DevOpsWeek2\cherry pick>git checkout x
Switched to branch 'x'
C:\DevOpsWeek2\cherry pick>git log --oneline
 206919 (HEAD \rightarrow x) 3 is added
Fb6ad6a added 2
p0fe7e1 (master) added 1
C:\DevOpsWeek2\cherry pick>gitt checkout master
'gitt' is not recognized as an internal or external command,
operable program or batch file.
C:\DevOpsWeek2\cherry pick>git checkout master
Switched to branch 'master'
```

# Cherry-pick (4)

```
Directory of C:\DevOpsWeek2\cherry pick
01-03-2021 15:06
                    <DIR>
01-03-2021 15:06
                    <DIR>
01-03-2021 14:51
                                27 1.txt
              1 File(s) 27 bytes
              2 Dir(s) 162,126,336,000 bytes free
C:\DevOpsWeek2\cherry pick>git cherry-pick b206919
[master 3c85599] 3 is added
 Date: Mon Mar 1 15:01:44 2021 +0530
1 file changed, 1 insertion(+)
 create mode 100644 3.txt
C:\DevOpsWeek2\cherry pick>dir
 Volume in drive C is OS
 Volume Serial Number is 3CAC-EFB8
 Directory of C:\DevOpsWeek2\cherry pick
01-03-2021 15:06
01-03-2021 15:06
                    <DIR>
01-03-2021 14:51
                               27 1.txt
01-03-2021 15:06
                               22 3.txt
              2 File(s)
                                   49 bytes
              2 Dir(s) 162,126,270,464 bytes free
C:\DevOpsWeek2\cherry pick>
```

# Cherry-pick (5)

```
2 Dir(s) 162,126,270,464 bytes free
C:\DevOpsWeek2\cherry pick>git cherry-pick 7886d2d
[master 16225f5] b is also added
Date: Mon Mar 1 15:04:01 2021 +0530
1 file changed, 1 insertion(+)
 create mode 100644 b.txt
C:\DevOpsWeek2\cherry pick>dir
Volume in drive C is OS
Volume Serial Number is 3CAC-EFB8
Directory of C:\DevOpsWeek2\cherry pick
01-03-2021 15:07
                    <DIR>
01-03-2021 15:07
                    <DIR>
01-03-2021 14:51
                                27 1.txt
01-03-2021 15:06
                                22 3.txt
01-03-2021 15:07
                                27 b.txt
              3 File(s)
                                    76 bytes
              2 Dir(s) 162,125,402,112 bytes free
C:\DevOpsWeek2\cherry pick>
```

#### Fetch command

```
C:\Windows\System32\cmd.exe
(c) 2019 Microsoft Corporation. All rights reserved.
C:\DevOpsWeek2\practicing>git remote add origin https://github.com/Sijumary/Practice.git
C:\DevOpsWeek2\practicing>git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 352 bytes | 352.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote: Create a pull request for 'master' on GitHub by visiting:
            https://github.com/Sijumary/Practice/pull/new/master
To https://github.com/Sijumary/Practice.git
* [new branch]
                    master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
C:\DevOpsWeek2\practicing>git fetch
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), 1.27 KiB | 46.00 KiB/s, done.
From https://github.com/Sijumary/Practice
 * [new branch]
                    main
                               -> origin/main
  6a3412d..737e6af master
                               -> origin/master
C:\DevOpsWeek2\practicing>
```

#### Merge and pull command

```
C:\DevOpsWeek2\practicing>git checkout master
Switched to branch 'master'
Your branch is behind 'origin/master' by 2 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)
C:\DevOpsWeek2\practicing>git merge
Updating 6a3412d..fdc76bb
Fast-forward
experiment.txt | 5 ++++-
1 file changed, 4 insertions(+), 1 deletion(-)
C:\DevOpsWeek2\practicing>git pull
Already up to date.
C:\DevOpsWeek2\practicing>git branch
 firstTry
 master
 secondTry
 ticket
```

### Pushing a branch to the repository

```
C:\Windows\System32\cmd.exe
error: src refspec feature4 does not match any
C:\DevOpsWeek2\practicing>git push origin firstTry
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 645 bytes | 161.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
emote: Create a pull request for 'firstTry' on GitHub by visiting:
            https://github.com/Sijumary/Practice/pull/new/firstTry
remote:
To https://github.com/Sijumary/Practice.git
 * [new branch]
                   firstTry -> firstTry
C:\DevOpsWeek2\practicing>git branch
 firstTrv
 master
 secondTry
 ticket
C:\DevOpsWeek2\practicing>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
C:\DevOpsWeek2\practicing>dir
Volume in drive C is OS
Volume Serial Number is 3CAC-EFB8
```

#### Stash commands

```
Select C:\vvindows\System32\cma.exe
 secondTry
 ticket
C:\DevOpsWeek2\practicing>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
C:\DevOpsWeek2\practicing>dir
Volume in drive C is OS
Volume Serial Number is 3CAC-EFB8
Directory of C:\DevOpsWeek2\practicing
01-03-2021 17:29
                    <DIR>
01-03-2021 17:29
                    <DIR>
01-03-2021 17:29
                               308 experiment.txt
              1 File(s)
                                  308 bytes
              2 Dir(s) 162,101,444,608 bytes free
C:\DevOpsWeek2\practicing>git stash save "err"
Saved working directory and index state On master: err
C:\DevOpsWeek2\practicing>git stash list
stash@{0}: On master: err
C:\DevOpsWeek2\practicing>
```