1-customers tablosunda customer_state = 'RJ' olan müşterileri, customer_city'ye göre alfabetik sıralı listeleyin

select customer_id, customer_city, customer_state from customers where customer_state ='RJ' order by customer_city asc limit 10;

customers 1

select customer_id, customer_city, customer_state f | Enter a SQL expression to filter results (use Ctrl+Space)

	customer_id	customer_city	customer_state
1	cb0dfa91ea2f9acab7316baf7708e621	angra dos reis	RJ
2	7b17817cb492e3928f13c083175addd2	angra dos reis	RJ
3	a8950672a28d9b167bae1f274ce5b7d2	angra dos reis	RJ
4	9a2dd61cc19001c3ace30736bb37b2cb	angra dos reis	RJ
5	a83dd443a28f836c84a3431c52a120e6	angra dos reis	RJ
6	11421a5d8282871dea01884e642d35fe	angra dos reis	RJ
7	14637e4d4896ccbebeaf2a02b0e2a851	angra dos reis	RJ
8	26c2211e11c75c75f952f78f65f52195	angra dos reis	RJ
9	e8f69905ef0387d08a36888561545c9b	angra dos reis	RJ
10	2bf0b7d39b5ee8eb16853ad8f037c7fe	angra dos reis	RJ

2-orders tablosunda kaç farklı order_status değeri vardır? Hepsini listeleyin

```
select distinct order_status from orders
```

	order_status
1	shipped
2	unavailable
3	invoiced
4	created
5	approved
6	processing
7	delivered
8	canceled

```
select count(distinct order_status) from orders
```

	count
1	8

3-order_payments tablosunda payment_type = 'boleto' olan işlemlerin sayısını bulun.

```
select payment_type, count(*) as islem_sayisi from order_payments
where payment_type='boleto'
group by payment_type
```

	payment_type	islem_sayisi
1	boleto	19,784

4-Her eyalette (customer_state) kaç müşteri olduğunu bulun, müşteri sayısına göre azalan sırada listeleyin.

```
select customer_state, count(*) as musteri_sayisi from customers
group by customer_state
order by musteri_sayisi desc;
```

	customer_state	musteri_sayisi
1	SP	41,746
2	RJ	12,852
3	MG	11,635
4	RS	5,466
5	PR	5,045
6	SC	3,637
7	BA	3,380
8	DF	2,140
9	ES	2,033
10	GO	2,020
11	PE	1,652

5-Ödeme tipine (payment_type) göre toplam (SUM) ve ortalama (AVG) ödeme tutarını hesaplayın, toplam tutara göre azalan sırada gösterin.

```
select payment_type, sum(payment_value) as toplam_tutar,
round(avg(payment_value),2) as ort_tutar
from order_payments
group by payment_type
order by toplam_tutar desc;
```

	payment_type	toplam_tutar	ort_tutar
1	credit_card	12,542,084.19	163.32
2	boleto	2,869,361.27	145.03
3	voucher	379,436.87	65.7
4	debit_card	217,989.79	142.57
5	not_defined	0	0


6-En az 3000 müşterisi olan eyaletleri bulun

```
select customer_state, count(*) as musteri_sayisi from customers
group by customer_state
having count(*)>3000
order by musteri_sayisi desc;
```

	customer_state	musteri_sayisi
1	SP	41,746
2	RJ	12,852
3	MG	11,635
4	RS	5,466
5	PR	5,045
6	SC	3,637
7	BA	3,380

7-customers ve orders tablolarını birleştirerek, her siparişin hangi şehirden geldiğini gösteren bir sorgu yazın

```
select o.order_id, c.customer_city from orders o
join customers c on o.customer_id = c.customer_id
```



	order_id	customer_city
1	e481f51cbdc54678b7cc49136f2d6af7	sao paulo
2	ad21c59c0840e6cb83a9ceb5573f8159	santo andre
3	a4591c265e18cb1dcee52889e2d8acc3	congonhinhas
4	76c6e866289321a7c93b82b54852dc33	faxinalzinho
5	82566a660a982b15fb86e904c8d32918	ouro preto
6	5ff96c15d0b717ac6ad1f3d77225a350	sao paulo
7	432aaf21d85167c2c86ec9448c4e42cc	sao paulo
8	dcb36b511fcac050b97cd5c05de84dc3	goiania
9	403b97836b0c04a622354cf531062e5f	rio de janeiro
10	85ce859fd6dc634de8d2f1e290444043	hortolandia
11	83018ec114eee8641c97e08f7b4e926f	feira de santana

8-Şehir bazında (customer_city) toplam sipariş sayısını bulun (JOIN + GROUP BY birlikte), sadece 100'den fazla siparişi olan şehirleri gösterin, sipariş sayısına göre azalan sıralayın.

```
select c.customer_city, count(distinct o.order_id) as toplam_siparis_sayisi
from orders o
join customers c on c.customer_id =o.customer_id
group by c.customer_city
having count(distinct o.order_id) > 100
order by toplam_siparis_sayisi desc;
```

	customer_city	toplam_siparis_sayisi
1	sao paulo	15,540
2	rio de janeiro	6,882
3	belo horizonte	2,773
4	brasilia	2,131
5	curitiba	1,521
6	campinas	1,444
7	porto alegre	1,379
8	salvador	1,245
9	guarulhos	1,189
10	sao bernardo do campo	938
11	niteroi	849

9-Hiç siparişi olmayan müşterileri bulun

```
select c.customer_id from customers c
left join orders o on c.customer_id=o.customer_id
where o.order_id is null;
```

	customer_id

10-(Bonus) orders, order_items ve order_payments tablolarını birlikte kullanarak, her ödeme tipi için ortalama ürün fiyatını (price) hesaplayın.

```sql
select op.payment_type, round(avg(oi.price),2) as ort_urun_fiyati from
orders o
join order_items oi on o.order_id=oi.order_id
join order_payments op on o.order_id=op.order_id
group by op.payment_type
order by ort_urun_fiyati desc;
```

	payment_type	ort_urun_fiyati
1	credit_card	126.48
2	debit_card	108.67
3	voucher	105.11
4	boleto	104.58