C3: paired effects (negative = second training set is better)

mean Δ with item-bootstrap 95% CI

country-cluster bootstrap 95% CI

A. original task (world valid, n=130)

union−orig | overall L2
union−orig | overall L11
union−orig | seen (110) L2
union−orig | seen (110) L11
union−orig | unseen→C3 (12) L2
union−orig | unseen→C3 (12) L11
union−orig | unseen both (8) L2
union−orig | unseen both (8) L11
new−orig | overall L2
union−new | overall L2
leak: union_noleak−union L2
new−orig | overall L11
union−new | overall L11
leak: union_noleak−union L11

−600 −500 −400 −300 −200 −100 0 100

paired Δ MSE (test − reference; <0 = test better)

B. GeoNames task and strict unseen subsets

union−new | Geo valid L11
new−orig | Geo valid L11
union−new | Geo test L11
new−orig | Geo test L11
union−new | unseen all L11
new−orig | unseen all L11
union−new | strict8 L11
union−new | strict8 L32
new−orig | strict8 L11
new−orig | strict8 L32
union−orig | strict8 L11
union−orig | strict8 L32
union−new | hard6 L11
union−new | hard6 L32
new−orig | hard6 L11
new−orig | hard6 L32
union−orig | hard6 L11
union−orig | hard6 L32
leak: union_noleak−union | Geo test L11
leak: new_noleak−new | Geo test L11

−100 −50 0 50 100 150 200

paired Δ MSE (test − reference; <0 = test better)