

Certificate of Analysis

Company: VT GRN
 40 Outlook Way
 Starksboro, VT 05487
Customer ID: 190911-0
Grower License #: SCLT0149

Sample ID: A5 x CL
Lot: N/A
Matrix: Flower
Date Sampled: N/A
Date Received: 3/31/2023

Report Date: 4/6/2023
Date Analyzed: 4/5/2023
Analyst: 018
Report ID: C230331AA

Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	<LOD
STEC	STEC Virx AOAC PTM No. 121203	5	<LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	<LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the
 laboratory. This is to provide assurance that parts of a report are not taken out
 of context. Results apply to the samples as received.

Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)