

Grow Castle autobot manual 29.10.2025 (1.50.6)

Requirements	5
Installation	5
Help	5
Setup	6
PC	6
Task bar	6
Nox	6
Creation	6
Theme	6
Grow castle position	7
Reset, Cleanup buttons positions	7
In case you have troubles with reset or cleanup buttons check	8
Resolution	9
FPS	9
Right click to move back	9
Recent apps	10
Notifications	10
Fix nox problems	11
Google Play services keeps stopping	11
Remove Discord overlay popup	12
Settings description	14
Settings tab	14
Version	14
Save/Load	14
Open in explorer	14
Open log file	14
Open in Github	14
Open guide	14
Control buttons	15
Window name	15
Set pos	15
Build to play	16
Dungeon farm settings	16
Farm dungeon	16
Open dungeon_statistics.txt	16
Mat, get click delay	16
Make replays if dungeon doesn't load	16
Missclick on dungeons	17
Include diagonal missclicks	17
Autobattle mode settings	17
AB mode	18
Time between skips, Battles with skips	18
Notification's settings	18
Notification on 30 crystals	18
Play audio on 30 crystals	19
Notification only mode	19
Log 30 crystals collection time	19
Skips settings	19

Skip waves	20
Skip with oranges	20
Background mode	20
Solve captcha settings	20
Solve captcha	20
Open captcha.log	20
Upgrades for crystals	21
Upgrade castle	21
Upgrade hero for crystals	21
Ad watching settings	22
Ad for speed	22
Ad for coins	22
Ad during X3	22
Ad after skip only	22
Altars	22
Heal altar	22
Death altar	22
Replay last wave	23
Screenshot settings	23
Items / Runes	23
Popups	23
Solved captchas	23
Failed captchas	24
Captcha errors	24
On esc	24
Long load	24
Long wave	24
After 10 esc	24
AB errors	24
On freezing	25
Nox load fail	25
Nox main menu load fail	25
Clear all fail	25
Save screenshots cache on error	25
Build tabs	26
Example of a customized build	26
Pw	26
Smith	26
Orc band, Military F	26
Chrono	26
Single click	26
Clickable	26
Scoped heroes	27
Test tab	27
Mouse tests	27
Clicks test	27
Test mouse movement	27
Get crystals count	28
Restart, Reset, Cleanup	28
Restart	28

Reset	28
Cleanup	28
Upgrade hero, Upgrade castle	28
Show game status	28
Solve captcha	29
Screenshots tests	29
Save window screen	29
Save screenshot	29
Save screenshot jpg	29
Getscreen benchmark	30
Online actions tests	30
Advanced tab	31
Hotkeys	31
Mouse behaviour	31
Simulate mouse movement	31
Randomize cast sequence	31
Click waits	31
Waits and online actions between battles	32
Ignore waits on AB mode	32
Trigger time min, max	33
Wait time min, max	33
Online actions	34
Online actions delay	34
Guild actions	35
Top actions	35
Craft stones	35
Do save	36
Before/After wait	36
Monitor freezing	36
Speedup on item drop	36
I have x3	36
Speedup on item drop	36
Max battle length	37
Cleanup interval	37
Cleanup or Reset	37
Do save before cleanup	37
Do restarts	37
Max restarts for reset	38
Gc loading limit	38
Fixed ad wait	38
Pw on boss	38
Orc band and Military on skip only	38
Collect mimic	39
Other	39
Manual waving	39
Changing parameters in runtime	39
Red background	39
Output files	40
gc.log	40
dungeon_statistics.txt	40

captcha.log	40
timerx3spd.txt	41
30crystalsTime.log	41
Hint detection	42
Problems solving	43
Error while calling gca_captcha_solver.dll	43
Lags	43
Cannot start script because of reset and cleanup buttons check	43
Cannot exit pause or hero window	43
Cannot watch ad until the end	43
Problem with starting battle	44
Problem with starting autobattle	44

Requirements

- 64-bit Windows OS
- 1920x1080 monitor. The script can still run on smaller monitors, but it wasn't tested. There may be problems with smaller monitors.
- [Nox](#) android emulator installed. The script was tested with **NoxPlayer 7.0.6.2**.
- Good computer performance. Grow castle should run at least 30 fps stable with required window size.
- Experience in game (reach 30k waves yourself at least).

Installation

- Go to [releases list](#), and download latest one. Do not download source code – it's wrong archive.
- Unzip it to folder dedicated for script.
- Open **App** folder, and find **gca.exe**. Create desktop shortcut for it, and run. Do not remove it from its folder, and do not remove any other file from there.

Help

If you have questions or troubles with setup or anything else – open a new [Discussion](#) or [Issue](#) on github page. You can also ask me directly, but it's better to allow other people to know about issue and how to solve it.

Setup

PC

Task bar

The task bar should be at the bottom of the screen.


Nox

Creation

When creating emulator, choose **Android 7 32 bit**.


Theme

You have to set nox default theme:




Grow castle position

Grow castle must be here. When script restarts the game, it will click here:



Reset, Cleanup buttons positions

Move Cleanup button and Reset button here:




These buttons must be here (keep the side bar open always):




The script will check if these buttons are in right place when you start it.

In case you have troubles with reset or cleanup buttons check

If for some reason the script doesn't allow you to run because of this error:




and you have them in [correct places](#), then check if you have [default nox theme](#). If everything is fine, and you still have this error, then you can disable this check. For this you have to expand the app horizontally, and next to [Window name](#) setting you will see **Disable reset and cleanup buttons check**:



Do this only if you have troubles with this check while these buttons are in correct place. After disabling it, run [reset and cleanup tests](#) and ensure that they work correctly.

Resolution

Set resolution to 1920x1080




FPS

Set 60 fps




Right click to move back

Check this checkbox to right-click to move backward (make sure that right click makes same thing as Esc button)




Recent apps

Only grow castle must be in recent apps, otherwise script will not see clear all button when it restarts the game



Notifications


Block notifications from all apps, because it can ruin script's work



Fix nox problems


Google Play services keeps stopping

If you have problem where you have “**Google Play services has stopped**” and it keeps stopping – it will be huge problem for script.




You will have to disable it:


- 1) Go to **Settings** -> **Security**




- 2) Open **Device administrators**




3) Disable everything you have there




4) Now go back to Settings, and open **Apps**



5) Find **Google Play services**, and disable it




This will stop it from crashing. However, you won't be able to use "Load" function in grow castle, because Google Play services are involved there, and grow castle will crash.



You can just enable Google Play services temporarily for that.


Remove Discord overlay popup

It doesn't block script from running, but can be annoying if you don't use it.



Settings description

Settings tab



Version

First that you see is **Version**, which is date and time when I built this exact version. This version is logged every time you start script.

Save/Load



Settings are stored as json file. When you save – your current settings are written to file, and you can load them. Load works even if you have saved settings from previous versions, where some settings are missing (default value is set in this case).

Your current settings are stored in “.\App\clickerSettings.json” file. It is rewritten every time you change anything in settings.

You cannot save and load settings when script is running.

Open in explorer



This button will open explorer at script’s location, and select **App** folder, where script’s executable file is.

Open log file



This button will open [gc.log](#) file with your default editor for *.log files. If it doesn’t exist – it will be created.

Open in Github




This button will open Grow Castle Autobot repository in Github with your default browser.

Open guide



This button will open **.\gca_guide.pdf** with your default *.pdf app. If it doesn’t exist – you will see error about it.


Control buttons




Next are **Start** and **Stop** buttons. You can use them, but it's better to use hotkeys that are also indicated there. You can change hotkeys in Advanced tab.

You can pause script by pressing **Start** button while it's running, or by **Start** hotkey. However, it might not work properly sometimes, because script uses stopwatches inside that are not stopped when you hit pause.

Window name



Here you have to write your Nox window name, without the version.




Set pos

After pressing **Set pos** button, the window should take the size and position which script needs to work properly. The nox window should not be maximized.

If you write wrong name – you will see error.

It is important to make sure that there are no windows with the same name as nox, as it can grab the wrong window, because of this there may be problems.

When you try to move nox window after pressing **Set pos**, the window can be bugged slightly, and display like this:



This is just how nox reacts after resizing with commands. To fix it you can just maximize it, and restore back, or just don't move it after pressing **Set pos**.

Don't press **Set pos** when nox window is maximized, because inner window won't be resized with it.

Build to play


Build to play: 

The number of the build that the script will play. The button on the right will open selected build.

All 5 builds are configured in [Build tabs](#):

B1	B2	B3	B4	B5
----	----	----	----	----

Dungeon farm settings

☒ Farm dungeon: 

Mat ☒ B ☒ A ☒ S ☐ L ☐ E

Mat, get click delay min (ms): Max:

☐ Cast on boss Delay(ms):

☐ Make replays if dungeon doesn't load

☐ Missclick on dungeons Chance(%):

☐ Include diagonal missclicks

Farm dungeon

From the drop-down list you select a dungeon, if there is a checkmark, it will play there.

For dragons: whether to mat items of different grades.

For dungeons: whether to start cast heroes only when the boss came out with given delay.

Note: All runes will be collected from dungeons.

When farming dragons – will count item grades from dragons in [dungeon_statistics.txt](#) file.

Will disable [Skip waves](#), [AB mode](#), [Replay last wave](#).

Open dungeon_statistics.txt



This button will open [dungeon_statistics.txt](#) with your default *.txt editor. Will create this file, if it doesn't exist.

Mat, get click delay

The script identifies item very fast, faster than you can read what stats item has, and if you set 0 there – it will get or mat item as fast as possible, which is not recommended. Set delay, the default one should be ok.

Make replays if dungeon doesn't load

If the internet is gone, and script cannot open dungeons, then if it's checked, then until next captcha the script will play replays. Then will switch back to dungeons.

If it's not checked, then if **dungeon panel doesn't open due to internet issues**, the script will wait for random time between 10 and 20 seconds, and will try again and will keep trying to open it infinitely.

If dungeons panel opens, but script is stuck right on **“BATTLE”** button, then it can indicate that inventory is full, or you are out of contracts. In this case script will make 3 attempts to start dungeon, and if it will fail 3 times in row, then will either start making replays (if checked), or will stop right there otherwise.

Missclick on dungeons

This setting is made just to simulate human behaviour. If you think that developer can see all clicks timings and coordinates (that could possibly be true), then you can check this. Then set chance of missclick (**chance is measured in per mille (‰)**).

$$1 \text{ ‰} = 0.1\%$$

For example, if you farm bone dragon, then if it decides to make missclick, then will click Red, Legendary, or Expert dungeon:



Include diagonal missclicks

If checked, then will also missclick to Black dragon, or Intermediate dungeon:



You don't need to worry about if you don't have contracts while farming dragon. If it couldn't start dungeon – missclick is canceled, and next try it will definitely open dragon.

Under **Include diagonal missclicks** there is little extra space – This is space for kill time and kills per hour label. It will update every time when script entered dungeon successfully.

Autobattle mode settings

<input checked="" type="checkbox"/> AB mode	
<input checked="" type="radio"/> Gab	
<input type="radio"/> Tab	
Time to break AB (s):	Min: <input type="text" value="600"/> Max: <input type="text" value="900"/>
<input checked="" type="checkbox"/> Infinite AB	
Time between skips (s):	Min: <input type="text" value="600"/> Max: <input type="text" value="900"/>
Battles with skips:	Min: <input type="text" value="2"/> Max: <input type="text" value="4"/>
<input type="checkbox"/> Try to skip every battle	

AB mode

If enabled, the script will start auto battle, and watch for game. If game crashes, or you lost on AB, or nox freezed, then it will restart autobattle.

Then you can set time for autobattle. This is needed if you want to upgrade hero or tower between AB sessions.

Otherwise, if you don't want script to do anything between battles, then set **Infinite AB** checkbox.

To exit from autobattle, script will pause game, and click "**Exit after battle**" button. It will do it only if you are not in very end of wave to avoid bugs. If you are at the end of wave, then will wait for next one, and press this button there.

Time between skips, Battles with skips

Starting from 1.50.0 you can skip waves without stopping autobattle. After starting autobattle, the script will wait for random number of seconds between min and max, and will try to skip random number of times from **Battles with skips** range. Will decide to skip based on your skip settings (with/without oranges).

If **Try to skip every battle** is checked, then will not have any timer between skips. It is better to use when you want to skip with oranges. Otherwise – better to make it once in a while.

The script will stop if you are out of gold or time, but it's still very desirable to control it yourself.

You can set delays between clicks on AB button, switching to gab and start buttons to make it slower or faster in additional settings [in Advanced tab](#).

Warn: Of course, you need to enable [Solve captcha](#), otherwise it will just stop, and these functions will be useless.


Note: If ab loses constantly, the script will constantly restart autobattle.

Notification's settings

This section is made to notify user that game has collected 30 white crystals.

Notification on 30 crystals

This option is available only if you have [AB mode](#) or [Notification only mode](#) enabled. If enabled – the script will send desktop notification (toast) when you have 30 crystals collected.



Since crystals calculation happened 2 times per second, we have **Interval** that specifies time between notifications. If you have [AB mode](#) enabled – then current white crystals calculation will only happen while in

battle. If there is Victory animation or wait between autobattles panel or something else – the background will be dimmed, and script will not count crystals then.

Play audio on 30 crystals

This option is available only if you have [AB mode](#) or [Notification only mode](#) enabled. If enabled – the script will invoke one of audio files when 30 crystals are collected. In **.\App** folder, you will see **Audio1.mp3** and **Audio2.mp3** files. By default, first is small notification sound, and second one is alarm sound, downloaded from internet. You can replace these files with another audios, but you need to make sure that they are placed inside of **.\App** folder, and have file name exactly **“Audio1.*”** and **“Audio2.*”**. The type of file doesn’t matter, but it must be one of supported [formats by Windows Media Player](#). If you put video there – it will still run, but only video’s sound will be there.

You select which audio to play when 30 crystals are collected. Again, script checks number of crystals often so that it can catch exact moment of collecting 30 crystals, and you can’t run audio for every detection, so you specify **interval** between playing this audio.

There are also settings for volume. This is additional volume multiplier so that you don’t need to change whole computer sound volume when you want to make it quieter.

Note: if audio file is missing – nothing will be played.

You can expand app horizontally, and there you can test notifications and audio playing:

<input checked="" type="checkbox"/> Notification on 30 crystals	Interval (s):	10	Test notification
<input checked="" type="checkbox"/> Play audio on 30 crystals	Interval (s):	10	Test audio

Notification only mode

This will enable separate script mode that won’t do anything in game. Everything that script can do in this mode:

- Resizing nox if you modified its size while it was watching
- Send notifications, play audios, make logs
- Calculating amount of white crystals

No clicks, no other checks are made by script in this mode. The purpose of this mode is to notify user that 30 crystals are collected. It will calculate number of white crystals always, even when you have animation of victory, or another thing that overlaps crystals amount and makes it dimmed.

Log 30 crystals collection time

This works only with [Notification only mode](#). If enabled, the script will write time of when 30 crystals were collected to [30crystalsTime.log](#), compare it to previous time of collecting 30 crystals and write the difference between them to file. You can open this file with button next to it.

The script only writes first detection of 30 crystals, and there must be at least 5 detections of lower amount in row before to trigger it, which means that there must be <30 crystals for at least 5 seconds to make script write it to file.

Note: when you start script and you already have 30 crystals – the time will be logged in file.

Skips settings

<input checked="" type="checkbox"/> Skip waves
<input type="checkbox"/> Skip with oranges

Skip waves

Skip the waves or not. If you are not skipping with oranges, the script will look on the white number of crystals to see if there are 30 crystals.

Will disable [Upgrade castle](#), [Upgrade hero](#), [Farm dungeon](#), [Replay last wave](#).

Note: The script doesn't identify exact number of white crystals you have, but correct results are these:

Actual amount	Script's output
0 - 9	0
10 - 19	10
20 - 29	20
30 - 119	30

This is more than enough to do all actions that script can do. You can test correctness of these calculations [in Test tab](#).

Skip with oranges

If enabled, will ignore number of crystals. It will always skip. If the oranges are over, the store will open once and script will disable skipping with oranges automatically.

Background mode


☒ Background mode

With it the script will not steal the cursor and you can overlap the nox with another window, but you can't minimize the nox. Minimized windows are not rendered, and script will see nothing. Also do not try to move nox window across screen while it is playing. The script will try to fix nox positions in case you changed it, but it's better to avoid it.

Note: without background mode, [Monitor freezing](#) function won't work, even if it's enabled.

Solve captcha settings

Solve captcha

☒ Solve captcha
 

☐ Restart on captcha (if 4 fails in row, or solving disabled)

If enabled – the script will solve captcha that appears right after starting battle. After starting script – it will check if “.\App\gca_captcha_solver.dll” is present and returns correct values.

You can test how captcha solving works by expanding app horizontally, there will be **Solve captcha test**. For it, you have to wait for captcha and start it with captcha on screen. The same test is in [Test tab](#).

Note: The script will stop if it failed captcha 4 times in a row. It is practically impossible to make it fail 4 times in a row. All fails that happened to me were related to the lag during captcha animation and it was not possible to determine where crystal went, which happens rare.

Open captcha.log



This button next to Solve captcha will open your current [captcha.log](#) file.

Upgrades for crystals

Upgrade castle

☐ Upgrade castle for crystals
 Floor: 3

Upgrade castle parts for crystals. For correct work, the upgrading parts must be on the floor specified in the **Floor** dropdown:



Will disable [Upgrade hero for crystals](#), [Skip waves](#).

You can test how tower upgrading works by expanding app horizontally, there will be **Upgrade castle test** button next to it, or [in Test tab](#).

Info: After click on floor, the tower that stands on that floor opens and it is upgraded while you have 10 or more white crystals, or until it has been upgraded 90 times in a row (if the tower has reached the maximum level). Tower upgrade is called every 10 battles.

Info: Script will stop when you reach 9999 level, and then will disable upgrading.

Upgrade hero for crystals

☐ Upgrade hero for crystals
 Slot: 5

If enabled, will upgrade hero on selected **Slot**:



The hero that is upgrading should be in your build and at correct slot, because when you click on it – it will automatically open, and that's how script works.

The script will upgrade until you have random amount of crystals between 0 and 9. After reaching 10 crystals – it just randomly chooses how many to upgrade more.

Will disable: [Upgrade castle](#), [Skip waves](#).

You can test how hero upgrading works by expanding app horizontally, there will be **Upgrade hero test** button, or [in Test tab](#).

Info: Script will stop when you reach 9999 level, and then will disable upgrading.

Ad watching settings

☐ Ad for speed
☐ Ad for coins
☐ Ad during x3
☐ Ad after skip only

Ad for speed

Watch ads for X3. It is called in the main menu of gc through store. Viewing ads is a separate algorithm. If the ad completed successfully, then the last time the ad was viewed will be written to the file [timerx3spd.txt](#) - this is necessary to save the last time the ad was viewed after you stop script. Next hour the advertisement will not be checked. If the ad ends, it will not start and the script will automatically turn off viewing it.

Ad for coins

After the wave, there is a delay of 0.4 seconds, after which it is checked whether the advertisement popped up, and will watch it if it sees ad button.

Ad during X3

Whether to watch ads for coins during X3 with ads. You can turn it off to make the most of X3 from ads, or enable it if you need to watch ads for coins as quickly as possible.

Ad after skip only

Watch ads for coins only after skip 30 waves. There is more bonus gold, so there will be more gold from advertising. Cannot be activated without [Skip waves](#).

Info: After the start of the ad, the script waits for a couple of seconds, and simply presses the right click once a second until it sees one of the options for the pause button that I entered into its algorithm, or until the game opens. If the advertisement has not closed in 2 minutes, then a restart is made. I met only 3 options for pauses in advertising - and I entered them into the script. In fact, this is just checking the color of the pixels at the given coordinates, where the continue button usually always appears - always the same color. If you have another ads UI, you can set [Fixed ad wait in Advanced tab](#) to add constant wait after ad opening. Its also important to exit from ad by pressing "Back" button, because if the only way to exit it is click "X" button on screen, then script will not able to do it.

Altars

☐ Heal altar
☐ Death altar

Heal altar

It will hit the altar when there is low hp, and Smith is either not in the build, or is pressed already, if there is Smith, then it will press him first.

Death altar

Presses the altar on the dragon and dungeon - when the boss appears. Works only there.

Replay last wave

☐ Replay last wave

Make replays of the last wave. Will disable [Farm dungeon](#), [Skip waves](#), [AB mode](#).

Screenshot settings

Screenshot:

☒ Items
☒ Runes
☒ Popups
☒ Solved captchas
☒ Failed captchas
☒ Captcha errors
☒ On esc
☒ Save screenshots cache on error
☒ Long load
Cache duration (s):
☒ Long wave
Cache interval (ms):
☒ After 10 esc
Image quality (%):
☒ AB errors
☒ On freezing
☒ Nox load fail
☒ Nox main menu load fail
☒ Clear all fail

The script will save screenshot of some situations. By pressing button with folder image, it will open location where screenshots are saved.

Items / Runes

Before clicking “GET” script will save screenshot of item on screen. Only items that go to inventory are screenshotted. This is done so that you can safely show the screenshot to someone, and not be suspected of as script. The same is for runes. Screenshots are saved to folder “.\screens\Items\”.

Popups

Popups are messages that appear on left down part of screen:



They all will be saved to “.\screens\Popups\”. Mostly you will see reward from captcha or another useless things, but sometimes there may be something useful.

Solved captchas

If enabled, all captchas that are solved will be saved to “.\screens\Captchas\” folder. There you will see 24 original frames of captcha, and results, where it determined the most likely paths of all cups like this:



Keep in mind that average size of one captcha record is 4 MB. It is used to identify potential errors.

Failed captchas

If enabled, failed captchas will be saved to “.\screens\Failed captchas\” folder. It is better to enable it to have ability to identify error cause.

Captcha errors

If captcha started, and script didn't find crystal, then “.\screens\Captchas\Errors\Error_N.png” screenshot will be saved. It can happen when you start script with already scrambled captcha, or you are running after future update, where captcha is changed.

On esc

If some unexpected panel is opened in game and doesn't go away for 4 seconds in row, this situation is non-standard and the script starts pressing the right click to close it. At this point, a “.\screens\Errors\OnEsc_N.png” screenshot will be saved.

Right click is pressed until the sky opens, or 10 times - if after 10 right clicks did not open the sky - a screenshot is saved from the checkbox [After 10 esc](#).

Long load

After clicking on gc from the nox menu when restarting the game, a stopwatch starts. If the gc menu has not opened in Gc loading limit amount of time, a “.\screens\Errors\LongGCLoad_N.png” screenshot will be saved.

Long wave

When battle (any) is going for longer than [Max battle length](#) amount of time, a “.\screens\Errors\LongWave_N.png” screenshot will be saved.

If it's [AB mode](#), then it's [AB errors](#) checkbox instead.

After 10 esc

If some unexpected panel pops up, and script couldn't close it after 10 “back” clicks, a “.\screens\Errors\unknown_N.png” screenshot will be saved.

AB errors

When you run [AB mode](#), and switching to the next wave is going more than 10 seconds (Victory animation + 2 seconds timer before next wave), then “.\screens\Errors\AB_Error_N.png” will be saved.

If wave is going more than Max battle length amount of time, then “.\screens\Errors\AB_Error2_N.png” will be saved.

On freezing

If [Monitor freezing](#) is enabled together with [Background mode](#), and script detects freezing, then “.\screens\Errors\Freezing_N.png” will be saved before making reset. This is useful to identify wrong freezing detections.

Nox load fail

If after the reset nox didn't start in 5 minutes, a “.\screens\Errors\NoxLoadFail_N.png” screenshot will be saved before script will be stopped.

Nox main menu load fail

Main menu is opened when closing game. If for some reason script couldn't close game. “.\screens\Errors\NoxMainMenuLoadFail_N.png” screenshot will be saved.

Clear all fail

If script could not find “Clear all” button when closing game. This happens when you have multiple apps in recent apps. The game should be closed completely, so it is important to press “Clear all”. If it couldn't press it, a “.\screens\Errors\ClearAllFail_N.png” screenshot will be saved.

Save screenshots cache on error

The script is constantly taking screen of game while playing to decide what to do next. When it does it, it will save screenshots for some amount of time in memory (cache). If any of previous error (except of [Clear all fail](#) and [Nox main menu load fail](#)) happens, it will save current screenshots cache to “.\screens\Errors\Screen_caches\Screen_cache_N\” folder.


Sometimes it is very important to know what happened before this error.

You can set parameters of caching:

- **Cache duration** (seconds amount) is how many time screenshots are saved before deleting from memory. For example, if you set 60, then cache will contain screenshots from previous 60 seconds, and delete screenshots that were taken more than 60 seconds ago.
- **Cache interval** (milliseconds amount) is how frequently screenshots will be saved. Script takes screenshot of game very frequently (sometimes 100+ screenshots per second), and you don't need to save them all. For example, if you set 200 there, then screenshots will be saved with 0.2 second gap.
- **Image quality** (percent amount) is quality of images in cache. Screenshot of game window has size of 1 MB on average, and cache can have a lot of images, so images are compressed to jpg format before saving them. If you set 100, then quality will be high, and screenshots will take more memory. 0 means maximal compression. Optimal value is 20%, which doesn't corrupt image, and saves 90% of memory. You can test different image quality values in Test tab.

If you disable it, screenshots cache will still be working with this settings: **Cache duration** = 120 seconds, **Cache interval** = 300 milliseconds, **Image quality** = 10%. Screenshots cache will always be saved in case of [hint detection](#), regardless of this setting.

Build tabs



There are 5 tabs where you can customize build. When activating heroes, script will make different actions on different heroes.

Example of a customized build

☐ Pw
☐ Smith
☐ Orc band
☐ Military F
☐ Chrono
☐ single click
☐ clickable

Castle:

	X		
	Smith	X	X
	X	Pw	X
	Chrono	X	X

X

X

Pw

Pure wizard. It should be on the center vertical. It is pressed last after all heroes.

Smith

It is pressed when you have low hp. It may not have time to press when the damage is too fast. There can be problem when the HP number is very big (has 11 digits hp value), and the checked pixel is overlapped with that number.

Orc band, Military F

if you specify them, they will be pressed once at the beginning of the wave on manual battle start. It's not recommended to play waves manually.

You can set them to be pressed on skip only [in Advanced tab](#).

Chrono

Will be pressed first at the beginning of the battle.

Single click

Will be pressed once per battle. This is useful when you have summons that require single cast.

Tip: You can also use it in farming dungeons. If you kill boss by single cast – set all heroes to **Single click**, and you will not have problem with accidental hero opening when battle ends.

Clickable

Other heroes that should be clicked. They are pressed if they have a blue line above. Marked as "X".

Scoped heroes

It doesn't work on heroes that need a scope, such as Ice Mage. This is just waste of time and potential bugs source, so it would be better to remove all such heroes from build when using script to cast heroes.

Test tab

Here you can test script's functions without having to start it and wait for specific moment.

Mouse tests

Clicks test

X: Y:

First test is to do left or right click at given coordinates. This will send message to nox window about click at these coordinates, and you have to set [Window name](#) correctly for it to work. Right click should do the same as "Back" button or Escape button press.

Default (50, 150) left click should click at "<Town" button if you have gc opened and have correct window position and size.

Test mouse movement

Test mouse movement:

Test if mouse is moving properly. If you want to see it, you have to disable [Background mode](#).

1	Move mouse in circle.
2	Move mouse in rectangle around heroes slots (if window has correct size).
3	Move mouse in square spiral.

The script will run initialization code before test, so you have to setup everything correctly to make it work, even though it is not needed during test, otherwise you will get initialization error.

The next is test mouse movement from point to point:

X1: Y1:
X2: Y2:

This will move mouse from (X1, Y1) to (X2, Y2), using the settings that you have and algorithm that will work when you start script. That is, if you disable Simulate mouse movement setting – you won't see mouse movement, because it will be ignored. Also, if you enable [Background mode](#), you won't see the movement, but it still will send messages about mouse movement to nox window.

Get crystals count

☐ Dark mode

This will call function that calculates current amount of white crystals. It also shows if you have oranges or not.

Dark mode is used when script upgrades hero or castle for crystals (because crystals number is dimmed).

It doesn't return the actual amount of crystals. These are correct results:

Actual amount	Script's output
0 - 9	0
10 - 19	10
20 - 29	20
30 - 119	30

Restart, Reset, Cleanup

Restart

Will close gc and open it. You need to test it before first run, because there are many situations when restart is made.

Reset

Will press **Reset** button, then wait up to 5 minutes for nox to load, and then open gc. You need to set correct positions for **Reset** and **Cleanup** buttons (here).

Cleanup

Will invoke same code as will be invoked when Cleanup interval is elapsed. Will close gc, and will either make [reset](#), or press **Cleanup** button, then wait 7 seconds, and start gc.

Upgrade hero, Upgrade castle

Will invoke same function as will be invoked when [Upgrade hero for crystals](#) or [Upgrade castle](#) is enabled.


Show game status

This will show where in game you are right now (if this position is defined in script). Positions that should be identified:

- Gc menu
 - Empty game
 - Ad for coins panel
 - Hell buttons
 - Replay buttons

- In town
 - Forge position
- In battle
 - Skip panel
- Paused
 - “Exit after battle” button
- Exit panel
- In forge
 - Whether is on top of forge list
- Lost on AB panel
- Captcha panel
- Hero panel
 - Choose class panel
- In shop
- Item panel
 - Rune panel
- In top
- In guild
- Save panel
- Player profile panel
- Nox main menu
- Popup


Solve captcha



Will solve captcha. For this, you have to first open captcha. Instead of clicking on the right thing – it will move cursor to it, so you can see if it solved it correctly.


Screenshots tests

Save window screen




This will capture nox window, and save “.\screens\Test\WindowScreenshot_N.png” screenshot. Button with folder icon will open “.\screens\Test\” folder, and select created screenshot.

Save screenshot



This will capture complete screen, and save “.\screens\Test\CompleteScreenshot_N.png” screenshot. Button with folder icon will open “.\screens\Test\” folder, and select created screenshot.

Save screenshot jpg




This will capture nox window, then compress image to jpg format with given image **Quality**, and save "".

The **Quality** is percent value. 0 means that image quality will be the worst, but image size will be minimized. 100 or more means simple jpg conversion.

The [screenshots cache](#) makes images compression with same algorithm before saving images to memory, and you can test how different images quality looks like and how many space single screenshot takes here.

Getscreen benchmark



This will capture nox screen 100 times in row, and show average time of capturing screenshot. It should take not more than 50 ms on average (with [correct window size](#)), but it still stable even if it is slow.

Online actions tests

[Online actions](#) are done before or after waiting between battles in order to simulate human behaviour. Here you can test them.

Online actions tests:

- ☐ Open guild
 - ☐ Open random profile
 - ☐ Open guilds chat
 - ☐ Open guilds top
- ☐ Open top
 - ☐ Open top season waves
 - ☐ Open my hell season
 - ☐ Open top hell season
 - ☐ Open top waves my
 - ☐ Open top waves all
- ☐ Craft stones
- ☐ Do save

Start

The logic that should happen for each action is described in [Online actions](#). Here order of **Open guild** -> **Open top** -> **Craft stones** -> **Do save** is not randomized, but in runtime it will be randomized. Order of subactions will be randomized always.

Here the chance of each action is 100%.

Advanced tab

Here you have settings that are rarely changed.

Hotkeys

Start:	<input type="text" value="Alt+F1"/>
Stop:	<input type="text" value="Alt+F2"/>

You have **Start** and **Stop** hotkeys that you can change. The hotkey can have zero or more modifier keys (**Ctrl**, **Shift** or **Alt**), and must end with non-modifier key (almost any key on keyboard). The hotkeys are registered globally, and will work when app is not focused. It might not work if selected hotkey is already registered by another app, but default **Alt + F1** and **Alt + F2** are not taken by anything in Windows by default.

You cannot set same hotkey for start and stop.

Mouse behaviour

Simulate mouse movement

☐ Simulate mouse movement

If enabled, then script will simulate mouse movement to the point where it has to click. This will not be visible when you have [Background mode](#) enabled, but it still will send messages to nox window about mouse movement.

The generated mouse path is quartic bezier curve with intermediate points that are randomly positioned within a padded rectangle formed by starting and finishing points, where padding is 5% of distance between starting and finishing points. Thus, the path can have 0, 1 or 2 inflection points, depending on how intermediate points were placed.

The speed of movement also varies within a path randomly, but you cannot change mouse speed in settings.

There may be bugs due to time taken by script to move mouse to click position.

You can test mouse movement from point to point [in Test tab](#).

Randomize cast sequence

☒ Randomize cast sequence

If disabled, then script will cast clickable heroes from left to right, then top to bottom.

If enabled, then script will start from random clickable hero, and select random neighbour hero as next to click. If there is no neighbour, then will check heroes on distance of 2 cells. This way the script will press all heroes randomly and choose one of the closest hero to previous one.

Click waits

Hero click wait (ms)	Min: <input type="text" value="50"/>	Max: <input type="text" value="150"/>
Wait between casts (ms)	Min: <input type="text" value="100"/>	Max: <input type="text" value="300"/>
Wait on battle buttons (ms)	Min: <input type="text" value="150"/>	Max: <input type="text" value="400"/>

All click waits are milliseconds amount of time that is chosen randomly between **Min** and **Max** every time.

- **Hero click wait** is wait after clicking hero in battle. Do not put very small value there, because the game might not respond if clicks are very quick. The default settings should be ok.
- **Wait between casts** is wait after clicking all heroes, before starting checking cycle again. Here you can set zeros if you want, and have no delay after making casts.
- **Wait on battle buttons** is waits after pressing **“Battle”**, opening Autobattle panel, switching to gab, and before pressing **Start**. Fast clicks can ruin starting autobattle, so it’s better to have some delays there. The default settings should be ok.

Waits and online actions between battles

This was only made to reduce script’s efficiency and simulate human behaviour by adding random waits and some online actions between battles.

This is very important to add this to your setup to reduce probability of being banned (hopefully).

Click **“+”** button, and you will see a new slot:

The checkbox **“Wait N”** specifies whether this slot is enabled. If you uncheck it, it will be ignored.

“X” button will remove it from list.


Up and down arrows will swap current slot with slot above or below.

Ignore waits on AB mode

If you have [AB mode](#) enabled, then waiting between battles is meaningless, because running autobattle is essentially afk mode, where it is assumed that you are not playing, so we don’t need to simulate human behaviour here. Only [waiting part](#) will be ignored in this case, [online actions](#) are still done. Read about them first.


Trigger time min, max

Seconds value. When script will start first battle, it will initiate timer that will be elapsed after random amount of time between min and max values. Every time before starting next battle script will check if this slot is elapsed. It doesn't affect how script behaves while it is in **"Running"** state. It is just a timer.




Wait time min, max


Seconds value. Before starting next battle, script checks all timers that you have there. If a slot is elapsed, it will take random time between min and max, and will just wait before starting next battle.



All other non-elapsed slots will be suspended while waiting for it:



If multiple timers are elapsed together, then script will choose the bottom one to wait for, and all elapsed timers above will be ignored, and will be reset after waiting:



This means that when slot is triggered less frequently – it's better to put it lower on list.

Online actions

Online actions are done before and/or after waiting between battles in order to simulate human behaviour. You can test online actions [in Test tab](#).

For each action you can set chance of making it. It is made to randomize actions and not to do same things every time.

Configuration for Wait 1:

- Trigger min (s): 10, Trigger max (s): 10
- Wait min (s): 10, Wait max (s): 20
- Online actions: Doing online actions after wait
- Top: ☒

The order of actions is randomized.

<input checked="" type="checkbox"/> Open guild	Chance(%): 60
<input type="checkbox"/> Open random profile	Chance(%): 100
<input checked="" type="checkbox"/> Open guilds chat	Chance(%): 80
<input checked="" type="checkbox"/> Open guilds top	Chance(%): 30
<input checked="" type="checkbox"/> Open top	Chance(%): 60
<input checked="" type="checkbox"/> Open top season waves	Chance(%): 80
<input type="checkbox"/> Open my hell season	Chance(%): 100
<input type="checkbox"/> Open top hell season	Chance(%): 100
<input type="checkbox"/> Open top waves my	Chance(%): 100
<input type="checkbox"/> Open top waves all	Chance(%): 100
<input type="checkbox"/> Craft stones	Chance(%): 100
<input type="checkbox"/> Do save	Chance(%): 100

☒ Before wait ☒ After wait

Online actions delay

When making action – every time it will make random delay between 3 and 6 seconds.

Guild actions

☐ Open guild
☐ Open random profile
☐ Open guilds chat
☐ Open guilds top

When **Open guild** is not checked or was filtered out by chance – will not enter guild and will do nothing there, even if nested checkboxes are checked.

If it's checked – will enter guild, then [wait](#). Then will do other selected actions there:

- Open random profile: for it script will scroll up guild members, and click in random place, and will open one of 6 player profile in there. If there was player and profile opened – will [wait](#), and close it. If profile was not opened – will do nothing and go further.
- Open guilds chat: will open chat, [wait](#), and go further.
- Open guilds top: will open guilds top, [wait](#), and go further.

Note: guild actions order is randomized. It's not necessary that order will be same as checkboxes.

After these actions script will close guild.

Top actions

☐ Open top
☐ Open top season waves
☐ Open my hell season
☐ Open top hell season
☐ Open top waves my
☐ Open top waves all

When **Open top** is not checked or was filtered out by chance – will not enter top and will do nothing, even if nested checkboxes are checked.

If it's checked – will open top:



and if current open section is not top season waves (your places, not top 100), then will switch to it.

Then it will [wait](#), and do other selected actions there:

- Open top season waves: will switch to top 100 in season waves and [wait](#).
- Open my hell season: will switch to hell season and [wait](#). The game will automatically open your places there.
 - Open top hell season: will switch to top 100 in hell season and [wait](#).
- Open top waves my: will switch to overall waves top and [wait](#). The game will automatically open your places there.
 - Open top waves all: will switch to top 100 in overall waves top and [wait](#).

Note: top actions order is randomized. It's not necessary that order will be same as checkboxes.

Craft stones

☐ Craft stones

To craft stones, script will check where it currently is. If it's in gc menu – will switch to town. When it's invoked in runtime – it is guaranteed that it's invoked in gc menu.

Then script will automatically find where forge is. If you don't have forge there – will do nothing and will go back to gc menu.

Then will open forge, and if it's scrolled down – will scroll up. It's better to make it already scrolled up, because sometimes it can't scroll to top (probably because of weak scroll, or something else). It will not press any buttons without making sure that it is not on top on buttons list in forge.

Then will craft A stones, then wait random time between 1 and 4 seconds, and click craft S stones.

Then will close forge and go back to gc menu.

Do save

☐ Do save

When in gc menu – will open save panel and do save. If there is popup or ad for coins – will close it.

Before/After wait

☒ Before wait ☒ After wait

Specify whether to do these actions before or/and after [waiting](#). At least one checkbox must be selected, and app will ensure this by not letting you to disable both.

Monitor freezing

☒ Monitor freezing

If you play for long time without resetting nox, it can start freezing. This will ruin script's work.

If enabled, then every time when script makes screenshot, it will store it in memory for 2 seconds. If it finds that there are same screenshots taken, then it will be considered as freezing, and reset will be done immediately, without closing gc. This is not desirable to do like this, but script cannot close gc properly when nox is freezing. After such reset in the middle of the game, gc can reset your progress, and you will have to make load. If script detects empty add, it will stop immediately. If you want to prevent nox freezing, you can make [Cleanup](#) more often and set to make [reset instead of cleanup](#). This will reset nox properly with closing gc.

Freezing detection will be automatically disabled when script starts watching ad, closes gc, enters dungeons, solves captcha.

This works only when [Background mode](#) is enabled. Disabling [Background mode](#) won't automatically disable this checkbox, but you have to know that it won't work without it.

Speedup on item drop

☐ I have x3
☒ Speedup on item drop

I have x3

If you have bought x3 speed, then if you want to speedup on item drop, you will have to click on speed 3 times instead of 2. With it, you cannot start script with [Ad for speed](#) enabled.

Speedup on item drop

If enabled, then after beating dragon and waiting for chest to drop item, will make double (or triple) click on speed to speedup item drop animation.

Max battle length

Max battle length (ms)	<input type="text" value="120000"/>
------------------------	-------------------------------------

This is milliseconds value. If battle goes longer than this amount of time, the script will restart gc. This works in [Dungeon farming](#), [AB mode](#), [Replays](#), manual battles.

Cleanup interval

Cleanup interval	Min (s): <input type="text" value="3600"/>	Max: <input type="text" value="4800"/>
<input type="radio"/> Cleanup <input checked="" type="radio"/> Reset		
<input checked="" type="checkbox"/> Do save before cleanup		

This is seconds value. After starting script, next cleanup time will be chosen by adding random amount of seconds between min and max to current time.

The time of next cleanup will be indicated below min and max textboxes:

Cleanup interval	Min (s): <input type="text" value="3600"/>	Max: <input type="text" value="4800"/>
<input type="radio"/> Cleanup <input checked="" type="radio"/> Reset	Next cleanup: 05.08.2025 02:52:00	
<input checked="" type="checkbox"/> Do save before cleanup		

Cleanup will be made between battles only.

You can test how cleanup is made by expanding app horizontally, there will be **Cleanup test** button, or [in Test tab](#).

Cleanup or Reset

Sometimes cleanup doesn't free memory taken by nox. Reset always frees memory.

You have to remember that sometimes gc can reset your game when you do reset, so you have to keep this in mind when enabling this. Script will close gc and wait for some time before clicking reset, so it should be fine on average.

Do save before cleanup

This will try to save game before cleanup (To prevent losing progress in case of game resets). However, if you have troubles with internet at the moment of save, the script will not make save.

Do restarts

<input checked="" type="checkbox"/> Do restarts	Interval min (s): <input type="text" value="1200"/>	Max: <input type="text" value="1800"/>
---	---	--

Sometimes ad disappears, and you have to restart game to make it appear again, or there are another reasons to restart gc. After starting script, next restart time will be chosen by adding random amount of seconds between min and max to current time.

Note: when you mat item, and do restart, the item will be back (the dust that you got for it will also be removed). Because of this, if you are farming dragon, and mat item of specific grade (for example, mat A items on Legendary dragon), you will see that you still get A items in inventory. That's because of this game's feature.

Next restart time will be indicated under **Do restarts** checkbox.

<input checked="" type="checkbox"/> Do restarts	Interval min (s):	<input type="text" value="1200"/>	Max:	<input type="text" value="1800"/>
Next restart: 05.08.2025 02:25:21				

You can test how restart is made by expanding app horizontally, there will be **Restart test** button, or [in Test tab](#).

Max restarts for reset

Max restarts for reset	<input type="text" value="4"/>
------------------------	--------------------------------

When script restarts game, it might encounter some problems. For example, multiple apps in recent apps, or troubles with opening nox main menu. If it tries to restart 4 times in row, and cannot do it, then script will make reset. You can test how reset happens by expanding app horizontally, there will be **Reset test** button, or [in Test tab](#).

Gc loading limit

Gc loading limit (ms)	<input type="text" value="30000"/>
-----------------------	------------------------------------

This is milliseconds value. After opening gc script will wait until gc menu opens. If it takes longer than this amount of time, restart will be made. You can test how restart is made [in Test tab](#).

Fixed ad wait

Fixed ad wait (ms)	<input type="text" value="0"/>
--------------------	--------------------------------

This is milliseconds value. If script cannot close ad after starting it because of pausing it, you can set fixed ad wait after opening it. After this wait, script will start trying to close it.

Pw on boss

<input checked="" type="checkbox"/> Pw on boss	Delay(ms):	<input type="text" value="500"/>
--	------------	----------------------------------

This is milliseconds value. The script will press pw on boss.

It works like this: when the wave reaches this point:



script stops activating pw, and when boss hp bar appears, it will be pressed after specified amount of milliseconds. Then there will be higher chance to press all heroes at once on the bosses, and the wave will end faster.

Note: this will work only when script plays waves manually, or makes [replays](#).

Orc band and Military on skip only

<input type="checkbox"/> Orc band on skip only
<input type="checkbox"/> Military F on skip only

If checked, then script will press [Orc band or military F](#) only when script does skip 30 waves. It may be useful because if you press them and they give bonus wave, you won't get crystal in the end of the wave, and you also don't get crystals after skipping 30 waves.

Collect mimic

☐ Collect mimic

Chance(%):

Mimic is collected when [making replays](#), or playing manually.

Other

Manual waving

If you disable [Farm dungeon](#), [AB mode](#), [Replay last wave](#), then script will play waves manually. This is the most dangerous way to play, because it's easily detectable from developer side.

Changing parameters in runtime


The script cannot change its parameters when its running. You have to restart it. In this case, you will see that modified settings are marked with orange color:

☒ Farm dungeon:

Legendary dragon

Red background

If you see that app has red background like this:



Then it means that script encountered some error while it was playing. Usually it's simple errors like error while restarting game or resetting nox. But it also could be serious problems like [hint detection](#), and you might be banned already.

Go and check “`.\screens\Errors\`” folder, and sort screenshots by creation time, and see what happened there.

To reset background, you have to restart app. It was made to make you notice this.

Output files

gc.log

This is log file where each action done by script is written.

The line from log typically has this structure:

`[dd.MM.yyyy HH:mm:ss.fff <caller line number>] [<log type>] message...`

Log types that exists:

Letter	Type	Description
I	Info	Regular message that appears most time
W	Warn	Unexpected, but fixable situation
E	Error	Needs inspection, it could be some bug
F	Fatal	Something that script cannot solve, and it will be stopped
U	User	User actions (start script, stop script etc.)
Q	Question	May be error, may be normal situation (like dungeons did not load)
O	Change settings	When script changes settings by itself (disable ad for x3, disable skip with oranges, switch to replays instead of dungeons)
N	Expected something, but didn't happen	For example, script waits for ad for coins to appear, but it doesn't
K	Expected and fixable	For example, game is overlapped by Victory animation
R	Restart, Reset	When restarting gc, resetting nox
X	Fix something	Fix wrong window size (if you change in runtime), or close hero panel
M	Mistake	When about to do missclick in dungeon, or ignore mimic chest
S	Screenshot	When making screenshot
H	Hint	Hint on top of game detected
P	Popup	When popup detected
C	Captcha	While solving captcha
L	Online actions	When making online actions
-	Unreachable code	Somehow got into situation that should have been impossible to reach

dungeon_statistics.txt

The number of items of different grades from each [dragon](#). The numbers must be on their strings, otherwise the script will not be able to read them. If there will be error while reading number from file – it will be replaced with it's default content.

captcha.log

Each attempt to [solve captcha](#) is recorded there.

```
[+] [04.08.2025 11:19:19.812] [00:00:04.4432918] [6 => 0] Ratio: 1.60932 %
[+] [04.08.2025 12:10:48.725] [00:00:04.9608360] [5 => 3] Ratio: 1.45675 %
[+] [04.08.2025 13:04:14.937] [00:00:04.3545810] [2 => 1] Ratio: 1.15066 %
[+] [04.08.2025 20:29:16.869] [00:00:04.9842935] [5 => 4] Ratio: 1.31808 %
[+] [04.08.2025 22:16:07.204] [00:00:04.3077972] [4 => 5] Ratio: 2.15464 %
[+] [04.08.2025 23:43:41.588] [00:00:04.3324457] [2 => 7] Ratio: 2.07192 %
```


Log line in there looks like this:

[+/-] [<Date and time of attempt>] [<time solving>] [<start pos> => <finish pos>] [Ratio: <calculated chance of fail>] (Restarts: <amount of restarts to solve >)(if >0)

Position numeration:



timerx3spd.txt

Here script will save last time of watching [ad for x3 speed](#). If you want to erase information from there and make script check it even if it watched it recently, then you can delete this file, and it will be created automatically with default value.

30crystalsTime.log

This file is created in [Notification only mode](#) if [Log 30 crystals collection time](#) is enabled. In it you can see time of 30 crystals detection, with difference between current and previous detection time:


17/08/2025 09:39:05.603	
17/08/2025 11:17:21.720	01:38:16.117
17/08/2025 14:51:03.355	03:33:41.635
17/08/2025 15:15:49.422	00:24:46.067
17/08/2025 15:17:06.787	00:01:17.365

Hint detection

Once such a message popped up. At this time, the script was playing and saved the image. It restarted the game, but account was banned after this. We don't have any information about what happened before this in game, or after restart.



And this is more recent version (same situation as before: restarted game, but acc was banned, and we know almost nothing):



The script was improved to catch such hints, and if script detects it – it will save [screen cache](#), even if it's disabled, and will save screenshots from what will happen next, even if all screenshot options are disabled.

The script will check this pixels:



if the top pixel is blocked by something, and the bottom one is free (has regular sky color), the script will consider it as a hint, and will restart the game after 7 seconds. Then, it will keep making screenshots for some time (maybe something will happen then). After it, the script will continue playing.

There was a moment when there was a warning about server maintenance that also appeared on top of game in the middle of playing. If this will happen again, then script will probably be not usable for some time.

Note: You can also trigger this by pulling status bar in nox (where you have time, battery charge, wifi...)

Problems solving

Error while calling gca_captcha_solver.dll

If you start script with Solve captcha enabled and see error like “Error while calling gca_captcha_solver.dll: file or one of its dependencies was not found”, that means that you don’t have **gca_captcha_solver.dll** or **opencv_world490.dll** in “.\App\” folder. There are bunch of dlls that app needs to work. Some of them (maybe most) are not used, but deleting them can result in errors in runtime. Do not delete it.

If you are completely sure that everything is fine, and all files are at correct places, then you have to check if you have Microsoft Visual C++ 2015-2022 Redistributable (64x) on your computer. Press Win+R, then type “appwiz.cpl”. It will open Programs and components window in control panel. Then try to find “Microsoft Visual C++ 2015-2022 Redistributable (64x)” there. If you don’t have it, then download it from [microsoft website](#).

Otherwise, I don’t know where exactly the problem could be.

Lags

If you have significant lags that prevent script to run correctly, then check if you have cpu virtualization enabled by going to Task Manager -> Productivity tab (second by default) -> CPU -> under graphs you will see it. To enable it, you have to do it in Bios, and it’s different for different Bios. Find on internet how to do it for your case.


Don’t forget to set more ram and cores for nox in it’s settings.

Also check emulator android version. For me, **Android 7 32 bit** works fastest.

If it’s still lagging when running script – then it’s because of script takes screenshots of game window every time, and it causes nox to redraw it, and it causes bigger load. Need to have more powerful pc then, or reduce target FPS in nox itself.

Cannot start script because of reset and cleanup buttons check

If you see this error when trying to start script



Then follow [instructions for this case](#).

Cannot exit pause or hero window

If script cannot exit pause window or hero window, and clicks in some random place on screen, check if you have [right click to move backwards](#) enabled.

Cannot watch ad until the end

If script stops ads and cannot watch it to the end because of trying to exit it, it is probably because you have different ads UI that I didn’t add to script. To fix this, try to set [Fixed ad wait](#) parameter to 30 or more seconds, to make script try to close ad after 30 seconds after starting it.

Its also important to exit from ad by pressing “Back” button, because if the only way to exit it is click “X” button on screen, then script will not able to do it.

Problem with starting battle

If script keeps open exit window before start wave, or doesn't close skip window after starting wave, try to increase [Waits on battle buttons](#) min and max values.

Problem with starting autobattle

If script cannot start autobattle correctly, try to increase [Waits on battle buttons](#) min and max values.