

ID	TC01
Story	LOGIN-01
Title	Login with valid e-mail and correct password
Objective	Validate user successful login with valid credentials
Partition type	valid
Preconditions	User "standard_user" with password "secret_sauce" must be registered and active in the system.
Input data	User: standard_user Password: secret_sauce
Steps to reproduce	1. Access login page (https://www.saucedemo.com). 2. Enter "standard_user" in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is successful. • The user is redirected to the Dashboard (Products page).
Priority	High
ID	TC02
Story	LOGIN-01
Title	Login with unregistered email
Objective	To verify that the system correctly handles login attempts with an email address that does not exist in the database, ensuring that access is denied and an appropriate error message is displayed without revealing sensitive information.
Partition type	Invalid
Preconditions	User "user_not_found@example.com" must not exist in the system database.
Input data	User: user_not_found@example.com Password: secret_sauce

Steps to reproduce	1. Access login page (https://www.saucedemo.com). 2. Enter "user_not_found@example.com" in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	•Access is denied. •An error message is displayed: "Epic sadface: Username and password do not match any user in this service". •The user remains on the login page.
Priority	High
ID	TC03
Story	LOGIN-01
Title	Login with incorrect password and registered user
Objective	To verify that the system correctly handles login attempts with a password that does not exist in the database, ensuring that access is denied and an appropriate error message is displayed without revealing sensitive information.
Partition type	Invalid
Preconditions	A user with the username standard_user must be successfully registered and active in the system's database
Input data	User: standard_user Password: AnyPassword123
Steps to reproduce	1. Access login page (https://www.saucedemo.com). 2. Enter "standard_user" in the username field. 3. Enter "AnyPassword123" in the password field. 4. Click on the "Login" button.
Expected Result	•Access is denied •An error message is displayed: "Epic sadface: Username and password do not match any user in this service". •The user remains on the login page.
Priority	High

ID	TC04
Story	LOGIN-01
Title	Login with email and password fields empty
Objective	To verify that the system prevents form submission when mandatory fields (Username and Password) are empty, providing immediate feedback to the user.
Partition type	Invalid
Preconditions	The login page must be loaded and the input fields must be cleared.
Input data	User: [empty] Password: [empty]
Steps to reproduce	1. Access login page (https://www.saucedemo.com). 2. Leave both "Username" and "Password" fields blank 3. Click on the "Login" button.
Expected Result	• Access is denied • An error message is displayed: "Epic sadface: Username and password do not match any user in this service". • The user remains on the login page.
Priority	High
ID	TC05
Story	LOGIN-01
Title	Verify password case-sensitivity during authentication
Objective	To verify that the authentication fails when the password is entered with incorrect letter casing (e.g., entering Secret_Sauce instead of secret_sauce), ensuring that the password field is case-sensitive for security purposes.
Partition type	Invalid

Preconditions	A user must be registered with the exact password secret_sauce and the account status must be active.
Input data	User: standard_user Password: Secret_Sauce
Steps to reproduce	1. Access login page (https://www.saucedemo.com). 2. Enter "standard_user" in the username field. 3. Enter "Secret_Sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Access is denied. • An error message is displayed: "Epic sadface: Username and password do not match any user in this service". The user remains on the login page.
Priority	High
ID	TC06
Story	LOGIN-01
Title	Login with Leading and Trailing Spaces in Email
Objective	To verify if the system correctly handles and "trims" leading or trailing empty spaces in the email field, ensuring successful authentication when valid credentials are provided.
Partition type	Valid
Preconditions	User "standard_user" with password "secret_sauce" must be registered and active in the system.
Input data	User: standard_user (Note: Two spaces before and two spaces after the username). Password: secret_sauce
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter "standard_user" in the username field, including the empty spaces. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• The system should automatically trim the spaces from the username field. • Authentication is successful. • The user is redirected to the Dashboard (Products page).

Priority	High
ID	TC07
Story	LOGIN-02
Title	Verify if the system validates user using a standard email with a correct password
Objective	Verify if the system validates if the input follows a standard email format
Partition type	Valid
Preconditions	Email must have a valid format and password "secret_sauce" must be registered and active in the system.
Input data	User: user@provider.com Password: secret_sauce
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter "user@provider.com" in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is successful. • The user is redirected to the Dashboard (Products page).
Priority	High
ID	TC08
Story	LOGIN-02
Title	Login with uppercase letters in Email
Objective	Verify that the email field is case-insensitive.
Partition type	Valid
Preconditions	Email must be registered and active in the system.
Input data	User: STANDARD_USER@mail.com Password: secret_sauce

Steps to reproduce	1. Access login page (Swag Labs). 2. Enter "STANDARD_USER@mail.com" in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is successful. • The user is redirected to the Dashboard (Products page).
Priority	Medium

ID	TC09
Story	LOGIN-02
Title	Login with special special Characters
Objective	Validate user successful login with special Characters
Partition type	Valid
Preconditions	Email must be registered and active in the system.
Input data	User: standard!user123@mail.com Password: secret_sauce
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter "standard!user123@mail.com" in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is successful. • The user is redirected to the Dashboard (Products page).
Priority	High

ID	TC10
Story	LOGIN-02
Title	Invalid login missing "@"
Objective	Verify that the system denies access if "@" is missing
Partition type	Invalid
Preconditions	The login page is loaded and no user is currently authenticated

Input data	User: standard_usermail.com Password: secret_sauce
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter " standard_usermail.com " in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is denied. • An error message is displayed: "Epic sadface: Username and password do not match any user in this service". • The user remains on the login page.
Priority	High
ID	TC11
Story	LOGIN-02
Title	Invalid login missing domain
Objective	Verify that the system denies access when domain is missing
Partition type	Invalid
Preconditions	The login page must be loaded
Input data	User: standard_user.com Password: secret_sauce
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter " standard_user.com " in the username field. 3. Enter "secret_sauce" in the password field. 4. Click on the "Login" button.
Expected Result	• Authentication is denied. • An error message is displayed: "Epic sadface: Username and password do not match any user in this service". • The user remains on the login page.
Priority	High
ID	TC12
Story	LOGIN-02

Title	Verify password minimum length validation
Objective	Verify if the system prevents account access when the password is below the security standard (8 characters).
Partition type	Invalid
Preconditions	email must be registered and active in the system
Input data	User: standard_user Password with 7 characters (ex: 1234567).
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter " standard_user " in the username field. 3. Enter "1234567" in the password field. 4. Click on the "Login" button.
Expected Result	• Access is denied. An error message is displayed: "Epic sadface: Username and password do not match any user in this service"
Priority	High
ID	TC13
Story	LOGIN-02
Title	Verify password limit length validation
Objective	Verify if the system prevents account access when the password is over the security standard (17 characters).
Partition type	Invalid
Preconditions	A user must be registered in the database, and the system's security requirements for limit password length must be active.
Input data	User: standard_user Password with 17 characters (ex: 12345678987654321).
Steps to reproduce	1. Access login page (Swag Labs). 2. Enter " standard_user " in the username field. 3. Enter "12345678987654321" in the password field. 4. Click on the "Login" button.

Expected Result	• Access is denied. An error message is displayed: "Epic sadface: Username and password do not match any user in this service"
Priority	High