# WebTop Homework Logger — Setup Guide for Parents

Turn every WebTop (SmartSchool) homework notification on your iPhone into a row in a shared Google Sheet — with the assignment text, the class, a due date computed as the next lesson of that class, and a **Done** checkbox both parents can tick.

Each family sets up its **own private copy**: your own Sheet, your own script, your own secret word. Nothing is shared between families.

Example of a row the system creates:

| Done | Text | Date | Class | Due date | Due Day |
|---|---|---|---|---|---|
| ☐ | עמ 150-151 | 19/10 | מתמטיקה | 22/10 | יום ה |

## Before you start

You need:

- An **iPhone with iOS 27** — the Shortcuts "Notification" automation trigger only exists on iOS 27.
- The **Shortcuts** app installed.
- The **WebTop** app installed and signed in.
- A **Google account**.

One setting that decides whether this works at all:

> ⚠️ **iPhone Settings → Notifications → WebTop** must include **Lock Screen** and/or **Notification Center**. If it's set to Banners only, the automation silently never runs.

## Step 1 — Clone the Sheet template

1. Open the HW Template link and confirm the copy prompt. The copy that opens is your own Sheet.
2. Share your copied Sheet with the other parent as **Editor**, so they can tick Done.
3. Keep the copied Sheet open — in Step 2 you'll need its ID, from the URL between `/d/` and `/edit`.

What the template already holds:

- The first tab, with the homework headers (`Done | Text | Date | Class | Due date | Due Day`) and the gray-out formatting for ticked rows — the script finds the columns by header name, so don't rename them.
- A **Timetable** tab with the class schedule filled in — due dates are computed from it (the next lesson of the same class). Change a cell only if your child's schedule differs.

## Step 2 — The script

1. Go to script.google.com → **New project**.
2. Delete the sample code and paste in the **entire** contents of Code.gs — the link opens the raw code as plain text; select all and copy. Copying from that page matters: copying code out of a document or chat can turn straight quotes into "smart quotes" and break the script. (No need to download the repository — just that one page.)
3. In the top two lines, replace the placeholders: - `SHEET_ID` — the long ID in your Sheet's URL, between `/d/` and `/edit`. - `SECRET` — any secret word you invent. Remember it; you'll need the exact same word in the shortcut.

## Step 3 — First test (inside the editor)

1. At the top of the editor, select the function **testDoPost** and press **Run**.
2. Approve the Google permission prompt (the script asks for access to your spreadsheets — it's your own script).
3. Expected result: a new row in your Sheet — Date **19/10**, Text **עמ 150-151**, Class **מתמטיקה**, Due date **22/10**, Due Day **יום ה**.
4. Delete that test row.

## Step 4 — Publish the script

1. **Deploy** → **New deployment** → type **Web app**.
2. **Execute as:** Me. **Who has access:** Anyone.
3. **Deploy**, and copy the Web app URL (it ends in `/exec`).

> ⚠️ **After any future change to the code:** use **Deploy** → **Manage deployments** → **edit** → **Version: New version**. The URL stays the same. A brand-new deployment creates a **new** URL and breaks the shortcut. Deployments are frozen snapshots — editing the code alone does not update what the phone calls.

## Step 5 — Install the shortcut and switch it on

Everything on the phone side comes as one ready-made shortcut named **HW** — the posting action *and* the notification automation that triggers it.

1. On the iPhone, open the shared shortcut link: HW shortcut → **Add Shortcut**.
2. Open **HW** in Shortcuts and replace its two `TODO_FILL` placeholders: - The URL → your `/exec` URL from Step 4. - The `key` field's value → your SECRET word from Step 2 (the field name stays lowercase `key`, exactly). - Leave the `text` field as it is. And leave the action's **Headers** section **completely empty**: a stray header row makes Google reject the request with a 400 error page.

3. At the top of **HW** sits its automation — "When I receive a notification from **WebTop**", with a **Message contains** `שיעורי-בית` filter, so only homework notifications trigger it. Shared automations arrive switched **off**: flip its toggle **on**. - If iOS shows a "Configure 'Title' to enable this automation" banner, first delete the leftover **Title** filter row inside the automation — only the Message filter is needed — then switch it on.

## Step 6 — Test from the phone

Run the **HW** shortcut once manually from the Shortcuts list. The expected reply is `empty` — that means success: the secret matched and there was simply no notification text in a manual run. Then wait for the next real WebTop notification and watch a row land in the Sheet.

## How it works day to day

- New rows are inserted at the top, then everything re-sorts: **open homework first, then by due date**.
- The **Text** column holds only the quoted assignment text; the class and dates are pulled into their own columns.
- **Due date** = the next lesson of the same class, from your Timetable tab. If the class isn't found there, it falls back to the next school day (Saturday is never a school day).

## Troubleshooting

| Symptom | Likely cause | Fix |
|---|---|---|
| Shortcut replies `unauthorized` | The `key` doesn't match your SECRET | Check the field name is lowercase `key` and the word is identical in the script and the shortcut |
| Google 400 error page | Something is sitting in the action's Headers section | Delete every Headers row in the Get Contents of URL action |
| A notification arrived but no row — and no run on the script's **Executions** page | The phone side didn't fire | Check the WebTop notification setting (Lock Screen / Notification Center) and that the automation at the top of **HW** is switched on |
| The automation shows a "Configure … to enable this automation" banner | A filter inside HW's automation was left half-configured | Open **HW**, delete the unfinished **Title** filter row in the automation at the top — the **Message contains** `שיעורי-בית` filter is the only one you need — then switch the automation on |
| Rows land, but with old behavior after a code change | The deployment is a frozen snapshot | Redeploy as a **New version** (Step 4 warning) |

| Symptom | Likely cause | Fix |
|---|---|---|
| `error: missing header column` | Row 1 headers are wrong | Row 1 must contain **Text**, **Done** and **Date** (or **Due date**), spelled exactly |
| Due date is wrong for one subject | The subject name doesn't match the Timetable | Fix the name in the Timetable tab, or add a **Mapping** row |

## Privacy & safety

- Every family creates their **own** Sheet, script and SECRET — never reuse someone else's.
- Never post your **SECRET** or your **/exec URL** publicly; together they are the key to your log.
- The Sheet contains only your own child's homework notifications.