Documentation

This document shows the documentation of Project Midnight.

Table of Contents

- Documentation
 - Table of Contents
 - 0.0 Meta Information
 - 0.1 Filesystem
 - 0.2 Repository Information
 - 0.3 Version Information
 - 0.4 Licenses
 - 0.5 Developer Notes
 - 0.6 Development Status
 - 1.0 Source files and Code Works
 - 1.1 db_config.php
 - 1.2 requiries.php
 - 1.3 protocols.php
 - 1.4 session.php
 - 1.5 logout.php
 - 1.6 midnight.sql
 - 1.7 login.php
 - 1.8 signup.php
 - 1.9 retrieve.php
 - 1.10 profile.php
 - 1.11 manage.php
 - 1.12 live.php
 - 1.13 db.php
 - 2.0 Runtime and Technical Captures
 - 2.1 Log In Page
 - 2.2 Sign Up Page
 - 2.3 Account Retrieval Page
 - 2.4 Profile Management Page [Local]
 - 2.5 Profile Management Page [Admin]
 - 2.6 Cipher Management Page [Local]
 - 2.7 Cipher Management Page [Admin]
 - 2.8 Live Cipher Engine Page [Local]

- 2.9 Live Cipher Engine Page [Admin]
- 2.10 Database Server Page [Local]
- 2.11 Database Server Page [Admin]
- 2.12 Database Structure
- 3.0 System Design
 - 3.1 Entity Relationship Diagram
 - 3.2 ID Characterics and Symbolic Cipher Process
 - 3.3 Data Flow Diagram (Level 0)

0.0 Meta Information

0.1 Filesystem

This represents the filesystem of Project Midnight. Refer to this section for information on how locations.

```
+---+ app
    +---+ docs
       +---+ docu
           +---> documentation.md
           +---> documentation.pdf
           +---> ... <misc files> ...
       +---+ Third Party Licenses
           +---> index.md
           +---> index.pdf
           +---> OFL.txt
       +---+ System Design
       +---> ... <system design files> ...
       +---> Enthereon Cipher Projects.md
       +---> Enthereon Cipher Projects.pdf
       +---> LICENSE
       +---> Project Midnight.md
       +---> Project Midnight.pdf
       +---> System Design.vsdx
    +---+ src
       +---+ .sys
           +---+ logic
            | +---> db_config.php
             +---> logout.php
             +---> protocols.php
             +---> requiries.php
               +---> session.php
```

```
+---+ meta
                +---> midnight.sql
        +---+ pages
            +---> db.php
            +---> live.php
            +---> login.php
            +---> manage.php
            +---> profile.php
            +---> retrieve.php
            +---> signup.php
        +---+ resources
            +---+ fonts
                +---+ static
                    +---> ... <misc font files> ...
                +---> BodyFont.ttf
                +---> HeaderFont.ttf
            +---+ images
                +---> banner logo large.png
               +---> banner logo medium.png
               +---> icon-16.png
               +---> icon-32.png
               +---> icon-64.png
                +---> icon-128.png
                +---> icon-256.png
            +---> ... <misc work files> ...
        +---+ scripts
            +---+ CSS
                +---> basic.css
                +---> onboard.css
            +---+ js
    +---> index.php
    +---> launchserver.bat
    +---> launchsys.bat
+---> .gitattributes
+---> .gitignore
+---> LICENSE
+---> README.md
```

0.2 Repository Information

Author: @SilverousBlackRepository Host: GitHub

• Repository Name: Project Midnight

• Repository Status: Private

• Repository Version: 0.0.2

• License: Enthereon Cipher Projects General License

0.3 Version Information

• 0.0.1 - Repository Launch with Log In and Sign Up capabilities

• 0.0.2 - System Timeouts, Administrator-only Control

0.4 Licenses

This Software licensed with a **Enthereon Cipher Projects General License**.

Enthereon Cipher Projects General License

Copyright (c) 2020 Julian Caleb Segundo (SilverousBlack)

Permission is hereby granted, free of charge, to any person (the "User") obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation of the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The use of the Software subjects the User to liability of usage,

including any damage to property and/or data.

The Software must not be used to infringe any rights and/or damage any form of property and/or data.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

THE USE OF THE SOFTWARE SUBJECTS THE USER TO COMPONENT COPYRIGHTS

AGREEMENTS THEREOF, OF WHICH DEFINES THEIR OWN TERMS OF USE AND LICENSE. IN NO EVENT MUST THE USER TERMINATE THESE TERMS, AND TN

SUCH EVENT THE AUTHORS OR COPYRIGHT HOLDERS ARE NOT LIABLE TO INFRINGEMENT OF ANY KIND. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE ANY LOSS OR DAMAGE TO PROPERTY AND/OR

DATA WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This license shall be rendered null and void if any of the above,

whether as a whole or partial, are not met. This agreement also include clauses of component licenses. Upon termination of agreement the User must destroy/erase/remove all and any parts of

the Software from their device, this includes any component that

has been acquired solely through the Software. If the User fails

to destroy/erase/remove all and any parts of the Software, they are subject to copyright infringement of both the Software and its

distributed components.

The fonts used in this software, Manrope and Space Grotesk is licensed with SIL Open Font License.

Copyright 2020 The Manrope Project Authors

(https://github.com/sharanda/manrope)

Copyright 2020 The Space Grotesk Project Authors

(https://github.com/floriankarsten/space-grotesk)

This Font Software is licensed under the SIL Open Font License, Version 1.1.

This license is copied below, and is also available with a FAQ at:

```
http://scripts.sil.org/OFL
```

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

PREAMBLE

The goals of the Open Font License (OFL) are to stimulate worldwide

development of collaborative font projects, to support the font creation

efforts of academic and linguistic communities, and to provide a free and

open framework in which fonts may be shared and improved in partnership

with others.

The OFL allows the licensed fonts to be used, studied, modified and

redistributed freely as long as they are not sold by themselves. The

fonts, including any derivative works, can be bundled, embedded,

redistributed and/or sold with any software provided that any reserved

names are not used by derivative works. The fonts and derivatives,

however, cannot be released under any other type of license. The

requirement for fonts to remain under this license does not apply

to any document created using the fonts or their derivatives.

DEFINITIONS

"Font Software" refers to the set of files released by the Copyright

 $\label{eq:holder} \mbox{Holder}(s) \mbox{ under this license and clearly marked as such. This } \mbox{may}$

include source files, build scripts and documentation.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

"Original Version" refers to the collection of Font Software components as

distributed by the Copyright Holder(s).

"Modified Version" refers to any derivative made by adding to, deleting,

or substituting -- in part or in whole -- any of the components of the

Original Version, by changing formats or by porting the Font Software to a

new environment.

"Author" refers to any designer, engineer, programmer, technical

writer or other person who contributed to the Font Software.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining

a copy of the Font Software, to use, study, copy, merge, embed, modify,

redistribute, and sell modified and unmodified copies of the Font

Software, subject to the following conditions:

- 1) Neither the Font Software nor any of its individual components,
- in Original or Modified Versions, may be sold by itself.
- 2) Original or Modified Versions of the Font Software may be bundled,

redistributed and/or sold with any software, provided that each copy

contains the above copyright notice and this license. These can

included either as stand-alone text files, human-readable
headers or

in the appropriate machine-readable metadata fields within text or

binary files as long as those fields can be easily viewed by the user.

3) No Modified Version of the Font Software may use the Reserved Font

Name(s) unless explicit written permission is granted by the

corresponding

Copyright Holder. This restriction only applies to the primary font name as presented to the users.

4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font

Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the

Copyright Holder(s) and the Author(s) or with their explicit written permission.

5) The Font Software, modified or unmodified, in part or in whole,

must be distributed entirely under this license, and must not be

distributed under any other license. The requirement for fonts to

remain under this license does not apply to any document $\ensuremath{\mathsf{created}}$

using the Font Software.

TERMINATION

This license becomes null and void if any of the above conditions are not met.

DISCLAIMER

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT

OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE

COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL

DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR

```
FROM
OTHER DEALINGS IN THE FONT SOFTWARE.
```

0.5 Developer Notes

- Due to XAMPP not properly working (installation problems).
 - PHP workaround is made through a seprate installation of PHP and Windows Batch Scripts.
 - launchserver.bat launches the PHP (8.0.1) Development Serverc with the system running at localhost:8080.
 - launchsys.bat launches Microsoft Edge (developer choice browser) new window with the system running at localhost:8080.
- By nature of the web application, profile.php or the *Profile Management Page* is considered as the *home page*.
- A new MySQL user is created and used by Project Midnight by default.
- This document and other documents are written in Markdown, and exported to Portable Document Format (PDF) thereunto. Exporting to PDF is done through an extension.

0.6 Development Status

- 2020 December 23 System designed [0.0.0].
- 2021 January 8 Development Started [0.0.0].
- 2021 January 9 Database set up, including default user [0.0.1].
- 2021 January 12 Log In/Sign Up pages developed [0.0.1].
- 2021 January 16 Administrator rights implemented [0.0.1].
- 2021 January 19 Repository launched [0.0.1].
- 2021 January 20 Protocols implemented [0.0.2].
- 2021 January 22 First Packaging attempt, and submission [0.0.2].
- 2021 February 4 Open Launch [1.0.0].

1.0 Source files and Code Works

1.1 db_config.php

```
<?php
    $dbserver = "localhost";
    $dbuser = "user";
    $dbpword = "";</pre>
```

```
$dbname = "MIDNIGHT";
   $dbconfig = mysqli_connect($dbserver, $dbuser, $dbpword,

$dbname);
   if ($dbconfig === false) {
        $error = mysqli_connect_error();
        die("Database Connection Error: {$error}\nAlter
   `src/.sys/logic/db_config.php` to fix errors.");
   }
}
```

1.2 requiries.php

```
<?php
   include_once("db_config.php");
   function retrieveMatches(){
        global $dbconfig;
        $name = "'" . $_POST["uname"] . "'";
        $query = "SELECT * FROM USER WHERE NAME={$name}";
        $result = mysqli_query($dbconfig, $query)
        or die("Database Error: " . mysqli_error($dbconfig));
       return mysqli_fetch_assoc($result);
   }
   function generateUserNumber($number){
       $result = "";
       if ($number < 10) $result .= "00";
        elseif ($number < 100) $result .= "0";</pre>
       elseif ($number < 1000) $result .= "";
        return $result . "{$number}";
   }
   function getUserName($name, $id, $stat){
        $astat = boolval($stat) == 1 ? 1 : 0;
        return $name . "#" . generateUserNumber($id) . $astat;
   function verifyPassWord(string $target){
       $size = strlen($target);
        if ($size >= 8 && $size <= 20) return true;
       else return false;
   }
    function recordEntry($name, $word, $secq, $seca){
        global $dbconfig;
        $uven = "'" . $name . "'" . ", '" . $word . "'";
        $uent = mysqli_query($dbconfig,
        "INSERT INTO USER(NAME, WORD)
```

```
VALUE ({$uven});")
        or die("Database Error [Cannot Add Entry]: " .
mysqli_error($dbconfig));
        $retr = mysqli_query($dbconfig,
        "SELECT ID FROM USER
       WHERE NAME='{$name}';")
        or die("Database Error [Cannot Add Entry]: " .
mysqli_error($dbconfig));
       $ruid = mysqli_fetch_row($retr);
       $suid = $ruid[0];
        $sven = "'{$secq}', '{$seca}', {$suid}";
        $sent = mysqli_query($dbconfig,
        "INSERT INTO SECURITY(QUE, ANS, UID)
       VALUES ({$sven});")
        or die("Database Error [Cannot Add Entry]: " .
mysqli_error($dbconfig));
       $ret = array($uent, $sent);
        return $ret;
   }
   function alert(string $msg){
        echo "<script type='text/javascript'>alert('{$msg}')
</script>";
   }
?>
```

1.3 protocols.php

```
<?php
   include_once("requiries.php");
   function logoutProtocol(){
        global $dbconfig;
       mysqli_close($dbconfig);
       unset($_POST);
       unset($ SESSION);
   }
   function pageloadProtocol(){
        global $dbconfig;
        if (!(isset($_SESSION["luid"]))){
            header("Loacation: login.php", true, 301);
            exit();
        }
        else {
            $luid = $_SESSION["luid"];
```

```
$result = mysqli_query($dbconfig,
            "SELECT *
            FROM USER
            WHERE ID={$luid};")
            or die("Database Error: " .
mysqli_error($dbconfig));
            $localResults = mysqli_fetch_assoc($result);
            $user = getUserName($localResults["NAME"],
$localResults["ID"], $localResults["ASTAT"]);
            $_SESSION["uname"] = $user;
            $_SESSION["lusr"] = $localResults["NAME"];
            $_SESSION["luid"] = $localResults["ID"];
            $_SESSION["luas"] = $localResults["ASTAT"];
        }
   }
   function timeoutProtocol(){
        $cur = hrtime(true);
        $elapsed = (($cur - $_SESSION["lact"]) / 1e+9) / 60;
        if ($elapsed > 10){
            $_SESSION["alert"] = "System Timeout: Please log in
again";
            header("Location: login.php", true, 301);
        }
   }
   function adminProtocol(){
        if ($ SESSION["luas"] == 0){
            $_SESSION["alert"] = "Administrator-only Page: Log
in with an administrator account to access.";
            logoutProtocol();
            header("Location: login.php", true, 301);
        }
   }
   function accessProtocol(){
        if (isset($_SESSION["alert"])){
            alert($_SESSION["alert"]);
            unset($_SESSION["alert"]);
        }
    function pageendProtocol(){
        $_SESSION["lact"] = hrtime(true);
   }
?>
```

```
<?php
  include_once("db_config.php");
  include_once("requiries.php");
  include_once("protocols.php");
?>
```

1.5 logout.php

```
    include_once("session.php");
    logoutProtocol();
    session_destroy();
    header("Location: ../../pages/login.php", true, 301);
?>
```

1.6 midnight.sql

```
-- Project Midnight default database setup
CREATE USER IF NOT EXISTS "user"@localhost IDENTIFIED BY "";
CREATE SCHEMA MIDNIGHT;
GRANT ALL PRIVELEGES ON MIDNIGHT.* TO "user"@localhost
IDENTIFIED BY "";
USE MIDNIGHT;
CREATE TABLE `user` (
    `ID` INT(3) NOT NULL AUTO_INCREMENT,
    `NAME` VARCHAR(20) NOT NULL,
    `WORD` VARCHAR(20) NOT NULL DEFAULT '00000000',
    `ASTAT` BIT(1) NULL DEFAULT b'0',
    PRIMARY KEY ('ID')
COLLATE='utf8_general_ci'
ENGINE=InnoDB
CREATE TABLE `cipher` (
    `ID` INT(6) NOT NULL,
    `NAME` VARCHAR(20) NOT NULL,
    `UID` INT(3) NULL DEFAULT NULL,
    PRIMARY KEY ('ID'),
    INDEX `UID` (`UID`),
```

```
CONSTRAINT `cipher_ibfk_1` FOREIGN KEY (`UID`) REFERENCES
`user` (`ID`)
)
COLLATE='utf8 general ci'
ENGINE=InnoDB
CREATE TABLE `symbol` (
    `ID` INT(13) NOT NULL,
    `SYM` VARCHAR(1) NOT NULL,
    `CID` INT(6) NULL DEFAULT NULL,
    `UID` INT(3) NULL DEFAULT NULL,
    PRIMARY KEY ('ID'),
    INDEX `CID` (`CID`),
    INDEX `UID` (`UID`),
    CONSTRAINT `symbol_ibfk_1` FOREIGN KEY (`CID`) REFERENCES
`cipher` (`ID`),
    CONSTRAINT `symbol_ibfk_2` FOREIGN KEY (`UID`) REFERENCES
`user` (`ID`)
COLLATE='utf8_general_ci'
ENGINE=InnoDB
CREATE TABLE `security` (
    `ID` INT(15) NOT NULL AUTO_INCREMENT,
    `QUE` VARCHAR(50) NOT NULL,
    `ANS` VARCHAR(50) NOT NULL,
    `UID` INT(3) NULL DEFAULT NULL,
    PRIMARY KEY ('ID'),
    INDEX `UID` (`UID`),
    CONSTRAINT `security_ibfk_1` FOREIGN KEY (`UID`) REFERENCES
`user` (`ID`)
COLLATE='utf8 general ci'
ENGINE=InnoDB
CREATE TABLE `logs` (
    `ID` INT(15) NOT NULL AUTO_INCREMENT,
    `REC` DATETIME NOT NULL DEFAULT current timestamp(),
    `CID` INT(6) NULL DEFAULT NULL,
    `UID` INT(3) NULL DEFAULT NULL,
    PRIMARY KEY ('ID'),
    INDEX `CID` (`CID`),
    INDEX `UID` (`UID`),
    CONSTRAINT `logs_ibfk_1` FOREIGN KEY (`CID`) REFERENCES
`cipher` (`ID`),
```

```
CONSTRAINT `logs_ibfk_2` FOREIGN KEY (`UID`) REFERENCES
`user` (`ID`)
)

COLLATE='utf8_general_ci'

ENGINE=InnoDB
;

INSERT INTO USER(NAME, WORD, ASTAT) VALUES ("admin",

"projectmidnightadmin", 1);

INSERT INTO SECURITY(QUE, ANS, UID) VALUES ("What is the

crystal latice of Enthereon?", "Midnight Sky", 1);
```

1.7 login.php

```
<?php
   session_start();
   include_once("../.sys/logic/session.php");
   accessProtocol();
   $error_uname = "";
   $error_pword = "";
   if (isset($_POST["uname"])) {
       $localResults;
       try {
            $localResults = retrieveMatches();
        catch (Exception $e){
            $uname = $_POST["uname"];
            $error_uname = "Username [{$uname}] not found on
database!";
            header("Location: ", true, 301);
       if (is_null($localResults)){
            $uname = $_POST["uname"];
            $error_uname = "Username [{$uname}] not found on
database!";
            header("Location: ", true, 301);
        }
       else {
            if ($_POST["psw"] == $localResults["WORD"]){
                $user = getUserName($localResults["NAME"],
$localResults["ID"], $localResults["ASTAT"]);
                $ SESSION["uname"] = $user;
                $_SESSION["lusr"] = $localResults["NAME"];
                $_SESSION["luid"] = $localResults["ID"] + 0;
```

```
$_SESSION["luas"] = $localResults["ASTAT"];
                $_SESSION["lact"] = hrtime(true);
                unset($ POST["psw"]);
                header("Location: profile.php", true, 301);
                exit();
            }
            else {
                global $error pword;
                $uname = $_POST["uname"];
                $error_pword = "Username [{$uname}] and
Password does not match";
        }
    }
    unset($_POST);
    pageendProtocol();
?>
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Log In page of Project Midnight. Project</pre>
Midnight is a part of Enthereon Cipher Projects by S. Black,
and is a predecessor of Project Eclipse. Read license notice
for information on copyrights.">
        <title>Midnight: Log In</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
    </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
            <a class="active" href="">Log In</a>
```

```
<a href="signup.php">Sign Up</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
            <a href="../../docs/Project"> <a href="../../docs/Project"> </a>
Midnight.pdf">About: Project Midnight</a>
           <a href="../../docs/LICENSE">License</a>
       <div class="general">
           <div class="content">
               <h1>Log In</h1>
               <h2>Welcome to Project Midnight <img
src="../resources/images/icon-16.png"></h2>
               Login to continue.
               <form method="post" action="">
                    <label for="uname"><b>Username</b></label>
                   <input type="text" placeholder="Enter</pre>
Username" name="uname" required>
                   <?php
                       echo ("{$error_uname}
");
                    ?>
                   <br>>
                   <label for="psw"><b>Password</b></label>
                   <input type="password" placeholder="Enter</pre>
Password" name="psw" required>
                   <?php
                       echo ("{$error_pword}
");
                    ?>
                   <br>
                   <button class="login" type="submit"</pre>
onclick>Login</button>
                   <input type="checkbox" checked="checked"</pre>
name="remember"> Remember me
                   </label>
               </form>
               Not yet registered? <a
href="signup.php">Sign up here.</a>
               Lost your account? <a
href="retrieve.php">Retrieve here.</a>
           </div>
        </div>
```

```
</body>
</html>
```

1.8 signup.php

```
<?php
   session_start();
   include_once("../.sys/logic/session.php");
   $error_uname = "";
   $error_pword = "";
   if (isset($_POST["uname"])){
        $pings = retrieveMatches();
        if (!(is_null($pings))){
            $uname = $_POST["uname"];
            $error_uname = "Username [{$uname}] already exists
in database! Consider changing.";
        }
        else {
            if (strlen($_POST["uname"]) > 20){
                $error_uname = "Username must be a maximum of
20 characters":
            elseif (!(verifyPassWord($_POST["psw"]))){
                $error_pword = "Password must be at least 8
characters and at most 20 characters.";
            else {
                $ret = recordEntry($_POST["uname"],
$_POST["psw"], $_POST["secq"], $_POST["seca"]);
                $localResults = retrieveMatches();
                $user = getUserName($localResults["NAME"],
$localResults["ID"], $localResults["ASTAT"]);
                $_SESSION["uname"] = $user;
                $_SESSION["lusr"] = $localResults["NAME"];
                $_SESSION["luid"] = $localResults["ID"];
                $_SESSION["luas"] =
boolval($localResults["ASTAT"]);
                unset($_POST["secq"]);
                unset($_POST["seca"]);
                unset($_POST["psw"]);
                header("Location: profile.php", true, 301);
            }
```

```
unset($_POST);
   pageendProtocol();
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Sign Up page of Project Midnight.</pre>
Project Midnight is a part of Enthereon Cipher Projects by S.
Black, and is a predecessor of Project Eclipse. Read license
notice for information on copyrights.">
       <title>Midnight: Sign Up</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
       <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
       <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
    </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
           <a href="login.php">Log In</a>
            <a class="active" href="">Sign Up</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
           Midnight.pdf">About: Project Midnight</a>
           <a href="../../docs/LICENSE">License</a>
       <div class="general">
            <div class="content">
               <h1>Sign Up</h1>
               <h2>Welcome to Project Midnight <img
src="../resources/images/icon-16.png"></h2>
               Welcome! We're glad to have you here!
```

```
Complete the form to register and sign up.
<form method="post" action="">
                   <label for="uname">Username</label>
                   <hr>>
                   <input type="text" placeholder="Enter</pre>
Username" name="uname" required>
                   <br>
                   <?php
                       echo ("{$error_uname}
");
                   ?>
                   <br>>
                   <label for="psw">Password</label>
                   <br>>
                   <input type="password" placeholder="Enter</pre>
Password" name="psw" required>
                   <br>>
                   <?php
                       echo ("{$error_pword}
");
                   ?>
                   <br>>
                   <label for="secq">Security Question</label>
                   <input type="text" placeholder="Security</pre>
Question" name="secq" style="width: 100%">
                   <br>>
                   The security question
[optional] would be used later to retrieve your log in
credentials in case they are lost.
                   <label for="seca">Security Question
Answer</label>
                   <hr>>
                   <input type="text" placeholder="Security</pre>
Answer" name="seca" style="width: 100%">
                   <br>>
                   Take note of your
security question and answer! Both must match to retrieve an
account.
                   <br>
                   <button class="login" type="submit"</pre>
onclick>Sign Up</button>
                   <label>
```

1.9 retrieve.php

```
<?php
   session_start();
   include_once("../.sys/logic/session.php");
   if (isset($_POST["ret"])){
       $retrieve_stat = true;
       $uid = $_POST["uid"];
       $que = $_POST["secq"];
       $ans = $_POST["seca"];
       $result = mysqli_query($dbconfig,
        "SELECT *
       FROM SECURITY
       WHERE UID={$uid};")
       or die("Database Error: " . mysqli_error($dbconfig));
       if (!($result)){
            $error_ret = "Cannot Execute Request: Cannot find
security records of User with ID [#{$uid}].";
        }
        else {
            $local = mysqli_fetch_assoc($result);
            if (is_null($local)) {
                $error_ret = "Cannot Execute Request: User [#
{$uid}] has null security records.";
            }
            else {
                if (!($que == $local["QUE"] && $ans ==
$local["ANS"])){
                    $error_ret = "Cannot Execute Request:
Security records for User [#{$uid}] does not match records.";
```

```
else {
                     $result = mysqli_query($dbconfig,
                     "SELECT NAME, WORD
                     FROM USER
                     WHERE ID={$uid};")
                     or die("Database Error: " .
mysqli_error($dbconfig));
                     $local = mysqli_fetch_assoc($result);
                     $ret_uname = $local["NAME"];
                     $ret_pword = $local["WORD"];
                     $ret_success = "Request Success: Account
credentials for User [#{$uid}] is successful.";
            }
        }
    }
    unset($_POST);
    pageendProtocol();
?>
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Account Retrieval page of Project</pre>
Midnight. Project Midnight is a part of Enthereon Cipher
Projects by S. Black, and is a predecessor of Project Eclipse.
Read license notice for information on copyrights.">
        <title>Midnight: Sign Up</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
    </head>
    <body>
        <l
```

```
<img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
            <a href="login.php">Log In</a>
            <a href="signup.php">Sign Up</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
            <a href="../../docs/Project"> <a href="../../docs/Project"> </a>
Midnight.pdf">About: Project Midnight</a>
            <a href="../../docs/LICENSE">License</a>
        <div class="general">
            <div class="content">
                <h1>Account Retrieval</h1>
                Retreive your account here!
                Complete the form to attempt retrieving your
account.
                <form method="post" action="">
                    <input type="hidden" name="ret"</pre>
value="true">
                    <label for="uid">User ID</label>
                    <br>
                    <input type="number" name="uid"</pre>
placeholder="User ID" required>
                    The User ID (UID) is the first three
digits of your User Tag ("#xxxx").
                    <br>
                    <label for="secq">Security Question</label>
                    <input type="text" name="secq"</pre>
placeholder="Security Question" required>
                    <label for="seca">Security Question
Answer</label>
                    <hr>>
                    <input type="text" name="seca"</pre>
placeholder="Security Answer" required>
                    <br>
                    <button class="login"</pre>
type="submit">Retrieve</button>
                </form>
                Remember your credentials? <a
href="login.php">Log in here.</a>
                Do you want to sign up? <a
href="signup.php">Sign up here.</a>
```

```
<?php
                  if (isset($retrieve_stat)){
                      echo "<hr>>";
                      echo "<h2>Results</h2>";
                      if (isset($error_ret)){
                          echo "{$error_ret}
";
                      }
                      else {
                          echo "
{$ret_success}";
                          echo "Quickly take
note of your credentials. We are not liable for any leak of
information.";
                          echo "<form>";
                          echo "<label>User Name</label>
<br>";
                          echo "<input type=text type=value</pre>
value='{$ret_uname}' readonly><br>";
                          echo "<label>Password</label><br>";
                          echo "<input type=text
value='{$ret_pword}' readonly>";
                          unset($retrive_stat);
                      }
                  }
               ?>
           </div>
       </div>
   </body>
</html>
```

1.10 profile.php

```
<?php
    session_start();
    include_once("../.sys/logic/session.php");
    pageloadProtocol();
    timeoutProtocol();
    if (isset($_POST["unc"])){
        $localresults = retrieveMatches();
        $uname = $_POST["uname"];
        if (is_null($localresults)){
            $luid = $_SESSION["luid"];</pre>
```

```
$buffer = "'" . $uname . "'";
            $result = mysqli_query($dbconfig,
            "UPDATE USER
            SET NAME={$buffer}
            WHERE ID={$luid};")
            or die("Database Error: " .
mysqli_error($dbconfig));
            $user = getUserName($uname, $luid,
$_SESSION["luas"]);
            $_SESSION["uname"] = $user;
            $_SESSION["lusr"] = $uname;
            $success_uname = "Request Success: User Name
successfully changed.";
        }
       else {
            if ($uname == $ SESSION["lusr"]){
                $error_cname = "Cannot Execute Request: New
User Name [$uname] is similar to current.";
            }
            else {
                $error cname = "Cannot Execute Request: New
User Name [$uname] has a duplicate.";
        }
       unset($_POST["unc"]);
   }
   if (isset($_POST["pwc"])){
       $luid = $ SESSION["luid"];
        $buffer = mysqli_query($dbconfig,
        "SELECT *
       FROM USER
       WHERE ID={$luid};")
       or die("Database Error: " . mysqli error($dbconfig));
       $chunk = mysqli_fetch_assoc($buffer);
        if ($_POST["opsw"] != $chunk["WORD"]) {
            $error_opsw = "Cannot Execute Request: Old password
does not match record.";
        elseif ($_POST["npsw"] == $chunk["WORD"]) {
            $error_npsw = "Cannot Execute Request: New password
is similar to current.";
        elseif ($ POST["npsw"] != $ POST["cpsw"]) {
            $error_cpsw = "Cannot Execute Request: Passwords do
not match.";
```

```
else {
            $load = "'" . $ POST["npsw"] . "'";
            $result = mysqli_query($dbconfig,
            "UPDATE USER
            SET WORD={$load}
            WHERE ID={$luid};")
            or die("Database Error: " .
mysqli error($dbconfig));
            $success_pword = "Request Success: Password
successfully changed.";
       unset($_POST["pwc"]);
    }
    if (isset($_POST["secc"])){
        $luid = $ SESSION["luid"];
        $secq = "'" . $_POST["secq"] . "'";
        $seca = "'" . $_POST["seca"] . "'";
        $result = mysqli_query($dbconfig,
        "UPDATE SECURITY
        SET QUE={$secq}, ANS={$seca}
        WHERE UID={$luid};")
        or die("Database Error: " . mysqli_error($dbconfig));
        $success_security = "Request Success: Security details
successfully changed.";
        unset($ POST["secc"]);
    }
    unset($ POST);
    pageendProtocol();
5>
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Profile Management page of Project</pre>
Midnight. Project Midnight is a part of Enthereon Cipher
Projects by S. Black, and is a predecessor of Project Eclipse.
Read license notice for information on copyrights.">
        <title>Midnight: Log In</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
```

```
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/onboard.css">
    </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
            <a class="active" href="">Manage Profile</a>
<a href="manage.php">Manage Ciphers</a>
            <a href="live.php">Live Cipher</a>
            <?php
               if ($_SESSION["luas"] == 1){
                    echo "<a class='adminoff'
href=db.php>Database Server</a>";
            ?>
            <a href="../.sys/logic/logout.php"</li>
class="logout">Log Out</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
            <a href="../../docs/Project"> <a href="../../docs/Project"> </a>
Midnight.pdf">About: Project Midnight</a>
            <a href="../../docs/LICENSE">License</a>
        <div class="general">
            <div class="content">
                <h1>Profile Management</h1>
                Hi <b><?php echo $_SESSION["uname"]; ?></b>!
You can change usernames, passwords and others here!
                <hr>>
                <h2>User Name</h2>
                <?php
                    if (isset($success_uname)){
                        echo "{$success_uname}
";
                   }
                ?>
```

```
<form method="post" action="">
                   <input type="hidden" name="unc"</pre>
value="true">
                   <label for="uname">New User Name</label>
                   <hr>
                   <input type="text" name="uname"</pre>
placeholder="New User Name" value="<?php echo</pre>
$_SESSION["lusr"]; ?>" required>
                   <?php
                       if (isset($error_cname)){
                           echo "<br>";
                           echo "{$error_cname}
";
                       }
                   ?>
                   <br>
                   <button class="login" type="submit"</pre>
onclick>Change User Name</button>
               </form>
               <hr>>
               <h2>Password</h2>
               <?php
                   if (isset($success_pword)){
                       echo "{$success_pword}
";
                   if ($_SESSION["luas"] == 1){
                       echo "It is advised to
keep administrator credentials constant.";
               <form method="post" action="">
                   <input type="hidden" name="pwc"</pre>
value="true">
                   <label for="opsw">Old Password</label>
                   <br>
                   <input type="password" name="opsw"</pre>
placeholder="Old Password" required>
                   <?php
                       if (isset($error_opsw)){
                           echo "<br>";
                           echo "{$error_opsw}
";
                       }
                   ?>
```

```
<br>
                   <label for="npsw">New Password</label>
                    <br>
                    <input type="password" name="npsw"</pre>
placeholder="New Password" required>
                    <?php
                       if (isset($error_npsw)){
                           echo "<br>";
                           echo "{$error_npsw}
";
                       }
                    ?>
                    <br>
                   <label for="cpsw">Confirm Password</label>
                    <br>
                   <input type="password" name="cpsw"</pre>
placeholder="Confirm Password" required>
                   <?php
                       if (isset($error_cpsw)){
                           echo "<br>";
                           echo "{$error cpsw}
";
                       }
                    ?>
                   <br>
                   <button class="login" type="submit"</pre>
onclick>Change Password</button>
               </form>
               <hr>>
               <h2>Security Details</h2>
               <?php
                   if (isset($success_security)){
                       echo "
{$success_security}";
               ?>
               <form method="post" action="">
                    <input type="hidden" name="secc"</pre>
value="true">
                   <label for="npsw">Security Question</label>
                    <input type="text" name="secq"</pre>
placeholder="New Security Question">
                   <label for="cpsw">Security Answer</label>
```

1.11 manage.php

```
<?php
   session_start();
   include_once("../.sys/logic/session.php");
   pageloadProtocol();
   timeoutProtocol();
   alert("Page Under Construction: This page is still in
development, all/multiple functionalities may be missing.");
   $luid = $_SESSION["luid"] + 0;
   $result = mysqli_query($dbconfig,
   "SELECT *
   FROM CIPHER
   WHERE UID={$luid}")
   or die("Database Error: " . mysqli_error($dbconfig));
   $copy = $result;
   $total = ∅;
   $counter = 1;
   while($rows = mysqli_fetch_assoc($result)){
       $total += 1;
       $counter = ($rows["ID"] + 0) - ($luid * 1000);
   if (isset($_POST["cnp"])){
        $lcin = "'" . $_POST["ncn"] . "'";
        $lcid = ($luid * 1000) + $counter + 1;
       $result = mysqli_query($dbconfig,
        "INSERT INTO
       CIPHER(ID, NAME, UID)
       VALUES ({$lcid}, {$lcin}, {$luid});")
       or die("Database Error" . mysqli_error($dbconfig));
```

```
if (isset($_POST["ccn"])){
    }
    else {
        $options = "";
    pageendProtocol();
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Cipher Management page of Project</pre>
Midnight. Project Midnight is a part of Enthereon Cipher
Projects by S. Black, and is a predecessor of Project Eclipse.
Read license notice for information on copyrights.">
        <title>Midnight: Log In</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/onboard.css">
    </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
            <a href="profile.php">Manage Profile</a>
            <a class="active" href="">Manage Ciphers</a>
<a href="live.php">Live Cipher</a>
            <?php
                if ($_SESSION["luas"] == 1){
                    echo "<a class='adminoff'
```

```
href=db.php>Database Server</a>";
           ?>
           <a href="../.sys/logic/logout.php"</li>
class="logout">Log Out</a>
           <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
           <a href="../../docs/Project">-</a>
Midnight.pdf">About: Project Midnight</a>
           <a href="../../docs/LICENSE">License</a>
       <div class="general">
           <div class="content">
               <h1>Cipher Management<h2>
               Manage your ciphers here!
               <h2>Create New Cipher<h2>
               <form method="POST" action="">
                   <input type="hidden" name="cnp">
                   <label for="ncn">New Cipher Name</label>
                   <br>>
                   <input type="text" name="ncn"</pre>
placeholder="Cipher Name" required>
                   <button type="submit" class="login">&rArr;
</button>
                   <?php
                       if(isset($error_ncn)){
                          echo "<br>{$ncn}
";
                       }
                   ?>
               </form>
               <hr>
               <h2>Configure Cipher</h2>
               Select a ciphher ⇒ Select a
configuration method ⇒ Do configuration
               <form>
                   <label for="ccn">Cipher Name</label>
                   <br>
                   <?php
                       if(isset($cur_cipher)){
                          echo "<input type='text' name='ccn'
value='{$cur_cipher}' readonly>";
                       }
                       else {
```

1.12 live.php

```
<?php
    session_start();
    include_once("../.sys/logic/session.php");
    pageloadProtocol();
    timeoutProtocol();
    alert("Page Under Construction: This page is still in
development, all/multiple functionalities may be missing.");
    pageendProtocol();
?>
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Live Cipher Engine page of Project</pre>
Midnight. Project Midnight is a part of Enthereon Cipher
Projects by S. Black, and is a predecessor of Project Eclipse.
Read license notice for information on copyrights.">
        <title>Midnight: Log In</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
```

```
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
       <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/onboard.css">
   </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
            <a href="profile.php">Manage Profile</a>
            <a href="manage.php">Manage Ciphers</a>
            <a class="active" href="">Live Cipher</a>
            <?php
                if ($_SESSION["luas"] == 1){
                    echo "<a class='adminoff'
href=db.php>Database Server</a>";
            ?>
            <a href="../.sys/logic/logout.php"</li>
class="logout">Log Out</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
            <a href="../../docs/Project"> <a href="../../docs/Project"> </a>
Midnight.pdf">About: Project Midnight</a>
            <a href="../../docs/LICENSE">License</a>
        <div class="general">
            <div class="content">
                <h1>Live Cipher Engine<h2>
            </div>
        </div>
    </body>
</html>
```

1.13 db.php

```
<?php
    session_start();
    include_once("../.sys/logic/session.php");
    pageloadProtocol();</pre>
```


```
adminProtocol();
   timeoutProtocol();
   if (isset($_POST["pque"])){
       $query = $_POST["query"];
       $to_print = "<b>Received query: </b>
{$query}";
       $result = mysqli_query($dbconfig, $query);
       if (!($result)){
          $dberror = "Database Error: " .
mysqli_error($dbconfig);
          $to_print .= "$dberror";
       }
       else {
          $to_print .= "Query accepted.
";
          key = explode(" ", query)[0];
          if (!($result)){
              $to_print .= "No result
buffer";
          else {
              if ($key == "SELECT" || $key == "SHOW" || $key
== "DESCRIBE"){
                 $to_print .= "<hr>";
                 $rows = mysqli_num_rows($result);
                 if (!($rows)) {
                     $to_print .= "No Data</rr>
";
                 }
                 else {
                     $assoc = mysqli_fetch_assoc($result);
                     $headers = array_keys($assoc);
                     $to print .= "";
                     foreach($headers as $head){
                        $to_print .= "{$head}";
                     }
                     $to_print .= "";
                     $to_print .= "";
                     foreach($headers as $key){
                        $dat = $assoc["$key"];
                        $to_print .= "{$dat}";
                     $to_print .= "";
                     while ($row =
mysqli_fetch_assoc($result)){
```

```
$to print .= "";
                             foreach($headers as $key){
                                 $dat = $row["$key"];
                                 $to print .= "{$dat}";
                             $to print .= "";
                         }
                    $to_print .= "";
                }
            }
        }
    }
    unset($_POST);
    pageendProtocol();
?>
<!DOCTYPE html>
<html>
    <head>
        <meta author="Silverous Black">
        <meta charset="utf-8">
        <meta summary="Database Server page of Project</pre>
Midnight. Project Midnight is a part of Enthereon Cipher
Projects by S. Black, and is a predecessor of Project Eclipse.
Read license notice for information on copyrights.">
        <title>Midnight: Log In</title>
        <link rel="icon" type="images/png" sizes="256x256"</pre>
href="../resources/images/icon-256.png">
        <link rel="icon" type="images/png" sizes="128x128"</pre>
href="../resources/images/icon-128.png">
        <link rel="icon" type="images/png" sizes="64x64"</pre>
href="../resources/images/icon-64.png">
        <link rel="icon" type="images/png" sizes="32x32"</pre>
href="../resources/images/icon-32.png">
        <link rel="icon" type="images/png" sizes="16x16"</pre>
href="../resources/images/icon-16.png">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/basic.css">
        <link rel="stylesheet" type="text/css"</pre>
href="../scripts/css/onboard.css">
    </head>
    <body>
        <l
            <img class="banner" src="../resources/images/banner</pre>
logo medium.png" alt="Project Midnight Banner Logo Medium">
```


```
<a href="profile.php">Manage Profile</a>
            <a href="manage.php">Manage Ciphers</a>
            <a href="live.php">Live Cipher</a>
            <?php
               if ($_SESSION["luas"] == 1){
                   echo "<a class='adminon'
href=''>Database Server</a>";
            ?>
           <a href="../.sys/logic/logout.php"</li>
class="logout">Log Out</a>
            <a href="../../docs/Enthereon Cipher">
</a>
Projects.pdf">About: Enthereon Cipher Projects</a>
            <a href="../../docs/Project"> <a href="../../docs/Project"> </a>
Midnight.pdf">About: Project Midnight</a>
           <a href="../../docs/LICENSE">License</a>
       <div class="general">
           <div class="content">
                <h1>Database Server</h1>
                <b>[Administrator Privelege]</b> Directly
communicate with the database here.
               <form method="post" action="">
                    <input type="hidden" name="pque"</pre>
value="true">
                    <label for="query">Query</label>
                    <br>>
                    <input type="text" name="query"</pre>
placeholder="Database Query" required>
                    <button type="submit" class="login">&rArr;
</button>
                </form>
                <?php
                    if(isset($to_print)){
                        echo "<hr><h2>Results</h2>";
                        echo "{$to_print}";
                    }
                ?>
           </div>
       </div>
    </body>
</html>
```

2.0 Runtime and Technical Captures


2.1 Log In Page




2.2 Sign Up Page




2.3 Account Retrieval Page




2.4 Profile Management Page [Local]




2.5 Profile Management Page [Admin]




2.6 Cipher Management Page [Local]




2.7 Cipher Management Page [Admin]




2.8 Live Cipher Engine Page [Local]




2.9 Live Cipher Engine Page [Admin]



2.10 Database Server Page [Local]



2.11 Database Server Page [Admin]




2.12 Database Structure


```
MariaDB [(none)]> USE MIDNIGHT;
Database_changed
MariaDB [MIDNĬGHT]> DESCRIBE USER;
                           Null
                                           Default
  Field
                                                       Extra
                                    Key
           Type
           int(3)
varchar(20)
varchar(20)
                                    PRI
                                           NULL
                                                        auto_increment
                           NO
  NAME
                           NO
                                           NULL
                                           00000000
  WORD
                           NO
           bit(1)
                                           b'0'
  ASTAT
                           NO
  rows in set (0.018 sec)
 ariaDB [MIDNIGHT]> DESCRIBE CIPHER;
                           Nu11
                                           Default |
  Field
                                    Key
                                                      Extra
           Type
           int(6)
varchar(20)
                           NO
                                    PRI
                                           NULL
  NAME
                           NO
                                           NULL
           int(3)
  UID
                           YES
                                    MUL
                                           NULL
  rows in set (0.016 sec)
lariaDB [MIDNIGHT]> DESCRIBE SYMBOL;
  Field |
           Type
                          Nu11
                                  Key
                                         Default | Extra
           int(13)
varchar(1)
int(6)
int(3)
  ΙD
                          NO
                                   PRI
                                          NULL
  SYM
                          NO
                                          NULL
  CID
                          YES
                                  MUL
                                         NULL
  UID
                          YES
                                  MUL
                                         NULL
  rows in set (0.014 sec)
lariaDB [MIDNIGHT]> DESCRIBE SECURITY;
  Field |
                           Nu11
                                           Default
                                                      Extra
           Type
                                    Key
           int(15)
                                                       auto_increment
                                    PRI
                                           NULL
           varchar (50)
varchar (50)
  QUE
                           NO
                                           NULL
  ANS
                           NO
                                           NULL
  UID
           int(3)
                           YES
                                    MUL
                                           NULL
  rows in set (0.015 sec)
lariaDB [MIDNIGHT]> DESCRIBE LOGS;
  Field
                        Nu11
                                       Default
                                                                 Extra
           Type
                                Key
           int(15)
                                                                 auto_increment
                        NO
                                PRI
           datetime
                                       current_timestamp()
  REC
                        NO
           int(6)
int(3)
                                       NULL
  CID
                        YES
                                MUL
                        YES
                                MUL
  UID
                                       NULL
  rows in set (0.026 sec)
```

3.0 System Design


3.1 Entity Relationship Diagram



3.2 ID Characterics and Symbolic Cipher Process



ID CHARACTERISTICS AND SYMBOLIC CIPHER PROCESS M-SD-02A



General Events Data Flow Diagram M-SD-03G