Practice_TS_2

Execution Environment

Host name DESKTOP-66LKLS4\$ - 192.168.3.67

OS Windows 10 64bit

Katalon version 6.2.1.2

Browser Chrome 75.0.3770.142

Summary

ID Test Suites/Practice_TS_2

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Start 2019-07-25 12:03:56 End 2019-07-25 12:04:57

Elapsed 1m - 0.749s

#	ID	Description	Status
1	Test Cases/tc_0_0_1_RR_ASA_quality_academy_attend		FAILED
2	Test Cases/tc_0_1_1_MM_Katalon_Demo_Kura_Login		PASSED

Information

ID Test Cases/tc_0_0_1_RR_ASA_quality_academy_attend

Description

Tag

Start 2019-07-25 12:03:57 End 2019-07-25 12:04:26

Elapsed 29.068s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	7.028s	PASSED
2	maximizeWindow() Current window maximized	4.138s	PASSED
3	navigateToUrl("https://www.asaquality.ee/") Navigate to 'https://www.asaquality.ee/' successfully	14.208s	PASSED
4	click(findTestObject("tc_0_0_1_RR_OR/Page_Avaleht - ASA Quality Services/button_EST")) Object: 'Object Repository/tc_0_0_1_RR_OR/Page_Avaleht - ASA Quality Services/button_EST' is clicked on	0.166s	PASSED
5	click(findTestObject("tc_0_0_1_RR_OR/Page_Avaleht - ASA Quality Services/a_ENG")) Object: 'Object Repository/tc_0_0_1_RR_OR/Page_Avaleht - ASA Quality Services/a_ENG' is clicked on	1.263s	PASSED
6	click(findTestObject("tc_0_0_1_RR_OR/Page_About Us - ASA Quality/a_Academy")) Object: 'Object Repository/tc_0_0_1_RR_OR/Page_About Us - ASA Quality/a_Academy' is clicked on	1.242s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("tc_0_0_1_RR_OR/Page_Academy - ASA Quality/button_Attend"))	0.153s	PASSED

 $Object: 'Object \ Repository/tc_0_0_1_RR_OR/Page_Academy - ASA \ Quality/button_Attend' is \ clicked \ on$

8 click(findTestObject("tc_0_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin_brinary w-100 my-0"), STOP_ON_FAILURE) Unable to click on object 'Object Repository/tc_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin_brinary w-100 my-0" (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/tc_0_0_1 RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin_brinary w-100 my-0" (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/tc_0_0_1 RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin_brinary w-100 my-0" at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain_groovy:24) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain_groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor.core.core.executeReywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.click (WebUlBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords\$click\$3.call (Unknown Source) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords\$click\$3.call (Unknown Source) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptPagine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.ofExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
Unable to click on object 'Object Repository/tc_0_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin btn-primary w-100 my-0' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/tc_0_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin btn-primary w-100 my-0' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend.30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:337) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:307)
Quality/input_Error on form submit_btn btn-primary w-100 my-0' (Root cause: com.kms. katalon.core.exception: StepFailedException: Unable to click on object 'Object Repository/tc_0_0_1_RR_OR/Page_Academy_ASA Quality/input_Error on form submit_btn btn-primary w-100 my-0' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:264) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:265) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeywordPoortPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at to_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAsRawText(ScriptEngine.java:191) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecutionPhase (TestCaseExecutor.java:207)
katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/tc_0_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_bin_bin-primary_w-100 my-0' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy;64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy;26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy;86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy;56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy;604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend.so) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:209)
Repository/tc_0_0_1_RR_OR/Page_Academy - ASA Quality/input_Error on form submit_btn btn-primary w-100 my-0" at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUlBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptTengine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.proc
submit_bin btn-primary w-100 my-0' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:264) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:266) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:866) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:677) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at c_0_1_RR_ASA_quality_academy_attend.run (t_0_0_1_RR_ASA_quality_academy_attend.run) (t_0_0_1_RR_ASA_quality_academy_attend.run) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:3377) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:88) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at to_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:327) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299)
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend.30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:299)
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at tc_01_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click (WebUiBuiltlnKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
(WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
(Unknown Source) at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at tc_0_0_1_RR_ASA_quality_academy_attend.run (tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
(tc_0_0_1_RR_ASA_quality_academy_attend:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
(TestCaseExecutor.java:299)
java:233)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:133)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:116)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
83) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown
Source)
at TempTestSuite1564045430234.run(TempTestSuite1564045430234.groovy:35) Caused by: org.openqa.selenium.ElementNotVisibleException: element not interactable
(Session info: chrome=75.0.3770.142)
(Driver info: chromedriver=74.0.3729.6 (255758eccf3d244491b8a1317aa76e1ce10d57e9-
refs/branch-heads/3729@{#29}),platform=Windows NT 10.0.18362 x86_64) (WARNING:
The server did not provide any stacktrace information)
Command duration or timeout: 0 milliseconds Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-66LKLS4', ip: '192.168.3.67', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Status

```
Description
                                                                                             Elapsed
Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:
false, browserConnectionEnabled: false, browserName: chrome; chrome:
{chromedriverVersion: 74.0.3729.6 (255758eccf3d24..., userDataDir: C:
\WINDOWS\TEMP\scoped_dir1...}, cssSelectorsEnabled: true, databaseEnabled: false,
goog:chromeOptions: {debuggerAddress: localhost:57210}, handlesAlerts: true,
hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true,
mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), rotatable: false,
setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true,
takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version:
75.0.3770.142, webStorageEnabled: true}
Session ID: 7ba05b0e21160bdd3b372bd080e9bbdf
          at\ org. open qa. selenium. remote. Error Handler. create Throwable (Error Handler. java:
214)
          at org.openga.selenium.remote.ErrorHandler.throwlfResponseFailed
(ErrorHandler.java:166)
          at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue
(JsonHttpResponseCodec.java:40)
          at org.openga.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:80)
          at org.openga.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:44)
          at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at\ com.kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
20)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at\ com.kms. katalon.core.webui.keyword.builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
(WebUiBuiltInKeywords.groovy:604)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$3.call
(Unknown Source)
          at Script1563436327659.run(Script1563436327659.groovy:30)
          ... 13 more
```



tc_0_1_1_MM_Katalon_Demo_Kura_Login

Information

ID Test Cases/tc_0_1_1_MM_Katalon_Demo_Kura_Login

Description

Tag

Start 2019-07-25 12:04:26 End 2019-07-25 12:04:57

Elapsed 31.284s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login")	24.535s	PASSED
	Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login'		
2	maximizeWindow()	4.122s	PASSED
	Current window maximized		
3	click(findTestObject("tc_0_1_1_MM_OR/Page_CURA Healthcare Service/button_Login"))	0.784s	PASSED
	Object: 'Object Repository/tc_0_1_1_MM_OR/Page_CURA Healthcare Service/button_Login' is clicked on		
4	waitForElementPresent(findTestObject("tc_0_1_1_MM_OR/Page_CURA Healthcare Service/p_Login failed Please ensure the username and password are valid"), 2)	0.059s	PASSED
	Object 'Object Repository/tc_0_1_1_MM_OR/Page_CURA Healthcare Service/p_Login failed Please ensure the username and password are valid' is present		
5	setText(findTestObject("tc_0_1_1_MM_OR/Page_CURA Healthcare Service/input_Username_username"), "John Doe")	0.147s	PASSED
	Text 'John Doe' is set on object 'Object Repository/tc_0_1_1_MM_OR/Page_CURA Healthcare Service/input_Username_username'		
6	setText(findTestObject("tc_0_1_1_MM_OR/Page_CURA Healthcare Service/input_Password_password"), "ThisIsNotAPassword")	0.148s	PASSED
	Text 'ThisIsNotAPassword' is set on object 'Object Repository/tc_0_1_1_MM_OR/Page_CURA Healthcare Service/input_Password_password'		

tc_0_1_1_MM_Katalon_Demo_Kura_Login

#	Description	Elapsed	Status
7	click(findTestObject("tc_0_1_1_MM_OR/Page_CURA Healthcare Service/button_Login"))	0.450s	PASSED
	Object: 'Object Repository/tc_0_1_1_MM_OR/Page_CURA Healthcare Service/button_Login' is clicked on		
8	verifyTextPresent("Make Appointment", false, CONTINUE_ON_FAILURE)	0.090s	PASSED
	Text 'Make Appointment' is present on page		
9	closeBrowser()	0.612s	PASSED
	Browser is closed		