## knitr Reference Card

Yihui Xie

June 22, 2020

# 1 Syntax

| format    | start  | end           | inline      | output   |
|-----------|--|---------------|-------------|----------|
| Rnw       | <<*>>=   | 0             | \Sexpr{x}   | TEX      |
| Rmd       | ```{r *}   | ***           | `r x`       | MD       |
| Rhtml     | begin.rcode *</td <td>end.rcode&gt;</td> <td><!--rinline x--></td> <td>HTML</td> | end.rcode>    | rinline x   | HTML     |
| Rrst      | {r *}  |               | :r:`x`      | reST     |
| Rtex      | % begin.rcode *  | % end.rcode   | \rinline{x} | TEX      |
| Rasciidoc | // begin.rcode *   | // end.rcode  | +r x+       | AsciiDoc |
| Rtextile  | ### begin.rcode *  | ### end.rcode | @r x@       | Textile  |
| brew      |  |               | <% x %>     | text     |

<sup>\*</sup> denotes local chunk options, e.g. <<label, eval=FALSE>>=; x denotes inline R code, e.g. `r 1+2` (MD stands for Markdown)

# 2 Minimal Examples

# 2.1 Sweave (\*.Rnw)

\documentclass{article}
\begin{document}

Below is a code chunk.
<<foo, echo=TRUE>>=
z = 1+1
plot(cars)

The value of z is \Sexpr{z}. \end{document}

## 2.2 R Markdown (\*.Rmd)

Hi \_markdown\_!

r foo, echo=TRUEz = 1+1

plot(cars)

The value of z is `r z`.

### 2.3 Brew (\*.brew)

The value of pi is <% pi %>.

# 3 Chunk Options

opts\_chunk controls global chunk options, e.g. opts\_chunk\$set(tidy = FALSE),
which can be overridden by local chunk options. See all options at https:
//yihui.org/knitr/options/; some frequently used options:

eval whether to evaluate the chunk echo whether to echo source code results 'markup', 'asis', 'hold', 'hide' tidy whether to reformat R code cache whether to cache results

fig.width, fig.height, out.width, out.height device and output size of figures include whether to include the chunk results in output

**child** filenames of child documents **engine** language name (R, python, ...)

### 4 Functions

knit() the main function in this package; knit input document and write output purl() extract R code from an input document

spin() spin goat's hair (an R script with roxygen comments) into wool (a literate
programming document to be passed to knit())

stitch() insert an R script into a template and compile the document knit\_hooks\$set() set or reset chunk and output hooks

### 5 Resources

- homepage: https://yihui.org/knitr/
- development repository: https://github.com/yihui/knitr (CRAN,
- examples: https://github.com/yihui/knitr-examples
- stackoverflow: http://stackoverflow.com/tags/knitr/
- mailing list: https://groups.google.com/group/knitr