


# ● 動機與目的:

現今的飲料店外送服務大多為打電話至門市訂購,有時可能造成店員應付不及,而耽誤到現場購買的其他客人。因此建構此網路訂購系統服務,顧客將需要的飲料填選至網路表單中再傳送至店面電腦系統中,利用後台系統迅速記錄消費者需求,讓店員可一目了然的知道顧客需要哪些飲料,依照表單即可製作飲料,而更加節省了彼此的溝通時間與人力資源。最後顧客再至店面拿取或是選擇外送服務即可。





#### ● 頁面說明:

#### home.html





# Project.html:

```
🗵 📑 register.html 🖸 🚍 2.php 🗵 🚍 menu.php 🔼 🚍 buy.html 🗵 🚍 buy.php 🗵 🚍 depoping.cart.php 🔼 🚍 depoping.cart.php 🔼 🚍 depoping.cart.php 🖂 🚍 depoping.cart.php
   <!doctype html>
<html>
<head>
   <meta charset="utf-8">
<title>無標題文件</title>
  body {
    background-image: url(context.jpg);
    background-size: cover;
 -</style>
-</head>
| cloudy>
| cloudy | cloud | c
                     style="background-color:#787878;width:1200px;height:60px;margin:0 auto;opacity: 0.8;border-sty<span style="color:#FCFAF2;font-family:DFKai-sh;padding:50px;font-size:55px;">會員各人</span>
                                                                                                                                                                                                                                                                                                                                                                                                               會員登入圖案字樣
= d<iv style="background-color:#DAC9A6;width:1200px;height:450px;margin:0 auto;opacity: 0.7;text-align:center;line-height:100px;border-style:dc=cspan style="font-family:DFKai-sh;padding:0px;font-size:50px;color:#434343;">
   form method="post" action="1.ph
請輸入帳號:<input type="text"
請輸入底號:<input type="password
<input type="submit" value="登入
/form>
                                                                                                                                                                   "i " style="font-size:40px ;padding:6px ;border-color:#434343;border-style:inset"><br>
"passwd" style="font-size:40px;padding:6px;border-color:#434343;border-style:inset":
size:40px;border-style:double"><br>
                                                                                                                                                                                                                                                                                                                                                                                                                                            帳號密碼輸入登入連結處
   -</span>
-</div>
                                                                                                                                    Required:此欄位為必要欄位
     <div style="background-color:#B4A582;width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;"></div></div></div></div></div>
 </body>
```



# wrong.html:

```
| Selective | Internation | Selective | S
```



## register.html:

```
📑 liphy 🖸 🚼 register.html 🔀 📑 2 phy 🖸 📑 menu.phy 🗵 🖶 buy.phy 🖸 🖶 buy.phy 🖸 🖶 shoppingcart.php 🔯 🖶 decomect.phy 🖸 🖶 delete.phy 🔯 🖶 register.html 🖸 🖶 savecart.phy 🔯 🚍 welcome.php 🔯 🚍 finish.html 🔯 🚍 wrong.html 🔯 🚍 project.html 🔯
                       <!doctype html>
                    |<html>
                      <head>
                      <meta charset="utf-8">
<tittle>無標題文件</title>
                    <style type="text/ggg">
body {
                                   background-image: url(context.jpg);
                                   background-size: cover;
                      </style>
                  | cloody>
| cloody | 
                   | <div style="background-color:#787878;width:1200px;height:60px;margin:0 auto;opacity: 0.8;border-style:double;"> <span style="color:#FCFAF2;font-family:DFKai-gb;padding:50px;font-size:55px;">會員註冊</span>
                   #USE: <input type="text" required name="id" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
密碼: <input type="text" required name="id" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
密码: <input type="password" required name="passwd" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
左名: <input type="text" required name="name" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
上楼: <input type="text" required name="phone" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
地址: <input type="text" required name="address" style="font-size:30px ;padding:6px ;border-color:#434343;border-style:inset"><br/>
地址: <input type="submit" value="alim" style="font-size:30px;border-style:double"><br/>

                                                                                                                                                                                                                                                                                                                                                                                                                                                           會員註冊需填寫資料內容
                      </span>
                      <div style="background-color:#B4A582;width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;"></div></div></div></div>
                   </body>
Hyper Text Markup Language file
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Windows (CR LF) UTF-8
```



### 2.php:

```
🗵 🔚 register.html 🗵 📴 2.php 🗵 🔡 menu.php 🗵 🔚 buy.html 🗵 📇 buy.php 🗵 🔡 sh
                                                                                         🗵 🔡 db_connect.php 🗵 🔡 delete.php 🗵 🛗 restart.html 🗵 🛗 savecart.php 🗵 🛗 welcome.php 🗵 🛗 finish.htm
       <!doctype html>
      ⊢<head>
       <title>無標題文件</title>
       </head>
      -

d<body>
     P<?php
$account=$_POST['id'];
$password=$_POST['passwd'];</pre>
       $name=$_POST['name'];
$phone=$_POST['phone'];
$address=$_POST['address'];
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
                                                                                                    會員註冊連結資料庫
       include_once ("db_connect.php");
$conn=mysqli_connect($IP,$ID,$PW,$DB);
       mysqli set charset($conn, "utf8");
mysqli_select_db($conn,"drink");
$sql="INSERT INTO member(ID, passwd, name, phone, address) VALUES ('$account','$password','$name','$phone','$address')",
        f($conn->query($sql)==true)
             require once "restart.html";
                                                                       若資料輸入成功則連至網頁畫面
             echo "Error: ".$sql. " <br/> ".$conn -> error;
                                                                        輸入失敗則顯示錯誤訊息
         conn->close();
       </body>
```

#### db\_connect.php:

```
□ 1.php 図 □ register.html 図 □ 2.php 図 □ restart.html 図 □ db_connect.php 図 □ <?php 2 $IP="localhost"; $ID="root"; $PW=""; $DB="drink"; $DB="drink"; ?>
```

### drink.sql:



#### restart.html:

```
📙 1.php 🗵 🔡 register.html 🗵 🛗 2.php 🗵 🛗 restart.html 🗵 🔡 db
                                  <!doctype html>
                       Pshtml>
chead>
<meta charset="utf-8">
<title>無標度文件:</title>

cstyle type="text/css">
                           □<html>
                              <style type="body {</pre>
                                                     background-image: url(context.jpg);
background-size: cover;
                                </style>
-</head>
   11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
33
                       cdiv style="background-color:#787878;width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;">
0.8;border-style:
                            -</div>
                        cdiv_style="background-color:#DAC9A6;width:1200px;height:250px;margin:0_auto;opacity: 0.7;text-align:center;line-height:100px;border-style:double;border-style:solid;">
| Color: #DAC9A6; width:1200px;height:250px;margin:0_auto;opacity: 0.7;text-align:center;line-height:100px;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;border-style:double;bord
                                                                 style="color:#434343;font-family:DFKai-sh;padding:50px;font-size:50px; 数型成為我們的會員,請回首頁重新登入,謝謝!</pan>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          歡迎字樣
                              <input</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  回到主首頁重新登入
                                  <div style="background-color:#B4A582;width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;"></div>
                            </body>
```



### 1. php:

```
📑 l.php 🔀 🚍 register.html 🔀 🚍 2.php 🔀 🚍 restart.html 🔀 🚍 db_connect.php 🔀 🚍 menu.php 🖾 🚍 buy.html 🔀 🚍 buy.php 🖂 🚍 delete.php 🖂 🚍 delete.php 🖂 🚍 savecart.php 🔀 🚍 welcome.php
      <!doctype html>
     ⊟<html>
     =<head>
      <meta charset="utf-8">
<title>無標題文件</title>
      </head>
     ||<body>
      $conn=mysqli_connect($IP,$ID,$PW,$DB);
      mysqli_select db($conn, "drink");
      SAcc=S POST['id'];
                                連接資料庫判斷帳號密碼是否正確
                                                  from member where ID="".$Acc."");
                                                      1234 ,
            ex. 输入帳號=A0001 ,抓取值={A0001
                                                                 Ann
                                                                             0912345678
                                                                                               No.500, LiufengRd., Wufeng Dist.
 23
24
25
26
           $rec=mysqli_fetch_array($result);
                                                  //將抓取值放進陣列中
       if($rec[1]==$Pwd)            //抓陣列的第個值(passwd)比對是否與輸入密碼相符
 29
30
           require_once "wrong.html";
 36
37
```

### welcome.php:



## menu.php:





# Buy.html:

```
😑 l. php 🔀 🚔 register. Atml 🔀 🚔 2 php 🔀 🚔 restart. Atml 🖾 🚔 de_connect. php 🖾 🚔 menu. php 🖾 🚔 menu. php 🖾 🚔 bey. php 🖸 🚔 shopping cart. php 🖂 🚔 shopping cart. php 🖂 🚔 savecart. php 🗵 🚔 savecart. php 🗵 🚔 swelcome. php 🗵 🚔 welcome. php 🖂 🚔 wrong. Atml 🗵 🛁 project. html 🖸
                        <!doctype html>
                   □<html>
                    =<head>
                      <meta charset="utf-8">
<title>無標題文件</title>
                     <style type="text/css">
body {
                                    background-image: url(context.jpg);
background-size: cover;
                  | coliv style="background-color:#B4A582;width:1200px;height:350px;margin:0 auto;text-align:center;line-height:300px;opacity: 0.8;border-style:double;"> | cling src="logo.png" width="344" height="350" alt="" style="display:block; margin:auto;"/> | cling src="logo.png" width="344" height="350" alt="" style="logo.png" alt="" style=" styl
                   cdiv_style="background-color:#DAC9A6;width:1200px;height:450px;margin:0 auto;opacity: 0.7;text-align:center;line-height:100px;border-style:double;border-style:solid;
                  :font-family:DFKaj-sb;font-size:30px:">羅擇的品: </
'color:#434343;font-family:DFKaj-sb;font-size:30px;'
                               span style="color:#434343;font-family:DFKai-sb;font-size:30px;">攪採期度: </select name="sweet" style="color:#434343;font-family:DFKai-sb;font-size:30px;
<option value="A007">正常</option>
<option value="A009">洗練</option>
<option value="A009">洗練</option>
<option value="A010">無趣</option>
<option value="A010">無趣</option>
<option value="A010">無趣</option>
<option value="A010">無趣</option>
<option value="A010">無趣</option>
<option value="A010">
<option value="A010"

<option value="A010">
<option value="A010"

<option value="A010">
<option value="A010"

<op
                                                                                                                                                                                                                                                                                                                                                                                                    下拉選項:飲料名稱、甜度、溫度選項
    38
39
40
                            span style="color:#434343;font-family:DFKai-sb;font-size:30px;">選擇溫度:</span>
    41
42
43
44
45
46
47
48
49
50
51
52
                               /le="color:#434343;font-family:DFKai-sb;font-size:30px
                                                                                                                                                                                                                                                                                                                                                                                            輸入數量格
                                                                                                                                                                                                                                                                                                                                                                                                                                                                      確定訂購按鈕
                                        href="menu.php">MENU</a> | <a href="shoppinggart.php">檢視購物車</a
                                                                                                                                                                                                                                                                                                                                查看購物車內容
                          <div style="background-color:#B4A582;width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;"></div>
                      -</body>
```

## Buy.php:

```
<meta charset="utf-8">
<title>無標題文件</title>
                                         text/gss"
                  background-image: url(context.jpg);
background-size: cover;
            /style>
         <div style="background-color:#DAC9A6;width:1200px;height:1000px;margin:0 auto;opacity: 0.7;text-align:center;line-height:100px;border-style:double;border-style:solid
       判斷是否輸入餐點項目
                      | break;
| case "A002"; "Name"] = "結本(公)";
| $ SESSION["Price"] = 20;
| break;
| case "A003";
| $ SESSION["Name"] = "好茶(公)";
| $ SESSION["Price"] = 25;
| break;
| case "A004"; = "名[本(太)";
                     break;
case "A004":

$ SESSION["Name"] = "紅花(太)";
$ SESSION["Price"] = 25;
break;
case "A005";
$ SESSION["Name"] = "紅花(太)";
$ SESSION["Price"] = 25;
break;
case "A006";
$ SESSION["Name"] = "紅花(太)";
$ SESSION["Name"] = "紅花(太)";
$ SESSION["Price"] = 30;
break;
                                                                                   // 取得選擇商品
                  sweet = $_POST["sweet"]; /
switch (strtoupper($sweet)) {
                              se "A007":

$_SESSION["sweet"] = "IF ##"

break;
                                                                                                                                                                                尋找輸入品項、甜度、溫度
                        case "A008":
    $_SESSION["sweet"] = "坐鄉"
                              break;
                       所對應的名稱並顯示置網頁
                               * "A010":
$ SESSION["sweet"] = "無糖"
                 stemp = $_POST["temp"]; // 取得整據商品
switch (strtoupper($temp)) {
                      case "A013":
    $_SESSION["temp"] = "正常冰".
                              break:
                       | break;
case "A015":
| $_SESSION["temp"] = "\( \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) 
                                                                                               將此筆資料轉存
          <div style="background-color:#B4A582</pre>
                                                                                                 width:1200px;height:30px;margin:0 auto;opacity: 0.8;border-style:double;"></div>
       </body>
```

### Savecart.php:

```
🗎 1.php 🗵 🗎 register.html 🗵 🗎 2.php 🗵 🗎 restart.html 🗵 📑 db_connect.php 🗵 🗎 menu.php 🗵 🖶 buy.html 🗵 🖶 buy.php 🗵 📑 savecart.php 🗵 📗
         <!doctype html>
      ⊟<html>
⊟<head>
         <meta charset="utf-8">
   4
         <title>無標題文件</title>
  8 =<body>
      ₽<?php
  9
         session_start(); // <u>的用交談期</u>
f ( isset($_SESSION["ID"]) ) {
    $id = $_SESSION["ID"]; // 取得Session變數,編號
  10
  11
  12
              $name = $_SESSION["Name"];//品名
  13
                                                                                          判斷前面項目所對應名稱
  14
              $sweet = $ SESSION["sweet"];//甜度
              $temp = $_SESSION["temp"];//冰塊
                                                                                         是否都輸入
  15
              $quantity = $_SESSION["Quantity"];//杯數
 16
             $quantity = $_SESSION["Quantity"];//企類
$price = $_SESSION["Price"];//金額

// 儲存選購商品的陣列Cookie

*etcookie($id."[ID]", $id, time()+3600);

*setcookie($id."[Name]", $name, time()+3600);

*setcookie($id."[sweet]", $sweet, time()+3600);

*setcookie($id."[temp]", $temp, time()+3600);

*setcookie($id."[temp]", $temp, time()+3600);
  17
  18
  19
  20
  22
                                                                                                    將資料儲存在 cookie,
              setcookie($id."[fortified]", $fortified, time()+3600);
setcookie($id."[Price_add]", $Price_add, time()+3600);
  23
 24
                                                                                                    再設定儲存時間
              setcookie($id."[Price]", $price, time()+3600);
  25
               setcookie($id."[Quantity]", $quantity, time()+3600);
  26
  27
 28
  29
         header("Location: shoppingcart.php"); // 轉址
         </body>
        </html>
  32
```



### Shoppingcart.php:

```
🚍 l.php 🖸 😭 register.html 🖸 😭 2.php 🛂 😭 restart.html 🗵 🚔 db_connect.php 🗵 😭 menu.php 🔼 😭 buy.html 🗵 😭 buy.html 🗵 😭 buy.php 🗵 😭 savecurt.php 🗵 😭 delete.php 🗵 😭 delete.php 🗵 😭 welcome.php 🗵 😭 wrong.html 🗷 😭 project.html 🗵 😭 project.html 🗷
     <!doctype html>
      <meta charset="utf-8">
<meta charset="utf-8">
<tittle>無標題文件</title>
        style type="text/css"
      body {
          background-image: url(context.jpg);
          background-size: cover;
      </head>
     | Solvy | Style="background-color:#B4A582;width:1200px;height:350px;margin:0 auto;text-align:center;line-height:300px;opacity: 0.8;border-style:double;"> (sing src="logo.png" width="344" height="350" alt="" style="display:block; margin:auto;"/>
     (div style="background-color:#DAC9A6;width:1200px;height:1000px;margin:0 auto;opacity: 0.7;text-align:center;line-height:100px;border-style:double;border-style:solid
          ble width="800" border="1" colspan=5 align=center>
vtd>功能\sum_kc/td>與素

                                                                                                                               表格中顯示的文字
               Sz=Sx*Sv;
                                   可計算出兩個變數相乘的值
           // 取出所有陣列Cookie
        while (list($arr, $value) = each($_COOKIE) ) {
// 檢查COOKIE名稱是否存在,且為陣列
if ( isset($_COOKIE[$arr]) && is_array($_COOKIE[$arr])
           echo "<a href='delete.php?Id=".$arr."'>";
                                                                       選擇刪除項目並連接至 cookie 中刪除
           $quantity = 0; // 顯示選購的商品資料
           while (list($name, $value)=each($_COOKIE[$arr])) {
// 使用表格顯示
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
66
67
66
67
67
69
70
              echo "" . $value . "";
               if ($name == "sweet
  $sweet = $value;
               if ($name ==
              if ($name == "temp")
   $temp = $value;
if ($name == "Price")
   $price = $value;
if ($name == "Quantity")
   $quantity = $value;
                                                                  使用 function 計算總金額
           $total += sum($price,$quantity); // 計算總金額
          ?>

     返回點餐繼續購買
       <hr/> (| <a href="buy.html">鐵續購買</a> | (a href="finish.html">送出</a>
                                                                                           完成點餐並送出
      <div style="background-color:#B4A582;width:1200px;height:30px;margin:0 auto;op</pre>
     </body>
```

# Delete.php

```
| Iphp | | register.html | 2.php | restart.html | delete.php | heav.php | he
```



#### finish.html:





#### ● 執行結果:

將需要的飲料加至購物車,並且計算金額內容,結帳。

#### ● 結論:

透過這次的專題報告,我們不只學習到上課所學的知識也增進了自己自主學習的能力,例如:網頁的美編設計...等。實際設計出一個完整的網站,雖然還是非常簡陋,和現在一般常見的購物網站有很大的落差。

在這次的報告中,我們也發現了許多不足的地方,但也從中發現了許多樂趣,希望能在未來更深入的學習架設網頁的其他技巧,讓這個飲料訂購系統訂購更完整。

#### ● 工作分配:

105022007 楊子誼 (網頁設計、PPT、影片錄製)

105022068 張芸蓁 (網頁設計、Word)

105022118 張庭瑜 (網頁設計、網頁美工樣式)