⚡ ZAP Scanning Report Derpnstink

Site: http://192.168.1.112

Generated on Thu, 22 Jun 2023 13:18:12

ZAP Version: 2.12.0

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	2
Low	3
Informational	2

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	6
Missing Anti-clickjacking Header	Medium	2
Cross-Domain JavaScript Source File Inclusion	Low	1
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	13
X-Content-Type-Options Header Missing	Low	9
Modern Web Application	Informational	1
User Agent Fuzzer	Informational	60

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/is/js/release/kveik.1.4.24.js
Method	GET
Attack	

Evidence	
URL	http://192.168.1.112/is/js/release/kveik.1.4.24.js?1
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/php/
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/sitemap.xml
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/temporary/
Method	GET
Attack	
Evidence	
Instances	6
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/temporary/
Method	GET
Attack	
Evidence	
Instances	2

Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js"></script>
Instances	1
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.1.112/css/style.css
Method	GET
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.1.112/derp.png
Method	GET
Attack	
Evidence	Apache/2.4.7 (Ubuntu)
URL	http://192.168.1.112/is/js/release/kveik.1.4.24.js
Method	GET
Attack	
Evidence	Apache/2.4.7 (Ubuntu)

	URL	http://192.168.1.112/is/js/release/kveik.1.4.24.js?1
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/js/index.js
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/js/particles.min.js
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/php/
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/robots.txt
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/sitemap.xml
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/stinky.png
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/temporary/
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
	URL	http://192.168.1.112/webnotes/info.txt
	Method	GET
	Attack	
	Evidence	Apache/2.4.7 (Ubuntu)
Instances		13
Solution		Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
		http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007
Reference		

	http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10036

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/css/style.css
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/derp.png
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/js/index.js
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/js/particles.min.js
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/robots.txt
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/stinky.png
Method	GET
Attack	
Evidence	
URL	http://192.168.1.112/temporary/
Method	GET
Attack	

Evidence	
URL	http://192.168.1.112/webnotes/info.txt
Method	GET
Attack	
Evidence	
Instances	9
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://192.168.1.112
Method	GET
Attack	
Evidence	<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js"></script>
Instances	1
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://192.168.1.112/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://192.168.1.112/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://192.168.1.112/css
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16	
Evidence		
URL	http://192.168.1.112/css	
Method	GET	
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)	
Evidence		
URL	http://192.168.1.112/js	

	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
	Evidence	
URL		http://192.168.1.112/js
	Method	GET
	Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
	Evidence	

URL	http://192.168.1.112/js	
	Method	GET
	Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
	Evidence	
URL	http://192.168.1.112/js	
	Method	GET
	Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
	Evidence	
URL	http://192.168.1.112/php	
	Method	GET
	Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET
	Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
	Evidence	
URL	http://192.168.1.112/temporary	
	Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://192.168.1.112/temporary
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://192.168.1.112/webnotes
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://192.168.1.112/webnotes
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://192.168.1.112/webnotes
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://192.168.1.112/webnotes

	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
	Evidence	
URL		http://192.168.1.112/webnotes
	Method	GET
	Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
	Evidence	
Instances		60
Solution		
Reference		https://owasp.org/wstg
CWE Id		

WASC Id	
Plugin Id	[10104](#)