Object Oriented Programming LAB

Experiment No.: 1

Name: SILVIA THOMAS

Roll No: 38

Batch: RMCA(B)

Date:26/03/2021

<u>Aim</u>

Define a class product with data member pcode, pname and price. Create three objects usin the class and find the product having lowest price.

Procedures

Source Code

```
class Product{
      String pcode, pname;
      double price;
      void details(){
            System.out.println("PRODUCT DETAILS");
            System.out.println("PCode : "+pcode);
            System.out.println("PName : "+pname);
            System.out.println("Price : "+price);
}
public class ProductDetails{
      public static void main(String args[]){
            Product p1 = new Product();
            p1.pcode = "S9T20";
            p1.pname = "SAMSUNG S9";
            p1.price = 20300;
            System.out.println("\nProduct1:");
            p1.details();
```

```
Product p2 = new Product();
p2.pcode = "XE302";
p2.pname = "ONE PLUS";
p2.price = 28000;
System.out.println("\nProduct2:");
p2.details();
Product p3 = new Product();
p3.pcode = "Y20";
p3.pname = "VIVO";
p3.price = 13000;
System.out.println("\nProduct3:");
p3.details();
if(p1.price<p2.price && p1.price<p3.price){
      System.out.println("\n\nProduct1 has the lowest price :");
      p1.details();
}
else if(p2.price < p3.price){
      System.out.println("\nProduct2 has the lowest price:\n");
      p2.details();
}
else
{
      System.out.println("\nProduct3 has the lowest price:\n");
      p3.details();
```

```
}
         }
}
```

Output

C:\Windows\System32\cmd.exe

```
D:\java\exam>javac ProductDetails.java
D:\java\exam>java ProductDetails
Product1:
PRODUCT DETAILS
PCode : S9T20
PName : SAMSUNG S9
Price : 20300.0
Product2:
PRODUCT DETAILS
PCode : XE302
PName : ONE PLUS
Price : 28000.0
Product3:
PRODUCT DETAILS
PCode : Y20
PName : VIVO
Price : 13000.0
Product3 has the lowest price:
PRODUCT DETAILS
PCode : Y20
PName : VIVO
Price : 13000.0
```